

UNIVERSAL
LIBRARY

OU_220698

UNIVERSAL
LIBRARY

TEXT DARK WITHIN THE
BOOK ONLY

TIGHT BINDING BOOK

Agents for the sale of books published by the Superintendent of Government Printing, India, Calcutta.

AGENTS IN EUROPE.

Messrs. E. A. Arnold, 41 and 43, Maddox Street, Bond Street, London, W.	Mr. T. Fisher Unwin, 1, Adelphi Terrace, London, W.C.
Messrs. Constable & Co., 10, Orange Street, Leicester Square, W.C.	Messrs. W. Thacker & Co., 2, Creed Lane, London, E.C.
Messrs. P. S. King, & Son, 2 and 4, Great Smith Street, Westminster.	Mr. Ernest Leroux, 28, Rue Bonaparte, Paris.
Messrs. H. S. King & Co., 65, Cornhill, and 9, Pall Mall, London.	Mr. Mortuus Nijhoff, The Hague, Holland.
Messrs. Grindlay & Co., 54, Parliament Street, London, S.W.	Mr. B. H. Blackwell, 50 and 51, Broad Street, Oxford.
	Messrs. Dighton Bell & Co., Cambridge.

AGENTS IN INDIA.

Messrs. Thacker, Spink & Co., Calcutta and Simla.	Messrs. Gopal Narayan & Co., Bombay.
Messrs. Newman & Co., Calcutta.	Superintendent, American Baptist Mission Press, Rangoon.
Messrs. R. Combray & Co., Calcutta.	Hai Sahib M. Gulab Singh & Sons, Mofid-i-Am Press, Lahore and Allahabad.
Messrs. S. K. Lahiri & Co., Calcutta.	Mr. N. B. Mathur, Superintendent, Nazair Kanoo Hind Press, Allahabad.
Messrs. R. Banerjee & Co., Calcutta.	Messrs. A. Chund and Co., Punjab.
Messrs. Higginbotham & Co., Madras.	Messrs. A. M. & J. Ferguson, Ceylon.
Messrs. V. Kalyanarama Iyer & Co., Madras.	Hahn S. C. Talukdar, Proprietor, Students and Company, Cooch Behar.
Messrs. G. A. Natesan & Co., Madras.	Manager, Educational Book Depot, Nagpur and Jubbulpore.*
Messrs. S. Murthy & Co., Madras.	Manager of the Imperial Book Depot, 63, Chandney Chauk Street, Delhi.*
Messrs. Thompson & Co., Madras.	Manager, East Coast News, Vizagapatam.*
Messrs. Temple & Co., Madras.	Manager, "The Agra Medical Hall and Co-operative Association, Limited" (Successors to A. John & Co.), Agra.*
Messrs. Cambridge & Co., Madras.	Mr. T. K. Satharama Aiyar, Kumbakonam, Superintendent, Basel Mission Book and Tract Depository, Mangalore.*
Messrs. P. R. Rama Iyer & Co., Madras.	Messrs. P. Varadachary & Co., Madras.
Messrs. A. R. Pillai & Co., Trivandrum.	Mr. H. Liddell, Printer, etc., 7, South Road, Allahabad.*
Messrs. Thacker & Co., Ltd., Bombay.	Messrs. D. C. Anand & Sons, Peshawar.*
Messrs. A. J. Cambridge & Co., Bombay.	
Messrs. D. B. Taraporevala, Sons & Co., Bombay.	
Mrs. Radhabai Atmaram Sagoon, Bombay.	
Mr. Sunder Pendurang, Bombay.	

* Agents for sale of the Legislative Department publications.

Books and Technical Papers published by the Railway Board.

Books.

- (1) Administration Report on the Railways in India. Published Yearly. Price Volume I, Report, Rs. 1-8-0 or 2s. 3d. Volume II, Appendices, Rs. 2-1-0 or 3s. 6d.
- (2) Classified List and Distribution Return of Officers of all Indian Railways. Published half-yearly. Price Re. 1 or 1s. 6d.
- (3) History of Services of the officers of the Engineer and Superior Revenue Establishment of State Railways. Published yearly. Price Rs. 2-8-0 or 3s. 9d.

Technical papers.

(4) About 200 papers have been published by the Technical Section of the Railway Board's Office. The papers comprise :—


- (a) Original descriptions of Railway Works in India and elsewhere.
- (b) Reprints of articles from foreign Engineering Magazines.
- (c) Reprints or abstracts of reports received by the Government of India on subjects connected with Railways.

A complete list of the papers can be obtained *gratis* from the Chief Engineer with the Railway Board, Simla.

The books and papers can be bought from the—

Superintendent, Government Printing, 8, Hastings Street, Calcutta.

The prices of the papers vary from Annas Four to Rupees Eight.



Preface.

For many years past a brief History of railways constructed and in progress has been included in the Administration Report on the Railways in India, but as a great deal of the information contained in it consists of standing matter relating to details of construction, contracts, etc., which is of little or no use to many of those to whom the report is supplied, and as it also appears unnecessary and inappropriate to include such information in an annual report, it has been decided by the Railway Board to omit it from future issues of the Report and to print it as a separate publication quinquennially. The present edition has been corrected up to 31st March 1918 and space has been allowed in the statements of statistics of working to admit of these being kept up to date.

For facility of reference and convenience railways in this volume have been grouped by systems.

For the purpose of recording statistics of working, the year in which any radical change was made in the physical or financial constitution of a railway, such as, in the case of companies' lines, the date of purchase by Government, or of important modifications in the contracts with the Secretary of State, has been taken as the starting point.

In the case of lines which are of secondary importance, *e.g.*, 2' 6" and 2' gauge lines, Native State lines and some of the smaller metro gauge railways, statistics for the last 10 years only have been included.

Where railways have been absorbed into larger systems, the statistics of working prior to amalgamation have been omitted, as they no longer serve any useful purpose, and those for the joint concern included in the table of the joint concern from the date of absorption.

Index.

Railway.	Gauge.	Working or constructing agency.	Page.
1	2	3	4
A			
Agra-Delhi Chord	5' 6"	G. I. P. Ry. Co. ...	68
Ahmadpur-Katwa	2' 6"	Ahmadpur-Katwa Ry. Co. ...	208
Ahmedabad-Dholka	3' 3 3/4"	} B. B. & C. I. Ry. Co. ... {	24
Ahmedabad-Parantij	3' 3 3/4"		25
Alnagar-Dandeli	3' 3 3/4"	M. & S. M. Ry. Co. ...	97
Amhaji-Taranga Light	2' 6"	Amhaji-Taranga Light Ry. Co. ...	206
Amritsar-Patti	5' 6"	N. W. Ry. ...	110
Arakan Light	2' 6"	Arakan Light Ry. Co. ...	207
Arrah-Sasaram Light	2' 6"	Arrah-Sasaram Light Ry. Co. ...	208
Assam-Bongal	3' 3 3/4"	Assam-Bengal Ry. Co. ...	153
B			
Bangalore-Chik Ballapur Light	2' 6"	Mysore Darbar ...	210
Bankura-Damoodar River	2' 6"	Bankura-Damoodar River Ry. Co. ...	211
Baran-Kotah	5' 6"	G. I. P. Ry. Co. ...	70
Baraset-Basirhat Light	2' 6"	Baraset-Basirhat Light Ry. Co. ...	212
Barzi Light	2' 6"	Barzi Light Ry. Co. ...	214
Bengal and North-Western	3' 3 3/4"	B. & N. W. Ry. Co. ...	157
Bengal Doonars	3' 3 3/4"	} Bengal Doonars Ry. Co. ... {	165
Bengal Doonars Extensions	3' 3 3/4"		167
Bengal-Nagpur	5' 6"	B. N. Ry. Co. ...	1
Bengal Provincial	2' 6"	Bengal Provincial Ry. Co. ...	216
Bezwada Extension	5' 6"	N. G. S. Ry. Co. ...	100
Bezwada-Masulipatam	3' 3 3/4"	M. & S. M. Ry. Co. ...	87
Bhavnagar State	3' 3 3/4"	Bhavnagar Darbar ...	169
Bhopal-Itarsi	5' 6"	} G. I. P. Ry. Co. ... {	70
Bhopal-Ujjain	5' 6"		72
Bilimora-Kalamba	2' 6"	B. B. & C. I. Ry. Co. ...	33
Bina-Goonna-Baran	5' 6"	G. I. P. Ry. Co. ...	74
Birur-Shimoga	3' 3 3/4"	M. & S. M. Ry. Co. ...	88
Bodeli-Chhota Udaipur	2' 6"	} B. B. & C. I. Ry. Co. ... {	34
Bombay, Baroda and Central India, 5' 6" gauge section 3' 3 3/4" gauge section	5' 6" 3' 3 3/4"		12
Bombay Port Trust	5' 6"	Bombay Port Trust ...	40
Broach-Jambusar	2' 6"	B. B. & C. I. Ry. Co. ...	35
Bukhtiarpur-Bihar Light	2' 6"	Bukhtiarpur-Bihar Light Ry. Co. ...	218
Burdwan-Katwa	2' 6"	Burdwan-Katwa Ry. Co. ...	220
Burma	3' 3 3/4"	} Burma Rys. Co. ... {	171
Burma Extensions	3' 3 3/4"		174
C			
Calcutta Port Commissioners'	5' 6"	Calcutta Port Commissioners ...	41
Cawnpore-Banda	5' 6"	G. I. P. Ry. Co. ...	76
Cawnpore-Burhwal link	3' 3 3/4"	B. & N. W. Ry. Co. ...	135
Champaner-Shivrajpur-Pani Light	2' 6"	Guzerat Rys. Co. ...	222
Choparmukh-Silghat	3' 3 3/4"	A. B. Ry. Co. ...	156
Chickajaur-Chitaldrug	3' 3 3/4"	Mysore Darbar ...	177
Cooch Behar State	3' 3 3/4"	E. B. Ry. ...	49
Cutch State	2' 6"	Cutch Darbar ...	223
D			
Darjeeling-Himalayan	2' 0"	} Darjeeling-Himalayan Ry. Co. {	239
Darjeeling-Himalayan Extensions	2' 0"		240
Dasghara-Jamalpurgunj	2' 6"	Bengal Provincial Ry. Co. ...	217
Dehri-Rohas Light	2' 6"	Dehri-Rohas Light Ry. Co. ...	224
Delhi-Umhalla-Kalka	5' 6"	E. I. Ry. Co. ...	60
Dholpur-Bari	2' 6"	Dholpur Darbar ...	225
Dhond-Baramati	2' 6"	G. I. P. Ry. Co. ...	77
Dhone-Kurnool	3' 3 3/4"	M. & S. M. Ry. Co. ...	89
Dhrangadra	3' 3 3/4"	Bhavnagar Darbar ...	170
Dibru-Sadiya	3' 3 3/4"	Assam Rys. & Tradg. Co. ...	178

Index—contd.

Railway.	Gauge.	Working or constructing agency.	Page.
1	2	3	4
E			
Eastern Bengal, 5' 6" gauge section	5' 6"	E. B. Ry. ...	42
3' 3½" gauge section	3' 3½"		47
2' 6" gauge section	2' 6"		52
East Indian	5' 6"	E. I. Ry. Co. ...	53
Ellichpur-Yeotmal	2' 6"	G. I. P. Ry. Co. ...	77
F			
Futwah-Islampur	2' 6"	Futwah-Islampur Ry. Co. ...	227
G			
Gaekwar's Dabhoi	2' 6"	B. B. & C. I. Ry. Co. ...	36
Gaekwar's Mehsana	3' 3½"		27
Godhra-Lunavada	2' 6"		228
Gondal-Forbandar State	3' 3½"	Guzerat Rys. Co. ...	181
Gondia-Chanda Extension	2' 6"	Gondal and Forbandar Durbars	6
Great Indian Peninsula	5' 6"	B. N. Ry. Co. ...	64
Gwalior Light	2' 0"	G. I. P. Ry. Co. ...	242
H			
Hardwar-Dehra	5' 6"	O. & R. Ry. ...	134
Hindupur (Yeavantpur-Mysore Frontier)	3' 3½"	M. & S. M. Ry. Co. ...	90
Hingoli Branch	3' 3½"	N. G. S. Ry. Co. ...	102
Howrah-Amra Light	2' 0"	Howrah-Amra Light Ry. Co. ...	243
Howrah-Sheakhala Light	2' 0"	Howrah-Sheakhala Light Ry. Co. ...	245
Hyderabad-Godavari Valley	3' 3½"	N. G. S. Ry. Co. ...	103
J			
Jacobsabad-Kashmir	2' 6"	N. W. Ry. ...	126
Jagadhri Light	2' 0"	Jagadhri Light Ry. Co. ...	247
Jaipur State	3' 3½"	B. B. & C. I. Ry. Co. ...	29
Jammu and Kashmir (Native State section)	5' 6"	N. W. Ry. ...	113
Jamnagar	3' 3½"	Navanagar Durbar ...	184
Jessore-Jhenidah	2' 6"	Jessore-Jhenidah Ry. Co. ...	230
Jetalsar-Rajkot	3' 3½"	Gondal and Porbandar Durbars ...	181
Jind-Panipat (Native State section)	5' 6"	E. I. Ry. Co. ...	61
Jodhpur-Bikaner, Jodhpur section	3' 3½"	Jodhpur-Bikaner Ry. ...	185
Bikaner section	3' 3½"		187
Jodhpur-Hyderabad (British section)	3' 3½"		188
Jorhat (Provincial)	2' 0"	Assam Administration	248
Jubbulpore-Gondia Extension	2' 6"	B. N. Ry. Co. ...	6
Jullundur-Mukerian	5' 6"	N. W. Ry. ...	111
Junagad State	3' 3½"	Junagad Durbar	132
K			
Kalighat-Falta	2' 6"	Kalighat-Falta Ry. Co. ...	232
Kalka-Simla	2' 6"	N. W. Ry. ...	127
Katakhal-Lalabazar	3' 3½"	A. B. Ry. Co. ...	156
Khanpur-Chachran	5' 6"	N. W. Ry. ...	114
Khijadiya-Dhari	3' 3½"	Gondal and Porbandar Durbars	183
Khulna-Bagichant	2' 6"	E. B. Ry. ...	52
Kohat-Thal	2' 6"	N. W. Ry. ...	128
Kolar District	2' 6"	Mysore Durbar	233
Kolar Gold-fields	5' 6"	M. & S. M. Ry. Co. ...	84
Kolhapur State	3' 3½"		91
Kosamba-Zankhnav	2' 6"		37
Knlasekarappattanam-Tissianvillai Light	2' 0"	B. B. & C. I. Ry. Co. ...	249
		East India Distilleries and Sngar Factories, Ltd., of Madras.	

Index—contd.

Railway.	Gauge.	Working or constructing agency.	Page.
1	2	3	4
L			
Larkhana-Jacobabad...	2' 6"	Sind Light Ry. Co. ...	130
Ledo and Tikak-Margherita Colliery ...	3' 3 $\frac{3}{4}$ "	Assam Rys. & Trdg. Co. ...	179
Lnoknow-Bareilly ...	3' 3 $\frac{3}{4}$ "	R. & K. Ry. Co. ...	201
Lndhiana-Dhuri-Jakhal ...	5' 6"	N. W. Ry. ...	115
M			
Madaya Light ...	2' 6"	Madaya Tramway Co. ...	234
Madras and Southern Mahratta, 5' 6" gauge section ...	5' 6"	} M. & S. M. Ry. Co. ... {	81
3' 3 $\frac{3}{4}$ " gauge section ...	3' 3 $\frac{3}{4}$ "		
Mauamadura-Sivaganga ...	3' 3 $\frac{3}{4}$ "	S. I. Ry. Co. ...	151
Mandra-Bhanu ...	5' 6"	N. W. Ry. ...	116
Matheran Light ...	2' 0"	G. I. P. Ry. Co. ...	79
Mayurbhanj Extension ...	2' 0"	B. N. Ry. Co. ...	11
Mirpur Khas-Jhudo ...	3' 3 $\frac{3}{4}$ "	} Jodhpur-Bikaner Ry. ... {	189
Mirpur Khas-Khadro ...	3' 3 $\frac{3}{4}$ "		
Mohari-Barnuli ...	2' 6"	Dholpur Durhar ...	225
Morappur-Hosur ...	2' 6"	S. I. Ry. Co. ...	150
Mourbhanj State ...	2' 6"	B. N. Ry. Co. ...	7
Morvi ...	3' 3 $\frac{3}{4}$ "	} Morvi Durhar ... {	194
	2' 6"		
Mymensingh-Bhairab Bazar ...	3' 3 $\frac{3}{4}$ "	A. B. Ry. Co. ...	155
Mymensingh-Jamalpur-Jagannathganj ...	3' 3 $\frac{3}{4}$ "	B. B. Ry. ...	50
Mysore-Artikere ...	3' 3 $\frac{3}{4}$ "	Mysore Durhar ...	195
Mysore-Naujangund ...	3' 3 $\frac{3}{4}$ "	} M. & S. M. Ry. Co. ... {	92
Mysore section (Madras and Southern Mahratta).	3' 3 $\frac{3}{4}$ "		
N			
Nadiad-Kapadvanj ...	2' 6"	Guzerat Rys. Co. ...	235
Nagda-Ujjain ...	5' 6"	B. B. & C. I. Ry. Co. ...	16
Nagpur-Chhindwara Extension ...	2' 6"	B. N. Ry. Co. ...	8
Nasari-Kamrej Light ...	2' 6"	Baroda Durhar ...	39
Nilgiri ...	3' 3 $\frac{3}{4}$ "	S. I. Ry. Co. ...	141
Nizam's Guaranteed State ...	5' 6"	N. G. S. Ry. Co. ...	98
North Western ...	5' 6"	} N. W. Ry. ... {	106
Nowshera-Durgai ...	2' 6"		
O			
Okhamandal ...	3' 3 $\frac{3}{4}$ "	Baroda Durhar ...	195
Oudh and Rohilkhand ...	5' 6"	O. & R. Ry. ...	131
P			
Pachora-Jamner ...	2' 6"	G. I. P. Ry. Co. ...	80
Palanpur-Deesa ...	3' 3 $\frac{3}{4}$ "	B. B. & C. I. Ry. Co. ...	31
Panposh-Raipura ...	5' 6"	} B. N. Ry. Co. ... {	11
Parlakimedi Light ...	2' 6"		
Peralam-Kanikkal ...	3' 3 $\frac{3}{4}$ "	S. I. Ry. Co. ...	142
Petlad-Cambay, Anand-Tarapur section ...	5' 6"	} B. B. & C. I. Ry. Co. ... {	18
Tarapur-Cambay section ...	5' 6"		
Petlad-Vaso ...	2' 6"	} N. W. Ry. ... {	38
Phagwara-Rahon ...	5' 6"		
Pipar-Bilara Light ...	2' 0"	Jodhpur-Bikaner Ry. ...	192
Podanur-Pollachi ...	3' 3 $\frac{3}{4}$ "	} S. I. Ry. Co. ... {	43
Pondicherry ...	3' 3 $\frac{3}{4}$ "		
Powayan Light ...	2' 6"	R. & K. Ry. Co. ...	202
Pulgaon-Arvi ...	2' 6"	G. I. P. Ry. Co. ...	79
Parulia-Ranchi Branch ...	2' 6"	B. N. Ry. Co. ...	9

Index—concl'd.

1	2	3	4
Railway.	Gauge.	Working or constructing agency.	Page.
R			
Raipur-Dhamtari Branch	2' 6"	B. N. Ry. Co.	10
Rajpipla State	2' 6"	B. B. & C. I. Ry. Co.	38
Rajpura-Bhatinda	5' 6"	N. W. Ry.	117
Rohilkund and Kumaon	3' 3½"	R. & K. Ry. Co.	196
S			
Sangli State	3' 3½"	M. & S. M. Ry. Co.	93
Sara-Sirajganj	5' 6"	E. B. Ry.	45
Secunderabad-Gadwal	3' 3½"	N. G. S. Ry. Co.	104
Shahdara (Delhi)-Saharanpur Light	2' 6"	Shahdara (Delhi)-Saharanpur Light Ry. Co.	236
Shoranur-Cochin	3' 3½"	S. I. Ry. Co.	145
Sialkot-Narowal	5' 6"	N. W. Ry.	119
South Bihar	5' 6"	E. I. Ry. Co.	62
South Indian, 5' 6" gauge section	5' 6"	} S. I. Ry. Co.	{ 136
3' 3½" gauge section	3' 3½"		
Southern Panjah, Main line	5' 6"	} N. W. Ry.	{ 120
Jullundur Doab	5' 6"		
Ludhiana Extension	5' 6"		
Sutlej Valley	5' 6"		
Southern Shan States	3' 3½"	Burma Rys. Co.	176
Snramangalam-Salem	5' 6"	S. I. Ry. Co.	137
T			
Tanjore District Board	3' 3½"	S. I. Ry. Co.	146
Tapti Valley	5' 6"	B. B. & C. I. Ry. Co.	20
Tarikere-Narasimharajapura	2' 6"	Mysore Darbar	250
Tenali-Ropalli	5' 6"	M. & S. M. Ry. Co.	85
Tezpore-Balipara Light	2' 6"	Tezpore-Balipara Light Ry. Co.	238
Tinnevely-Quilon (Travancore), British section	2' 3½"	} S. I. Ry. Co.	{ 148
Native State section	3' 3½"		
Tinnevely-Tiruchendur	3' 3½"	} B. & N. W. Ry. Co.	{ 152
Tirhoot	3' 3½"		
Tirupattur-Krishnagiri	2' 6"	S. I. Ry. Co.	151
Trase Indns (Kalabugh-Bannu)	2' 6"	N. W. Ry.	129
Trichinopoly-Pudukkottai	3' 3½"	S. I. Ry. Co.	152
Tummar-Tirodi Light... ..	2' 0"	B. N. Ry. Co.	11
U			
Udaipur-Chitorgarh	3' 3½"	Mewar Darbar	204
V			
Vijapur-Kalol-Kadi	3' 3½"	B. B. & C. I. Ry. Co.	32
W			
West of India Portuguese	3' 3½"	M. & S. M. Ry. Co.... ..	94

GENERAL.

From the year 1906-07 Interest on Debt in India has been calculated at the actual average rate for the year of interest on the mean non-specific debt of India, instead of at the fixed rates of 4 and 3½ per cent previously employed. The actual rates from 1906-07 to 1917-18 were 3·437, 3·412, 3·384, 3·384, 3·377, 3·401, 3·500, 3·388, 3·499, 3·4725, 3·2964 and 3·4730 per cent, respectively.

One effect of the change is that, in some cases, while the capital outlay on a railway at the end of 1907 was more than that at the end of 1906, the interest charge in connection therewith was less.

BENGAL-NAGPUR RAILWAY, SYSTEM.

Chairman—ROBERT MILLER, Esq.

Managing Director—SIR T. R. WYNN, K.C.S.I., K.C.I.E.

Offices—132, Gresham House, Old Broad Street, London, E.C.

Date of registration of the Company—23rd February 1887.

Lines comprised in the system.—The Bengal-Nagpur railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Bengal-Nagpur railway proper (5' 6" gauge)	1,567·09	1,898·64	3,154·84
(b) East Coast railway, Northern section (5' 6" gauge)	321·55	...	217·25
(c) Gondia-Gondia Extension, Bengal-Nagpur railway (2' 6" gauge)	217·25	9·01	320·26
(d) Jabalpur-Gondia Extension, Bengal-Nagpur railway (2' 6" gauge)	311·81	...	32·41
(e) Mourbhaj State railway (2' 6" gauge)	32·41	...	24·62
(f) Nagpur-Chhindwara Extension, Bengal-Nagpur railway (2' 6" gauge)	97·20	...	115·30
(g) Parlakimodi Light railway (2' 6" gauge)	24·62	...	56·94
(h) Parulic-Banohli branch, Bengal-Nagpur railway (2' 6" gauge)	115·30	...	51·10
(i) Raipur-Dhamra branch, Bengal-Nagpur railway (2' 6" gauge)	39·94	...	14·30
(j) Tumsar-Tirodi Light railway (2' 6" gauge)	51·10	...	38·71
(k) Panposh-Raipur railway (5' 6" gauge)	14·30	...
(l) Mayurbhanj Extension railway (2' 6" gauge)	38·71	...
Total	2,798·27	328·22	3,128·49

Running powers—

Home line over Foreign lines:—

At Katni, East Indian railway	for passenger and goods trains	0·80
At Amsool and Kutumsark, East Indian railway	for passenger and goods trains only	1·00
At Howrah, East Indian railway	for passenger and goods trains	0·65
At Nagpur, Great Indian Peninsula railway	for passenger and goods trains	4·97
Waltham to Vizagapatnam, including wharf and swamp line, Madras and Southern Mahratta railway (5' 6" gauge)		8·08
Total		3·33

Foreign lines over Home line:—

Great Indian Peninsula railway, Nagpur to Itwari Bazar, 1·73 miles, for goods trains and 1·60 miles, at Katni, for passenger trains		3·33
Total		3·33

Bengal-Nagpur railway (5' 6" gauge)—

The Bengal-Nagpur Railway Company was formed in 1887 and took over the Nagpur-Chhattisgarh State railway and constructed other lines, embracing in all a system of railways known as the Bengal-Nagpur railway.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
BENGAL-NAGPUR PROPER—					
<i>Main line—</i>					
Amsool to Damoodur	12-6-89	4·62			
Damoodur to Parulic	14-12-89	44·36			
Parulic to Chakraborty	22-1-90	72·23			
Chakraborty to Gokkera	15-5-90	20·90			
Gokkera to Jharaguda	1-2-91	104·93			
Jharaguda to Raigarh	20-4-90	44·42			
Raigarh to Bilaspur	10-3-90	82·40			
Bilaspur to Raipur	10-1-89	64·52			
Raipur to Raj-Nandgaon	4-12-84	42·04			
Raj-Nandgaon to Nagpur	1890, '81 & '82†	144·92	629·53		
Branches—					
<i>Sanctoria coal branch—</i>					
Damoodur to the Sanctoria collieries	12-6-89	8·11	8·11		
<i>Chaurashi branch—</i>					
Baukanali to Nodda Colliery siding (siding No. 7)	1-2-03	8·52	6·53		
<i>Sambalpur branch—</i>					
Jharaguda to Sambalpur	1-8-93	29·90	29·90		
Carried over	676·06	

† Transferred for working as an integral part of the Bengal-Nagpur railway from the 1st January 1901.

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*Bengal-Nagpur railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	678'06	
Katni branch—					
Bilaspur to Birasinghpur	1-2-01	142'32			
Birasinghpur to Umaria	11-5-00	18'46			
Umaria to Katni	2-11-00	33'48			
Katni to Marwara Junction	1-1-01	0'65			
Kanhan to Datapahar	28-9-07	17'39	197'31		
Calcutta extension—				17'39	
Sini to Khargpur	1-6-08	100'02			
Khargpur to Khal Bridge	17-12-08	38'17			
Khal Bridge to Rajapur Khal	24-5-00	18'80			
Rajapur Khal to Howrah	14-12-00	15'31			
Fort Gloster branch 1'36, Lawrence Mill 0'88 and East	14-12-00	8'50			
Roop Narain Bank 0'81 and Kidderpore For line 0'60					
Ring mill line at Fuleswar	16-6-17	0'43			
Shalimar branch—				174'93	
Bantragnobi to Shalimar	15-3-01	8'15			
Outfall extension—				3'15	
Khargpur to Balasore	17-12-08	71'86			
Balasore to Outfall	16-1-09	110'40			
Jharia extension—				182'26	
Khargpur to Cosayo river	20-12-09	8'40			
Right bank of the Cosayo river to Midnapore	8-6-01	1'55			
Midnapore to Bhojudih	1-2-03	114'35			
Bhojudih to Gomoh	1-1-07	28'15			
Gudamdi block hut to Bhowrah block hut	17-2-14	1'78			
Branches and extensions on the Jharia Coal-fields—				150'77	
Bhojudih-Bhowrah-Mohuda loop—					
Bhojudih to Bhaga	20-4-03	6'26			
Bhaga to Malkera	1-9-03	8'78			
Malkera to Mohuda	15-6-04	3'37			
Bhowrah branch—				19'11	
Bhojudih-Pathardih link	14-5-08	3'08			
	1-2-06	0'86			
	10-1-15	0'62			
Connection of B. N. Ry. and E. I. Ry. at Nonoodih—				1'48	
Bengal-Nagpur Railway's own line	5-3-15	0'98			
Bengal-Nagpur Railway and East Indian Railway joint line.	5-3-15	0'46			
Katras connections—				1'39	
Malkera to Katras	24-8-03	0'38			
Khanoodih to Katras	1-1-07	1'86			
Marulidih branch—				2'44	
Mohuda to Marulidih collieries	1-1-07	2'65			
Jamadoba loop—				2'65	
	16-9-03	5'42			
Kendua branch—				5'42	
	10-10-09	2'60			
Aldih branch—				2'60	
	1-2-08	2'54			
Vishanagram-Parvatipuram extension—				2'54	
Vishanagram to Bobbili	24-12-08	33'18			
Bobbili to Parvatipuram	8-3-00	15'20			
Bobbili-Salur branch—				48'38	
Bobbili to Salur	1-5-13	10'37			
Kalumati-Gorumahisani extension—				10'37	
Kalumati to Oninjori	1-3-11	34'12			
Oninjori to Gorumahisani	6-4-11	5'88			
Bekharo Ramgarh extension—				40'10	
Bengal-Nagpur Railway's own line—					
Mohuda to outersignal of Jamuniataad	27-11-13	4'18			
Bengal-Nagpur and East Indian Railway's joint line					
Outersignal of Jamuniataad to Chandrapura	27-11-13	6'02			
Chandrapura to 150 miles from Chandrapura	1-4-15	1'20			
150 miles from Chandrapura to Berma (Section II).	1-4-15	10'08			
Kalamna-Itwari-Nagpur section—				21'78	
Kalamna via Itwari to Nagpur	15-3-11	3'58	3'88		
TOTAL OPEN MILEAGE, BENGAL-NAGPUR PROPR	591'03	
				1,507'00	

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*Bengal-Nagpur railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	1,567.00	
EAST COAST RAILWAY, NORTHERN SECTION—					
<i>Main line—</i>					
Outlook to Bhubaneswar	1-2-07	17.13			
Bhubaneswar to Khurda Road	20-7-06	11.75			
Khurda Road to Bamba	1-3-06	61.00			
Bamba to Berhampore-Ganjam	1-9-05	22.54			
Berhampore-Ganjam to Palasa	1-4-05	45.99			
Palasa to Parlakimedi Road (Naupada)	17-12-04	18.97			
Parlakimedi Road (Naupada) to Vizianagram	20-7-04	72.36			
Vizianagram to Waltair	15-7-03	37.78			
Naupada salt branch	...	2.37			
			294.40		
<i>Furi branch—</i>					
Khurda Road to Furi	1-2-07	27.06			
			27.06		
TOTAL EAST COAST RAILWAY, NORTHERN SECTION	321.55	
TOTAL OPEN MILEAGE, BENGAL-NAGPUR RAILWAY, 5' 6" GAUGE.	1,888.54	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—					
Baipur to Parvatipuram (sanctioned on 26th January 1906)	...	260.67			
Kandara-Gomharia Chord (sanctioned on 24th June 1914)	...	5.53			
			266.20		
				266.20	
GRAND TOTAL, BENGAL-NAGPUR, 5' 6" GAUGE	2,154.74	
DOUBLE LINE—					
<i>BENGAL-NAGPUR PROPER—</i>					
Howrah to Santragachi	12-12-00	3.42			
Santragachi to Bauria	17-4-02	10.80			
Bauria to Khargpur	15-3-07	33.86			
Bhalimar branch	15-3-01	3.15			
Barkura to Adra	4-1-16	32.98			
TOTAL DOUBLE LINE	106.21		

Details of construction—

Permanent-way.—The line is laid with 75-lb., 85-lb. and 90-lb. steel rails on transverse wooden, steel and cast iron pot sleepers.

Ballast.—The line is ballasted throughout with stone, except for a few miles on the Adra district (between Khargpur and Garbeta) where laterite is used.

Fencing.—The line is fenced only between Nagpur and Kamptee and at the more important stations, also at some of the station yards and first class level crossings on the Barang-Waltair section.

Curves.—On the main line there are no curves sharper than 1,000 feet radins.

Gradients.—The ruling gradient between Asansol and Nagpur, and Bilaspur and Katni is 1 in 100; between Sini and Khargpur, 1 in 125; between Khargpur and Waltair, 1 in 150; between Khargpur and Howrah, and Khurda Road and Puri, 1 in 200; and between Midnapore and Bhojudih, 1 in 200 in the down direction, and 1 in 125 in the up direction; and between Vizianagram and Parvatipuram, 1 in 125.

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*

Bengal-Nagpur railway (5' 6" gauge)—*contd.*

Contracts—

- Dated the 9th March 1887 (called the original contract), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to taking over certain State railways and the construction of other lines, and their management, maintenance and working.
- Dated the 31st December 1891 (supplemental to the contract of 1887), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the construction and working of the Samhalpur Branch railway.
- Dated the 27th June 1901 (called the Debenture contract, supplemental to the contract of 1887), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the issue of debentures.
- Dated the 23rd January 1902 (supplemental to the contract of 1887), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the construction of certain new lines and the working of the Northern section of the East Coast railway.
- Dated the 28th April 1903 (supplemental to the contract of 1887), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.
- Dated the 22nd February 1910 (supplemental to the contracts of 1887, 1891, 1901, 1902 and 1903), *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the construction of certain further extensions and branch lines in connection with the Company's undertaking and to certain questions under the contract of 1902.
- Dated the 5th November 1912 (supplemental to the contracts of 1887, 1891, 1901, 1902, 1903 and 1910) *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to certain modifications of the original contract of 1887 as varied by the several supplemental contracts.
- Dated the 4th March 1914 (supplemental to the contracts of 1887, 1891, 1901, 1902, 1903, 1910 and 1912) *between the Secretary of State and the Bengal-Nagpur Railway Company*, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of contracts—

- (i) *Land*.—Provided by the Government at the cost of capital.
- (ii) *Government aid*.—Guarantee of interest at $\frac{1}{2}$ per cent per annum in sterling on the Company's ordinary capital of £3,000,000 up to the 31st December 1913. Thereafter on this ordinary capital and on any further ordinary capital that may be required, the guarantee to be $\frac{3}{4}$ per cent.
- (iii) *Distribution of profits*—
 - (A) *Up to 31st December 1913*.—The net earnings for any complete calendar year up to December 1912, and thereafter for any complete financial year, after providing for:—
 - (a) payment to Government of interest on advances made by Government for capital expenditure on the Company's extensions and on over-drafts of capital in connection with open line capital expenditure, at $\frac{3}{4}$ per cent per annum up to and including 30th June 1909, and thereafter at $\frac{3}{4}$ per cent per annum (except for advances of capital expenditure on the Company's old extensions, interest on which continued to be paid at $\frac{3}{4}$ per cent per annum),
 - (b) repayment of interest paid by Government to the Company for that year, and
 - (c) payment of interest on capitalized interest under clause 21 of the supplemental contract, dated 23rd January 1902,
 are divided in the ratio of $\frac{1}{4}$ ths to the Government and $\frac{3}{4}$ th to the Company if the ordinary capital of £3,000,000 is not increased before that date. If the said capital is increased, the Company's share of surplus profits shall be increased by the fraction which shall bear to one-fourth the same proportion as the additional capital bears to the existing capital of £3,000,000.

As from 1st January 1901, interest at $\frac{3}{4}$ per cent per annum on the capital expended by the Government on the Northern section of the East Coast railway, is a charge against the net earnings of the Company's undertaking, and the $\frac{1}{4}$ th share of surplus profits formerly payable to the Company is further divisible between the Government and the Company in the proportion which the gross earnings of the Northern section of the East Coast railway bear to the gross earnings of the remainder of the Company's undertaking.
 - (B) *From 1st January 1914*.—With effect from the 1st January 1914, the net earnings attributable to the two half-years of a financial year, less—
 - (a) interest (not charged to capital under the provisions of the contract of 22nd February 1910) on debentures or debenture stock of the Company,
 - (b) guaranteed interest on Company's open line capital, and
 - (c) interest at $\frac{3}{4}$ per cent on the Secretary of State's open line capital,
 shall be divided between the Secretary of State and the Company in the ratio of the average amounts during the year of the Secretary of State's open line capital and the Company's open line capital, in accordance with the contract of the 5th November 1912.

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*Bengal-Nagpur railway (5' 6" gauge)—*contd.*Main provisions of contracts—*contd.*

- (iv) *Rates and fares.*—The Government to authorise maximum and minimum rates, and prescribe the various classes of passengers and goods as well as the extent to which, within the maxima and minima, the Company may vary the rates in respect of distance, weight or special conditions.
- (v) *Special obligations as to the conveyance of—*
- (a) Mails, troops, police, high Government officials and Government stores.—To be conveyed on the same general conditions as those in force on State railways of the same gauge and at rates to be approved by Government.
- (b) Government bullion and coin and the persons in charge thereof.—To be carried at special rates approved by Government.
- (vi) *Power of the Government to surrender contract.*—The railway and its appurtenances are declared to be absolutely the property of the Government, which may determine the contract by giving twelve months' previous notice on the 31st December 1950 or on the 31st December of any succeeding fifth year.
- On the termination of the contract the Company is to hand over to the Government the railway and all its belongings of every description, and the Government are to repay the amount at par of the share capital which has been paid in by the Company.
- The contract for the Sambalpur branch brings this branch within the provisions of the original contract of 9th March 1887, but provides that the Government may purchase the branch at any time after 1st January 1895, on giving twelve months' notice.
- The contracts of 23rd January 1902 and 22nd February 1910 provide for the construction, maintenance and working of the new lines as part of the Company's undertaking, and are to remain in force until the original contract of 1887 shall be determined.
- (vii) *Power of the Company to surrender contract.*—Nil.
- (viii) *Term of contract [if not determined under (vi) or (vii)].*—None specified.

Statistics of working (Those for the periods prior to 1888 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Includes the Northern section of the late East Coast railway, the Gondia-Chanda, Jubbulpore-Gondia and Nagpur-Gondwana extensions and Parulda-Ranch and Nagpur-Bhamta branches and Tumsar-Tirodi Light railway.

Year.	Miles open at end of year.	Total capital paid up, including contingencies, to end of each year, Rs. and p.	Gross earnings, Rs. and p.	Net earnings, Rs. and p.	Percentage of net earnings to total capital paid up, per cent.	Interest, Rs. and p.	Company's share of surplus profits (based on earnings of previous year, Rs. and p.)	Percentage of Company's share of net earnings (surplus profits guaranteed under the share capital of Company's capital).	Gains or losses to the State per unit of each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11	12
1888	22,150	5,73,52,200	15,67,503	5,17,161	4.03	2,03,917	Rs. 18,15,160	Rs. 67.32	...
1890	1,107.18	7,38,75,756	20,40,843	4,03,160	5.37	30,00,304	Rs. 25,95,294	712	89.85
1890	2,801.91	8,11,00,762	28,68,678	5,17,163	6.37	33,88,952	Rs. 28,71,359	194	80.99
1891	3,51.58	9,08,01,164	31,37,300	39,81,353	2.90	35,98,678	Rs. 4,21,223	120	59.81
1892	4,811.85	9,16,14,730	30,09,502	30,09,106	3.10	30,09,512	Rs. 6,97,173	111	20.65
1893	6,013.81	9,30,09,121	31,17,711	32,62,220	3.11	32,62,220	Rs. 11,46,371	148	49.17
1894	6,807.88	9,31,73,780	34,00,148	32,56,414	3.27	32,56,414	Rs. 12,12,579	191	61.39
1895	8,800.38	9,38,04,772	35,71,740	35,11,114	3.58	35,71,740	Rs. 13,15,560	153	48.40
1896	8,800.88	11,03,30,319	34,84,525	30,37,809	2.95	32,27,809	Rs. 18,99,076	112	54.05
1897	8,800.98	13,04,58,794	32,40,309	30,79,659	2.28	31,35,210	Rs. 21,51,601	139	61.04
1898	1,107.41	14,62,03,520	35,70,104	33,01,454	2.29	34,28,169	Rs. 20,40,332	124	61.11
1899	1,100.15	16,05,59,269	38,73,800	47,21,811	2.83	47,21,811	Rs. 25,84,000	137	47.90
1900	1,281.95	17,41,74,000	4,29,75,221	77,13,050	4.43	6,13,057	1,85,401	...	Rs. 10,68,222	194	40.56
1901	1,600.22	21,28,47,901	1,20,77,709	61,48,034	2.90	70,84,103	Rs. 18,39,516	149	53.98
1902	1,902.54	23,05,09,058	1,12,18,227	62,37,712	3.01	85,41,311	Rs. 10,00,609	170	51.21
1903	1,619.58	24,07,38,849	1,55,17,702	70,46,255	2.92	8,008,131	Rs. 18,20,890	105	51.60
1904	1,968.80	26,14,43,453	1,89,12,137	95,37,326	3.67	9,118,621	Rs. 16,51,621	165	49.31
1905	1,980.17	27,43,72,570	2,14,70,900	1,34,01,032	4.91	1,00,32,315	6,67,100	...	Rs. 27,94,634	239	45.22
1906	1,900.50	28,40,49,683	2,00,17,181	1,41,51,252	4.97	1,01,41,779	5,67,100	...	Rs. 30,19,048	250	45.40
1907	2,119.35	30,00,09,534	2,80,80,537	1,16,16,140	4.60	1,78,54,545	9,21,400	...	Rs. 40,46,114	263	49.77
1908	2,336.80	32,30,77,898	2,71,35,090	1,14,00,971	4.52	1,89,24,018	Rs. 41,72,463	227	57.99
1909	2,518.33	38,00,40,391	2,87,72,427	1,31,42,075	4.36	1,10,90,065	2,89,148	...	Rs. 41,25,063	290	54.33
1910	2,305.30	34,75,40,060	3,08,62,307	1,50,32,327	4.31	1,20,01,493	6,22,284	...	Rs. 42,65,660	248	61.28
1911	2,489.02	55,50,00,832	3,30,70,014	1,68,81,823	4.74	1,21,01,653	6,61,567	0.14	Rs. 55,00,074	293	50.48
1912	2,460.92	36,36,14,914	3,02,62,940	2,18,48,030	10.01	1,24,78,290	9,61,079	0.54	Rs. 75,26,401	311	48.74
1st q. of 1913.	8,409.02	36,80,24,074	1,15,28,350	58,47,752	1.61	1,36,237	5,83,034	2.23	Rs. 22,09,841	350	48.80
1913-14	2,073.32	38,73,50,107	4,30,16,948	2,15,05,714	5.55	1,40,01,639	14,00,316	7.20	Rs. 60,04,440	308	49.87
1914-15	2,070.82	40,20,56,389	4,10,00,804	2,03,23,627	5.06	1,41,12,377	9,32,016	5.30	Rs. 61,78,734	305	61.87
1915-16	2,083.00	40,70,70,717	4,83,73,384	2,30,25,149	5.16	1,47,70,586	10,01,708	5.98	Rs. 67,51,013	319	49.01
1916-17	2,726.16	40,80,60,118	5,12,28,825	2,65,23,547	6.40	1,47,55,302	15,35,201	7.04	Rs. 68,42,144	359	48.92
1917-18	2,741.00	41,38,74,577	5,22,62,542	3,01,32,303	7.28	1,63,17,008	20,22,028	7.99	Rs. 67,35,223	358	46.57

* The surplus profits for the year 1917-18 were divided between Government and the Company to the proportion of Rs. 26,88,46,917 to Rs. 4,60,00,000, 1768B

BENGAL-NAGPUR RAILWAY SYSTEM—contd.

Gondia-Chanda Extension, Bengal-Nagpur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Gondia to Nagbhir	10-11-08	80.87		
Nagbhir to Rajoli	1-12-10	31.95		
Rajoli to Babupath	1-4-13	35.57		
Babupath to Chanda Fort	20-2-16	1.67		
			149.27	
Extensions—				
Nagbhir, via Itwari to Motibagh	10-11-08	65.59		
Line at Itwari	10-11-08	0.90		
	15-3-11	1.49	67.98	
TOTAL	217.25

Details of construction—

Permanent-way.—The line is laid with 40-lb. flat-footed steel rails on sāl sleepers.

Ballast.—The line is ballasted with stone and moorum.

Fencing.—The line is not fenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Contracts—

The line forms an integral part of the Bengal-Nagpur railway and is worked under the contracts noted under Bengal-Nagpur railway (5' 6" gauge).

Statistics of working—

Included under Jubbulpore-Gondia Extension (2' 6" gauge).

Jubbulpore-Gondia Extension, Bengal-Nagpur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Jubbulpore to Howbakh	15-9-05	1.66		
Howbakh to Burgi	7-4-05	16.56		
Burgi to Nainpur	5-7-04	51.90		
Nainpur to Gondia	18-1-03	73.73		
			142.29	
Branches—				
Mandla branch—				
Nainpur to Garcha Mandla	15-2-09		26.40	
Barkuhi branch—				
Nainpur to Seoni	12-2-04	17.10		
Seoni to Chaurai	27-7-04	19.18		
Chaurai to Chhindwara	1-9-04	21.00		
Chhindwara to Khirsadoh	15-2-06	16.13		
Khirsadoh to Barkuhi	21-3-07	5.36		
			105.77	
Kodangi branch—				
Balajhat to Katanga	1-5-13	28.93		
		5.42	28.93	
Ram Kana Branch	1-11-13		5.42	
TOTAL OPEN MILEAGE	211.81
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Khirsadoh to Singora (sanctioned on 24th June 1904)	8.43		
Portion of Itwari Bazar scheme	0.58		
			9.01	
GRAND TOTAL	220.82

Details of construction—

Permanent-way.—The permanent-way consists of 41-lb. flat-footed steel rails on sāl sleepers.

Ballast.—The line is ballasted with stone, except between Seoni and Chhindwara where good black ballast has been used. Between Chhindwara and Barkuhi the ballast consists mainly of moorum.

Fencing.—Only important station yards are fenced.

Curves.—The sharpest curve is of 409 feet radius.

Gradients.—The ruling gradient is 1 in 80, except between Khirsadoh and Barkuhi where it is 1 in 60.

Contracts—

The line forms an integral part of the Bengal-Nagpur railway and is worked under the contracts noted under Bengal-Nagpur railway (5' 6" gauge).

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*Jubbulpore-Gondia Extension, Bengal-Nagpur railway (2' 6" gauge)—*concl'd.*

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Includes the Gondia-Chanda and Nagpur-Chhindwara Extensions.							
Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (8).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	397.07	2,85,27,804	10,91,800	3,05,532	1.29	58	73.01
1909	328.46	2,61,54,689	11,86,745	1,67,544	0.64	33	85.88
1910	458.77	2,78,45,635	14,62,244	2,90,659	1.04	50	79.31
1911	507.50	3,21,83,155	15,64,717	3,50,177	1.12	59	77.05
1912	508.66	3,47,04,385	18,00,931	5,19,768	1.50	68	71.14
1st qtr. of 1913.	548.66	3,53,01,498	6,11,957	2,21,399	0.63	32	63.77
1913-14	624.63	3,73,01,570	23,21,316	5,11,012	1.64	71	73.68
1914-15	621.86	3,87,29,451	21,17,243	3,90,901	1.01	65	81.54
1915-16	622.87	4,02,71,985	20,52,540	1,58,457	0.79	63	92.36
1916-17	626.26	4,00,75,512	25,08,616	3,61,479	0.90	68	83.63
1917-18	626.26	4,02,30,345	25,92,110	6,20,169	1.54	77	75.21

Mourbhanj State railway (2' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Rupia to Baripada station	2-1-05	32.41	32.41

Details of construction—

Permanent-way.—The line is laid with 31-lb. flat-footed steel rails on *sā* sleepers.

Ballast.—The line is ballasted with screened laterite, gravel and broken laterite.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

Without date, between the Maharaja of Mourbhanj and the Bengal-Nagpur Railway Company, as to management, maintenance and working approved in Railway Board's letter No. 223-B.T. of the 10th March 1905.

Main provisions of agreement—

- (i) *Land.*—Provided by the Mourbhanj State at the cost of capital.
- (ii) *Government aid.*—The railway was constructed by the Mourbhanj State, whose property it is, and is managed, maintained, stocked and worked by the Bengal-Nagpur Railway Company as if it were part of the Company's undertaking.
- (iii) *Terms of working.*—The total amount of actual working expenses of the line, including
- (iv) *Distribution of profits.*—cost of maintenance, is deducted by the Company from the gross receipts and the balance is paid to the Maharaja of Mourbhanj at the end of each year.
- (v) *Rates and fares.*—Controlled by the Company.
- (vi) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin and the persons in charge thereof.—
- (vii) *Power of the Maharaja to determine agreement.*—The agreement is terminable on 31st December
- (viii) *Power of the Company to surrender agreement.*—of any year on three months' previous notice, given by either party to the other.
- (ix) *Term of agreement [if not determined under (vii) or (viii)].*—Not specified.

BENGAL-NAGPUR RAILWAY SYSTEM—contd.

Mourbhanj State railway (2' 6" gauge)—concl'd.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 36 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including reserve, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	32.41	7,18,070	50,791	28,683	3.98	30	48.62
1909	32.41	7,19,875	55,190	24,209	3.37	38	58.26
1910	32.41	7,19,735	59,333	25,356	3.51	35	56.70
1911	32.41	7,20,259	62,154	33,480	4.65	87	44.13
1912	32.41	7,20,259	51,390	22,906	3.18	30	58.42
1st qtr. of 1913	32.41	7,20,259	17,566	9,985	1.39	42	43.16
1913-14	32.41	7,23,469	66,942	37,274	5.15	40	44.82
1914-15	32.41	7,24,329	54,406	24,839	3.48	33	54.36
1915-16	32.41	7,26,506	47,530	16,809	2.24	28	65.02
1916-17	32.41	7,27,298	52,257	10,357	1.42	36	80.22
1917-18	32.41	7,27,293	52,320	12,568	1.73	31	75.98

Nagpur-Chhindwara Extension, Bengal-Nagpur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Itwari to Ludhikhera	1-1-11	42.25		
Ludhikhera to Sansar	10-5-11	7.40		
Sansar to Chhindwara	10-10-13	38.91		
			88.66	
Branch line—				
Sansar to Khajuri	1-1-11	4.50		
Katechidhann branch	20-10-12	4.04		
			4.50	
			4.04	
Total				97.20

Details of construction—

Permanent-way.—The permanent-way consists of 41-lb. flat-footed steel rails on s&l sleepers.

Ballast.—Cuttings are fully ballasted and banks are being mounded throughout.

Fencing.—The line is not fenced.

Curves.—The sharpest curve is of 630.6 feet radius.

Gradients.—The ruling gradient is 1 in 80.

Contracts—

This line forms an integral part of the Bengal-Nagpur railway and is worked under the contracts noted under Bengal-Nagpur railway (5' 6" gauge).

Statistics of working—

Included under Jabulpore-Gondia Extension (2' 6" gauge).

Parlakimedi Light railway (2' 6" gauge)—

On the 20th May 1901 the Indian Railways Act, 1890 (IX of 1890), except section 185, was applied to the line. The working of this railway was taken over by the Bengal-Nagpur Railway Company from the 1st January 1902.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Nanpada to Parlakimedi	1-4-00	24.62	24.62

Details of construction—

Permanent-way.—The line is laid with 31-lb. flat-footed steel rails on transverse wooden sleepers.

Ballast.—The line is ballasted throughout with laterite, gravel and stone.

Fencing.—Short lengths of fencing have been provided in a few places where the railway runs in cuttings alongside the road.

Curves.—There are no curves of less than 1,000 feet radius.

Gradients.—The ruling gradient is 1 in 100

BENGAL-NAGPUR RAILWAY SYSTEM—contd.

Parlakimedi Light railway (2' 6" gauge)—concl'd.

Agreement—

Dated the 24th January 1905, between the Raja of Parlakimedi and the Bengal-Nagpur Railway Company, as to management, maintenance and working.

Main provisions of agreement—

- (i) *Land.*—Provided by the Raja of Parlakimedi at the cost of capital.
- (ii) *Government aid.*—The railway was constructed by the Raja of Parlakimedi, whose property it is, and is managed, maintained, stocked and worked by the Bengal-Nagpur Railway Company as if it were part of the Company's undertaking.
- (iii) *Terms of working.*—
- (iv) *Distribution of profits.*— } The total amount of actual working expenses of the line, including cost of maintenance, is deducted by the Company from the gross receipts, and the balance is paid to the Raja of Parlakimedi.
- (v) *Rates and fares.*—Controlled by the Company.
- (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high Government officials and Government stores,—
 - (b) Government bullion and coin, and the persons in charge thereof.— } None specified.
- (vii) *Power of the Raja to determine agreement.*— } The agreement is terminable on 31st December of any year on three months' previous notice given by either party to the other.
- (viii) *Power of the Company to surrender agreement.*— }
- (ix) *Term of agreement [if not determined under (vii) or (viii).]*—None specified.

Statistics of working (Those for the period prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including on, prior to end of each year, (a) outlay on lines open, and (b) lines open and wholly under construction.		Gross receipts.		Net earnings.	Percentage of net earnings on total capital outlay in column (a).	Earnings per mile per week.	Proportion of expenses to earnings.
	1 Miles.	2 Rs.	3 Rs.	4 Rs.	5 Rs.	6 Rs.	7 %	8 Rs.	9
1908	24.62	7,13,874	26,965	857	0.12	21		36.82	
1909	24.62	7,18,528	28,810	6,931	9.67	29		73.05	
1910	24.62	7,23,690	27,114	8,277	1.14	21		69.56	
1911	24.62	7,36,461	33,186	10,374	1.41	25		68.74	
1912	24.62	7,43,571	39,934	11,788	1.59	31		70.59	
1st yr. of 1913	24.62	7,55,791	15,113	6,838	1.15	47		41.89	
1913-14	24.62	7,54,914	50,679	18,298	2.42	80		63.91	
1914-15	24.62	7,56,324	50,129	17,889	2.36	39		64.35	
1915-16	24.62	7,63,417	49,735	872	9.11	32		97.91	
1916-17	24.62	7,62,685	48,766	3,633	0.48	38		125.51	
1917-18	24.62	7,67,341	53,493	21,184	2.79	43		61.13	

Purulia-Ranchi branch, Bengal-Nagpur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.		Date of opening.		Total.
1	2	3	4	
Purulia to Ranchi		15-11-07	72.68	115.30
Ranchi to Lohardaga		6-10-13	42.62	
Totals				115.30

Details of construction—

Permanent way.—The line is laid with 40-lb. flat-footed steel rails on transverse wooden sleepers.

Ballast.—The line is ballasted with stone and gravel.

Fencing.—Only the important level crossings have posts and chains padlocked.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 80.

Contracts—

The line forms an integral part of the Bengal-Nagpur railway and is worked under the contracts noted under Bengal-Nagpur railway (5' 6" gauge).

BENGAL-NAGPUR RAILWAY SYSTEM—*contd.*Purnia-Ranchi branch, Bengal-Nagpur railway (2' 6" gauge)—*contd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings of total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	72.69	41,71,748	3,43,434	2,23,979	5.97	91	33.81
1909	72.68	47,56,235	3,38,520	1,86,980	3.96	90	44.78
1910	72.68	48,51,797	3,62,040	1,88,155	3.88	96	48.14
1911	72.68	53,71,766	3,62,864	1,95,661	3.64	96	36.07
1912	72.68	60,69,137	4,60,592	2,75,732	4.66	124	40.43
1st. qr. of 1913	72.68	62,20,939	1,11,837	77,271	1.24	129	36.58
1913-14	115.22	67,91,875	5,06,282	2,86,043	4.21	84	43.30
1914-15	115.30	70,97,181	5,73,476	3,31,498	4.53	96	43.94
1915-16	115.30	72,36,864	5,79,380	3,02,933	4.19	97	47.76
1916-17	115.30	73,41,574	5,96,222	3,09,805	4.22	99	48.04
1917-18	115.30	75,75,423	5,54,283	2,60,843	3.84	92	52.94

Raipur-Dhamtari branch, Bengal-Nagpur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	
			4	5
1	2	3	4	5
<i>Main line—</i>				
Raipur to Kurud	10-9-00	21.50		
Kurud to Dhamtari	17-12-00	14.04		
<i>Branch—</i>			45.54	
Akhanpur to Rajim	15-10-09	11.40		
			11.40	
Total	56.94

Details of construction—

Permanent-way.—The line is laid with 31-lb. flat-footed steel rails on sal sleepers.

Ballast.—Moorum or sand and stone in a few cuttings.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 361 feet radius, at Raipur station.

Gradients.—The ruling gradient of the line is 1 in 200.

Contracts—

The line forms an integral part of the Bengal-Nagpur railway and is worked under the contracts noted under Bengal-Nagpur railway (2' 6" gauge).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 33 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings of total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	56.94	14,18,139	1,16,387	45,966	3.24	89	60.51
1909	56.94	14,20,126	1,16,402	41,337	2.91	39	61.43
1910	56.94	14,20,126	1,22,475	53,083	3.74	41	56.86
1911	56.94	14,22,020	1,45,008	45,135	4.68	50	56.39
1912	56.94	14,79,387	1,75,687	81,031	5.48	50	53.93
1st. qr. of 1913	56.94	14,84,100	55,565	20,583	1.99	75	46.85
1913-14	56.94	14,91,688	1,96,572	1,11,930	7.54	66	49.98
1914-15	56.94	14,88,663	1,91,811	1,06,406	7.15	65	44.47
1915-16	56.94	14,86,376	1,86,190	64,438	4.03	56	61.20
1916-17	56.94	14,92,739	1,82,437	74,877	3.93	45	52.90
1917-18	56.94	14,94,933	1,44,154	56,177	3.76	49	61.03

BENGAL-NAGPUR RAILWAY SYSTEM—*concl'd.*

Tumsar-Tirodi Light railway (2' 0" gauge)—

This line was purchased by Government from the Central India Mining Company and made over to the Bengal-Nagpur Railway Company for maintenance and working as a part of their undertaking with effect from the 1st April 1916.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tumsar Road to Tirodi	1-4-16	31.10	31.10

Details of construction—

Permanent-way.—The permanent-way consists of 24 and 18-lb. flat-footed steel rails on sleepers of wood and corrugated iron.

Ballast.—The line is ballasted partly with stone and partly with mogra.

Fencing.—The line is unfenced.

Curves.—The sharpest curve has a radius of 286.5 feet.

Gradients.—The ruling gradient is 1 in 42.

Contract—

There is no separate contract for this line which is being maintained and worked as an integral part of the Company's undertaking.

Statistics of working—

Included under Bengal-Nagpur railway (5' 6" gauge).

Panposh-Raipura railway (5' 6" gauge) —

Date of registration of the Company—25th May 1917.

The construction of this line by the Bengal-Nagpur Railway Company, on behalf of the Panposh-Raipura Branch Railway Company, was sanctioned in Railway Board's letter No. 489-P-16, dated the 10th January 1917.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Panposh to Raipura (sanctioned on 10th January 1917)	—	14.30	14.30

Mayurbhanj Extension railway (2' 6" gauge)—

Date of registration of the Company—1915.

* The construction of this line by a branch line company was sanctioned in Railway Board's letter No. 3323-C., dated the 11th September 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Baripada to Talband (sanctioned on 11th September 1915)	—	38.71	38.71

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM.

Chairman.—MAJOR A. D. G. SHELLEY.

Secretary.—S. G. S. YOUNG, Esq.

Offices.—Globe House, 110, Bishopsgate, London, E.C.

Date of registration of the former company.—1855.

The property vested in the former Bombay, Baroda and Central India Guaranteed Railway Company was purchased by the Secretary of State on the 31st December 1905, from which date all the contracts then subsisting between the Secretary of State and that Company were determined, the Company was re-constituted and the railway was worked temporarily under the terms of the provisional contract, dated the 27th December 1905, pending the execution of the new contract, dated the 8th April 1907, as from the 1st January 1906. The purchase price was fixed at the sum of £11,685,581, and the Secretary of State agreed to create and issue to the Company, on the 31st December 1905, India 3 per cent stock to the amount of £10,089,148 in satisfaction of £9,655,581, part of the purchase price, the Company raising a new stock capital of £2,000,000 being the unpaid balance of the purchase money of £11,685,581.

Lines comprised in the system.—The Bombay, Baroda and Central India railway system is made up of—

	Open line,	Under construction or sanctioned for construction,	Total.
	Miles.	Miles.	Miles.
(a) Bombay, Baroda and Central India railway (5' 6" gauge)	997.12	...	997.12
(b) Nagda-Ujjain railway (5' 6" gauge)	32.51	...	32.51
(c) Petlad-Ganday railway (Ahmed-Tarapur section) (5' 6" gauge)	21.42	...	21.42
(d) Petlad-Ganday railway (Tarapur-Ganday section) (5' 6" gauge)	12.36	...	12.36
(e) Tapi Valley railway (5' 6" gauge)	155.72	...	155.72
(f) Bombay, Baroda and Central India railway (3' 3 1/2" gauge)	1,821.61	...	1,821.61
(g) Ahmedabad-Dholka railway (3' 3 1/2" gauge)	33.51	...	33.51
(h) Ahmedabad-Parantij railway (3' 3 1/2" gauge)	88.70	...	88.70
(i) Gackwar's Mehsana railway (3' 3 1/2" gauge)	102.73	29.66	102.29
(j) Jaipur State railway (3' 3 1/2" gauge)	108.04	70.82	178.86
(k) Palanpur-Dosa railway (3' 3 1/2" gauge)	17.28	...	17.28
(l) Vijapur-Kalol-Kadi railway (3' 3 1/2" gauge)	16.11	21.30	67.41
(m) Bilimora-Kahamba railway (2' 6" gauge)	34.93	17.91	52.84
(n) Badoli-Chhota Chandpur railway (2' 6" gauge)	22.56	...	22.56
(o) Broach-Jambhar railway (2' 6" gauge)	29.69	...	29.69
(p) Gackwar's Dahhod railway (2' 6" gauge)	153.04	71.31	225.25
(q) Kutchma-Zandhwar railway (2' 6" gauge)	26.10	22.57	48.67
(r) Petlad-Vaso railway (2' 6" gauge)	19.25	...	19.25
(s) Bhujipala State railway (2' 6" gauge)	39.24	...	39.24
(t) Navsari Karmaj Nigat railway (2' 6" gauge)	20.00	20.00
Total	3,822.75	253.57	4,076.32

Running powers—

Home line and foreign lines :—

Dahar Junction to Carnar bridge, Great Indian Peninsula railway (for goods trains only)	1.50
Mahin to Cowari, Great Indian Peninsula railway (for passenger and goods trains)	1.78
Mettur-Delhi section of the Agra-Delhi Ghool railway (for passenger and goods trains)	90.05
Total	93.13

Foreign lines over home line :—

East Indian railway, Juanna bridge to Agra Fort (for passenger trains only)	1.00
Great Indian Peninsula railway at Ujjain (for passenger and goods trains)	0.24
" " " Dahar Junction to Colaba (for goods trains only)	7.25
" " " Ilghat to Agra Fort (for passenger and goods trains)	1.82
Total	9.61

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Bombay, Baroda and Central India railway (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total
1	2	3	4	5
Main line—				
Colaba to Marine lines	18-1-70	2.00		
Marine lines to Charni Road	19-6-69	0.75		
Charni Road to Grant Road	3-9-68	0.76		
Grant Road to Bulsar	28-11-64	121.00		
Bulsar to Navsari	2-8-61	24.25		
Navsari to Sachin	20-6-61	9.25		
Sachin to Surat	18-8-61	29.00		
Surat to Amroli	19-11-60	2.25		
Amroli to Anklesvar	10-2-66	28.75		
Anklesvar to the Nerbuddha	5-12-60			
Nerbuddha to Broach	22-6-60	5.57		
Broach to Baroda	5-1-61	48.75		
Baroda to Dholia	22-4-62	11.25		
Dholia to Mohmadabad and Kaira Road	3-9-62	33.25		
Mohmadabad and Kaira Road to Ahmedabad	21-1-63	17.80		
Ahmedabad to Sabarmati	1-1-70	3.75		
Sabarmati to Samand	24-5-71	13.75		
Samand to Virangam	30-11-71	22.98		
			350.20	
Branches and sections—				
Godhra branch—				
Amad to Dākor	8-4-74	18.75		
Dākor to Rukhyal	6-1-75	1.75		
Rukhyal to Hungari	6-12-76	9.00		
Hungari to Savalia	29-1-77	4.71		
Savalia to Godhra	20-2-82	16.76		
			48.97	
Pātri branch—				
Kharaghoda to Virangam	12-5-73	22.12		
			22.12	
Godhra-Baroda chord—				
Baroda to Godhra	23-12-08	42.79		
			42.79	
Godhra-Buttam-Nagda section—				
Godhra to Limkhara	16-1-83	25.44		
Limkhara to Dohad	7-3-84	19.35		
Dohad to Buttam	22-10-91	70.46		
Buttam to Nagda	11-5-96	26.04		
			141.40	
Nagda-Multra section—				
Nagda to Morak	15-7-07	101.76		
Morak to Kotah City	26-2-08	35.12		
Kotah City to Kotah Junction	1-5-09	3.48		
Kotah Junction to Siwal Malhotpur	1-5-09	67.38		
Siwal Malhotpur to Gangapur City	1-5-09	39.00		
Gangapur City to Hindani City	1-10-09	26.84		
Hindani City to Multra Junction	15-6-09	66.02		
			389.40	
Agra branch—				
Bayana to Agra	1-12-13	51.04		
			51.04	
Mahim Cord Line in Mahim Yard	11-8-14	0.12		
Kotah-Baran Line in Kotah Yard	...	0.99		
			0.99	
TOTAL				997.13
QUADRUPEL LINE—				
Mahim to Bandra	1-5-17	1.00		
			1.00	
DOUBLE LINE—				
Colaba to Marine lines	18-1-70	2.00		
Marine lines to Charni Road	19-6-69	0.75		
Charni Road to Grant Road	13-9-68	0.76		
Grant Road to Mahim	20-7-65	5.44		
Mahim to Bandra	23-2-66	90.07		
Bandra to Santa Cruz	23-2-66	1.83		
Santa Cruz to Andheri	29-8-67	2.71		
Andheri to Bhayandar	27-1-85	13.33		
Bhayandar to Virar	1-10-85	10.84		
Virar to Palghar	1-12-87	19.23		
Palghar to Dahanu Road	17-1-88	20.37		
Dahanu Road to Gholvad	20-4-90	6.89		
Gholvad to Daman Road	18-10-00	23.19		
Daman Road to Bulsar	28-1-02	16.14		
Bulsar to Sachin	31-4-02	33.50		
Sachin to Kankra Khuri	17-8-87	6.30		
Kankra Khuri to Surat	5-6-88	29.70		
Surat to Utran	9-10-87	2.15		
Utran to Sayan	25-1-88	6.40		
Sayan to Kint	1-1-89	6.30		
Kint to Anklesvar	11-1-89	10.15		
Anklesvar to Nerbudda Bridge	7-1-14	4.17		
Broach to Miyagam	15-10-99	25.25		
Miyagam to Itola	18-4-97	7.75		
Itola to Baroda "C" cabin	7-6-16	12.07		
Baroda "C" cabin to "D" cabin	10-6-16	1.70		
Barjadi to Ahmedabad	2-6-87	10.14		
Mahim Chord Line	11-8-14	0.12		
TOTAL DOUBLE LINE			256.19	

* Excluding the quadrupled section.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd*

Bombay, Baroda and Central India railway (3' 6" gauge)—*contd.*

Details of construction—

Permanent-way.—The main line is laid with 69-lb. double-headed, 82-lb. bull-headed and 90-lb. flat-footed steel rails on cross-sawn pine, Australian and oval pot sleepers.

The branches are laid mostly with 69-lb. double-headed and 75-lb. flat-footed steel rails on oval pot and wooden sleepers. The Godhra-Rutlam-Nagda section is laid with 75-lb. flat-footed steel rails on transverse steel, deodar, cross-sawn pine sleepers and cast iron pots and the Nagda-Muttra section with 87-lb. and 90-lb. flat-footed steel rails on oak, deodar, Australian wood sleepers and cast iron pots north of Nagda.

Ballast.—The line is mostly ballasted with broken stone, gravel and shingle.

Fencing.—Excepting the Pátri branch the line is fenced throughout. One hundred and thirty-seven miles of the Godhra-Rutlam-Nagda section and the station yards only on the rest of this section, are fenced. On the Nagda-Muttra section most of the station yards only are fenced.

Curves.—The sharpest curve on the main line and on the Godhra branch is of 1,500 feet radius, on the Pátri branch of 2,865 feet radius, on the Godhra-Baroda chord of 1,910 feet radius, on the Godhra-Rutlam-Nagda section of 1,000 feet radius and on the Nagda-Muttra section of 1,275 feet radius.

Gradients.—The ruling gradient on the greater part of the main line is 1 in 500, but there are short lengths of 1 in 200 at the approaches to major bridges. On the Godhra branch the ruling grade is 1 in 200, except for a short length at the Mahi low level bridge where it is 1 in 80; on the Pátri branch and the Godhra-Baroda chord it is 1 in 300, except for short lengths of 1 in 200 on the latter. The ruling gradient on the Nagda-Muttra section is 1 in 200, as also on the Godhra-Rutlam-Nagda section with short lengths of 1 in 100 and from 1 in 101 to 1 in 150 between Godhra and Jekot.

Contracts—

Dated the 8th April 1907 (called the principal contract), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Dated the 15th October 1908 (called the Debenture contract, supplemental to the contract of 1907), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the issue of debentures or debenture stock of the Company.

Dated the 24th October 1913 (supplemental to the contracts of 1907 and 1908), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the continuance with further modifications, with effect from the 1st January 1912, the principal contract of the 8th April 1907 and the adoption of the Government financial year for the preparation of accounts.

Main provisions of contracts—

- (i) **Land.**—Was provided by the Government free of cost to the former Company. After the 31st December 1905, the cost of land provided by the Government is debited to the appropriate capital account.
- (ii) **Government aid.**—The Government guarantee to pay to the Company interest at the rate of 3 per cent per annum on its stock capital of £ 2,000,000 raised in satisfaction of the unpaid balance of the purchase money of £ 11,685,581, also on the amount which shall for the time being have been paid to the credit of the Secretary of State in respect of any further ordinary stock which the Company may issue with his sanction.

Capital required for the purposes of the undertaking after 31st December 1911 shall, at the option of the Secretary of State, either be advanced by him (in which case he shall be at liberty to call on the Company subsequently to raise money for its repayment), or be provided by the Company by the issue, at the Secretary of State shall decide, of further ordinary stock, or of debentures or debenture stock.

- (iii) **Distribution of profits.**—From the half-yearly gross earnings of the undertaking are deducted the working expenses of the undertaking and all other charges to Revenue account properly attributable to each half-year, the remainder, together with the interest to be credited by the Secretary of State in respect of any balance of unexpended capital in his hands under clause 19 of the contract of the 24th October 1913, being the net receipts.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Bombay, Baroda and Central India railway (5' 6" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*

The net receipts of the undertaking for each half-year, after deducting payments of net earnings to subsidiary lines, allowances for rebate, direction and other deductions are applied in repayment of interest for the half-year on any debentures or debenture stock of the Company and in payment to the Secretary of State and the Company of interest at 4 per cent per annum on the Secretary of State's preferred capital and on the average amount to the credit of the Company's Capital Account. Next in making good any deficiency in the net receipts of the first half-year of any year as compared to the payment chargeable thereon and mentioned above. The surplus of the two half-years of any year is next applied in payment of interest for the year at 4 per cent on the deferred capital of the Secretary of State and the balance if any remaining is divided between the Secretary of State and the Company in proportion to the average amounts standing to the credit of the Secretary of State and the Company respectively in the Government Capital Account and the Company's Capital Account, including in the Secretary of State's Capital both his preferred and deferred capital. The interest payable by the Secretary of State under the guarantee of 3 per cent is to be deducted from the interest at 4 per cent per annum payable to the Company on the average amount to the credit of the Company's Capital Account.

- (iv) *Rates and fares.*—The Government will from time to time authorize maxima and minima rates, and prescribe the several classes and descriptions of passengers and goods to which such rates shall be respectively applicable, as well as the extent to which, within the authorized maxima and minima, the Company may vary the said rates. The Railway Board may at any time require the Company to quote such rates over the undertaking for both passengers and goods to and from the western ports between Karachi and Bombay, inclusive, including a rate from stations of origin and delivery where the route is either entirely or only partly over the undertaking, so as to secure equal treatment of such ports.

- (v) *Special obligations as to the conveyance of—*

- (a) Mails, troops, high Government officials and Government stores.—To be conveyed on the same general conditions, and at rates to be approved by the Government not being less than those in force on State railways of the same gauge.

- (b) Government bullock and coin, and the persons in charge thereof.—To be carried at special rates to be approved by the Government.

- (vi) *Power of the Government to determine contract.*—Contract may be determined by Government on the 31st December 1941, or on the 31st December of any succeeding fifth year, by giving to the Company in England, 12 calendar months' previous notice.

- (vii) *Power of the Company to surrender contract.*—Nil.

- (viii) *Term of contract [if not determined under (vii) and (viii)].*—Not specified.

Statistics of working (Those for the periods prior to 1906 will be found in Appendix 38 of the Railway Administration Report for 1907).—

INCLUDES THE GORHEE-RETMANAGDA AND NAGDA-VICTORIA SECTIONS FROM 1912.

Year.	Mileage open at end of each year.	Total capital outlay including advance to end of each year, (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to the year.	Percentage of Company's share of net earnings surplus profits guaranteed interest share capital on Company's capital.	Dividend paid to each shareholder.	Earnings per mile per week.	Proportion of capital repaid to Government.
1	2	3	4	5	6	7	8	9	10	11	12
1906	Milow.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1906	598.35	12,85,16,474	1,80,91,744	1,00,32,666	7.34	72,66,263	3,06,833	...	+28,85,502	809	47.27
1907	599.26	12,90,02,431	2,10,78,442	1,18,60,851	9.16	71,96,248	4,52,499	...	+42,24,94	802	45.46
1908	604.35	13,18,84,809	2,01,40,900	97,63,713	7.24	72,83,726	1,60,608	...	+23,19,967	780	52.26
1909	604.35	14,18,09,063	2,51,30,727	1,17,85,614	8.59	75,19,342	1,52,577	...	+19,84,645	914	46.89
1910	604.36	14,32,51,042	2,40,65,076	1,24,94,673	8.72	77,40,090	4,60,787	...	+51,34,300	917	46.07
1911	604.35	14,62,96,713	2,47,34,178	1,23,46,704	8.27	78,64,426	4,60,787	1.17	1,10,4,668	942	56.67
1912	604.83	15,85,74,123	3,27,35,951	1,61,93,091	7.36	89,59,927	6,68,719	5.19	+55,76,914	947	56.62
1st qr. of 1913	645.85	22,35,91,288	68,37,064	45,83,922	2.00	25,74,907	2,22,519	1.47	+18,86,776	719	47.00
1913-14	906.23	23,56,10,263	3,00,65,000	1,83,63,309	7.90	1,10,90,800	5,41,271	8.19	+47,45,914	731	49.03
1914-15	906.30	24,41,09,233	3,41,76,300	1,66,92,921	6.70	1,13,63,604	5,38,458	4.67	+45,62,961	680	61.71
1915-16	906.05	24,07,22,110	3,73,18,037	1,60,10,894	7.86	1,16,34,000	9,10,336	5.06	+71,26,138	721	47.48
1916-17	907.12	25,18,41,840	3,96,86,614	2,23,71,068	9.24	1,41,81,232	11,04,194	6.46	+1,08,16,767	765	41.10
1917-18	907.12	30,64,86,061	4,66,08,423	2,58,92,468	10.14	1,13,34,914	+12,70,777	6.78	+1,12,60,880	890	43.23

Includes State outlay on Port branch, viz., Rs. 8,69,465.

This figure relates to the entire system. It is made up of surplus profits for the year amounting to Rs. 8,90,377 and the gross amounting to Rs. 8,80,400, of interest at 4 per cent. per annum on the Company's preferred capital over the guaranteed interest at 3 per cent. paid to the Company by the Secretary of State, and is inclusive of interest at 4 per cent and a moiety of the share of surplus profits amounting to Rs. 1,08,366 due to Government on the advance of Rs. 20,10,000 from the 5' 6" gauge Portland. Fund taken over by them. The surplus profits for the year were divided between the Government and the Company in the proportion of Rs. 62,51,74,709 to Rs. 3,20,10,000.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Nagda-Ujjain railway (5' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3.	4
Nagda to Ujjain	15-7-06	33'51	33'51

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed steel rails on cast iron oval pot sleepers.

Ballast.—The line is ballasted with broken stone.

Fencing.—Only station yards are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Agreement and contracts—

Agreement, without date, having effect from the 15th July 1896, between His Highness the Maharaja Scindia of Gwalior and the Bombay, Baroda and Central India Railway Company, as to management, maintenance and working.

Contract, dated the 1st February 1901, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the revising, and extending up to the 31st December 1905, of the arrangements for working the Rajputana-Malwa railway and other lines.

Contract, dated the 8th April 1907 (called the principal contract), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Main provisions of agreement and contracts—

- (i) *Land.*—Provided free of cost by the Gwalior Durbar.
- (ii) *Government aid.*—The line is the property of the Gwalior Durbar (which provides all funds chargeable to the capital account), and is managed, maintained, stocked and worked by the Bombay, Baroda and Central India Railway Company as part of the Company's railway system.
- (iii) *Terms of working.*—
- (iv) *Distribution of profits.*—

} The Nagda-Ujjain railway is debited with a share of the working expenses of the Company's railway system in proportion to the total earnings of the Nagda-Ujjain railway in each half-year, and the balance in favour of or against the Gwalior Durbar is paid over to, or by it, as the case may be.

- (v) *Rates and fares.*—To conform generally to those in force on the Godhra-Rutlam-Nagda railway, unless otherwise specially agreed between the Durbar and the Company.
- (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, high Government officials and Government stores.—Mails and postal officers on duty to be carried at the rates and on the conditions in force from time to time on State railways. (The agreement does not contain any provision for the carriage at special rates of troops, high Government officials and Government stores.)
 - (b) Government hullion and coin, and the persons in charge thereof.—Not specified.
- (vii) *Power of the Durbar to determine agreement.*—
- (viii) *Power of the Company to determine agreement.*—

} The agreement may be terminated at any time on one year's notice from either party, expiring on the 30th September or 31st March in any year.

- (ix) *Term of agreement [if not determined under (vi) and (viii)].*—Not specified.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Nagda-Ujjain railway (5' 6" gauge)—*concl'd.*

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including expense to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	34'32	22,40,411	1,95,491	83,228	3'71	199	57'43
1909	34'32	22,40,441	2,50,437	1,21,895	5'44	140	51'33
1910	34'32	22,40,600	2,59,680	1,34,098	5'98	146	48'55
1911	34'32	22,40,600	2,89,814	1,43,929	6'42	162	50'34
1912	34'32	22,40,600	3,21,181	1,61,593	7'35	180	48'75
1 st qr. of 1913	34'32	22,40,600	75,347	41,074	1'53	169	45'49
1913-14	34'32	22,42,194	5,26,870	1,65,627	7'39	183	49'33
1914-15	34'32	22,56,028	2,58,462	1,29,968	5'47	145	52'42
1915-16	34'32	22,58,063	3,48,441	1,86,781	8'29	195	46'40
1916-17	32'51	22,55,484	2,85,516	1,62,977	7'23	169	49'12
1917-18	32'51	22,55,484	2,61,688	1,46,039	6'47	155	44'19

Petlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Anand to Petlad	5-5-90	13 17	
Petlad to Tarapur	10-6-01	8 25	
TOTAL			21 42

Details of construction—

Permanent-way.—The permanent-way consists of 66½-lb. flat-footed steel rails on steel sleepers from Anand to Petlad and on cross-tied pine sleepers from Petlad to Tarapur.*Ballast.*—The line is ballasted with gravel.*Fencing.*—Thirteen miles, between Anand and Petlad, are fenced. The rest of the line is unfenced, except in station yards.*Curves.*—The sharpest curve is of 1,433 feet radius.*Gradients.*—The ruling gradient is 1 in 200.

Agreements and contract—

*Agreement, without date, having effect from the 5th May 1890, between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to management, maintenance and working.**Contract, dated the 8th April 1907 (called the principal contract) between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.**Agreement, dated the 3rd March 1909, between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, modifying the agreement of 5th May 1890.**Agreement, dated the 16th May 1910, between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, modifying further the agreement of 5th May 1890.*

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—contd.**Petlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge)—contd.****Main provisions of agreements and contract—**

- (i) *Land*.—Provided free of cost by the Baroda Durbar.
- (ii) *Government aid*.—The line is the property of the Baroda Durbar (which provides all funds chargeable to the capital account), and is managed, maintained, stocked and worked by the Bombay, Baroda and Central India Railway Company as part of the Company's railway system.
- (iii) *Terms of working*.—
- (iv) *Distribution of profits*.— } Excepting the cost of making good damages due to extraordinary casualty which is borne by the Durbar and is chargeable against capital, the Petlad railway is debited for maintenance and working expenses, including the cost of supervision and hire of rolling-stock, with the same percentage of gross earnings as may be incurred in the half-year on the 5' 6" and 3' 3½" gauge lines of the Bombay, Baroda and Central India railway system, and with any single item of capital expenditure not exceeding Rs. 1,000 classed as a 'Minor work,' subject to a maximum charge on such account of an amount bearing the same percentage of gross receipts as obtains for similar expenditure on the Bombay, Baroda and Central India railway. The balance in favour of or against the Baroda Durbar is paid over to, or by it, as the case may be.
- (v) *Rates and fares*.—To be fixed from time to time by the Company with the approval of the Durbar, but in the absence of any special agreement between them, they are, as far as may be, to conform to those generally in force on the Bombay, Baroda and Central India railway (5' 6" gauge).
- (vi) *Special obligations as to the conveyance of*.—
- (a) *Mails, troops, high Government officials and Government stores*.—Mails and postal officers on duty to be carried at the rates and on the conditions in force from time to time on State railways in British India. (There is no provision for the carriage at special rates of troops, high Government officials and Government stores.)
- (b) *Government bullion and coin, and the persons in charge thereof*.—Not specified.
- (vii) *Power of the Durbar to determine agreement*.—
- (viii) *Power of the Company to determine agreement*.— } Either party may at any time determine the agreement on giving 12 months' notice to the other.
- (ix) *Term of agreement [if not determined under (vii) and (viii)]*.—Not specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	21'50	11,31,294	1,86,283	80,125	7'08	167	56'99
1909	21'50	11,31,692	1,88,042	90,705	8'01	168	51'76
1910	21'50	11,83,238	2,19,645	1,13,373	10'00	196	48'28
1911	21'50	11,39,458	2,39,635	1,19,183	10'46	214	50'26
1912	21'50	11,46,078	2,54,943	1,39,537	11'30	228	49'19
1st q. of 1913	21'50	11,47,125	62,414	33,997	2'96	223	45'55
1913-14	21'50	11,54,078	2,43,277	1,21,880	10'60	218	49'30
1914-15	21'50	12,02,457	2,61,224	1,24,590	10'35	234	53'34
1915-16	21'50	12,62,474	2,78,833	1,45,892	11'32	249	47'89
1916-17	21'42	12,76,018	2,81,393	1,61,221	12'63	253	42'71
1917-18	21'42	12,84,180	2,74,351	1,33,353	11'36	247	44'12

Petlad-Cambay railway (Tarapur-Cambay section) (5' 6" gauge)—**Progress in opening—**

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tarapur to Cambay	20-6-01	12'36	12'36

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—contd.

Petlad-Cambay railway (Tarapur-Cambay section) (5' 6" gauge)—contd.

Details of construction—

Permanent-way.—The permanent-way consists of 66½-lb. flat-footed steel rails on creosoted pine sleepers.

Ballast.—The line is ballasted with gravel.

Fencing.—Only station yards are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 600, with a short length of 1 in 200 between Sayama and Cambay.

Agreements and contract—

Agreement, dated the 17th May 1902, between the Cambay Durbar and the Bombay, Baroda and Central India Railway Company, as to management, maintenance and working.

Contract, dated the 8th April 1907 (called the principal contract), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Agreement, dated the 17th October 1908, between the Cambay Durbar and the Bombay, Baroda and Central India Railway Company, modifying the agreement of 17th May 1902.

Agreement, dated the 10th May 1910, between the Cambay Durbar and the Bombay, Baroda and Central India Railway Company, modifying further the agreement of 17th May 1902.

Main provisions of agreements and contract—

- (i) **Land.**—Provided free of cost by the Cambay Durbar.
- (ii) **Government aid.**—The line is the property of the Cambay Durbar (which provides all funds chargeable to the capital account), and is managed, maintained, stocked and worked by the Bombay, Baroda and Central India Railway Company as part of the Company's railway system.
- (iii) **Terms of working.**—
- (iv) **Distribution of profits.**—
- (v) **Rates and fares.**—
- (vi) **Special obligations as to the conveyance of.—**
 - (a) Mails, troops, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—
- (vii) **Power of the Durbar to determine agreement.**—
- (viii) **Power of the Company to determine agreement.**—
- (ix) **Term of agreement [if not determined under (vii) and (viii)].**—

As noted under Petlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (a) lines open, and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	12'30	8,10,876	44,698	18,982	2'33	69	57'07
1909	12'30	8,50,220	43,431	20,982	2'47	68	51'80
1910	12'30	8,67,160	51,709	20,668	3'11	81	48'48
1911	19'80	8,65,463	57,830	28,728	3'36	90	50'28
1912	12'30	8,66,068	57,833	29,157	3'37	90	49'56
1st qr. of 1913	12'30	8,66,068	16,617	8,402	0'98	96	45'82
1913-14	12'30	8,66,068	53,711	27,045	3'12	84	49'65
1914-15	12'30	8,66,068	60,839	29,940	3'35	95	52'28
1915-16	12'30	8,74,561	68,054	35,624	4'07	106	47'46
1916-17	12'36	8,75,949	70,620	40,823	4'68	110	43'82
1917-18	12'36	8,80,659	64,122	35,795	4'06	100	44'18

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Tapti Valley railway (5' 6" gauge)—

Date of registration of the Company.—17th June 1896.

Progress in opening—

Sections of railway.	Date of opening	Miles.	Total.
1	2	3	4
Kankra Khari to Vyāra	1-12-96	35.59	
Vyāra to Chinchpāda	5-6-99	36.55	
Chinchpāda to Nandurbar	30-7-99	25.20	
Nandurbar to Dondāiche	10-11-99	21.48	
Dondāiche to Nazāna	25-11-99	19.36	
Nazāna to Amalner	15-3-00	16.92	
TOTAL	155.72

Details of construction—

Permanent-way.—The permanent-way consists of 70-lb. with a small bit of 75-lb. flat-footed steel rails on wooden sleepers.

Ballast.—The line is ballasted throughout with stone.

Fencing.—Only station yards and important level crossings are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Contracts—

- Dated the 28th August 1896 (called the principal contract), between the Secretary of State and the Tapti Valley Railway Company ;
- Dated the 30th October 1896 (set forth in the schedule to the principal contract of 1896), between the Secretary of State and the Bombay, Baroda and Central India Railway Company ;
- Dated the 1st February 1901, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, revising, and extending up to the 31st December 1905, the arrangements for the working of the Rajputana-Malwa and other lines.
- Dated the 16th January 1902, between the Secretary of State and the Tapti Valley Railway Company, modifying the terms on which the Company's line is worked by the Bombay, Baroda and Central India Railway Company.
- Dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.
- Dated the 26th August 1907, between the Secretary of State and the Tapti Valley Railway Company, for the continuance of the working of the Tapti Valley railway on the terms in force on the 31st December 1905.
- Dated the 10th July 1908, between the Secretary of State and the Bombay, Baroda and Central India Railway Company ;
- Dated the 12th November 1908, between the Secretary of State and the Tapti Valley Railway Company ;
- Dated the 30th June 1916, between the Secretary of State, the Tapti Valley Railway Company and the Bombay, Baroda and Central India Railway Company (supplemental to the contracts of 28th August and 30th October 1896, 16th January 1902, 26th August 1907 and 12th November 1908) as to the adoption of the Government financial year for the preparation of accounts from the 1st April 1913.

Main provisions of contracts—

- (i) *Land.*—In British territory provided by the Government free of cost to the Company. The Secretary of State to use his influence to obtain the free grant of land in Native States.
- (ii) *Government aid.*—
- (iii) *Terms of working.*—
- (iv) *Distribution of profits.*—
- The Government constructed the line (from funds supplied by the Company), and manage, work, stock and maintain it, through the agency of the Bombay, Baroda and Central India Railway Company. During the continuance of the contracts between the Secretary of State and the Bombay, Baroda and Central India Railway Company relating to the working of State branches, the charge to the Tapti Valley Railway Company in each half-year for the provision of rolling-stock and the working and maintenance of the line, is the share of the general working expenses of the whole of the 5' 6" and 3' 3½" gauge systems of railways worked by the Bombay, Baroda and Central India Railway Company which is attributable to the Tapti Valley railway in proportion to its gross earnings, less the rebate of 45 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways which the Government are entitled to retain, provided that the charge is not to exceed 44 per cent of the gross earnings in any year. In the event of the

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Tapti Valley railway (5' 6" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*

termination of the contracts above referred to, the charge is to be a percentage of the gross earnings not exceeding in any half-year that obtaining on the Bombay, Baroda and Central India railway, nor in any year 50 per cent. The residue of the gross earnings, after deduction of the charge for working, etc., is payable to the Tapti Valley Railway Company.

By agreement with the Bombay, Baroda and Central India Railway Company, the Government allow to the Tapti Valley Railway Company in respect of each year, by way of rebate, a sum not exceeding 45 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways, or either of them, and the Tapti Valley railway, as will, together with the net earnings of the Tapti Valley Railway Company, make up an amount equal to interest for the year at the rate of 4 per cent per annum on the actual capital expenditure. The Government also allow to the Company the sum of Rs. 6,000 per annum towards its office expenses and expenses of management.

- (v) *Rates and fares.*—To be such as may from time to time be arranged between the Government and the working agency, but it is provided that they shall be within the maximum and minimum rates and fares for the time being in force on the Bombay, Baroda and Central India railway (5' 6" gauge). The classification of goods is to be in conformity with that in force on the Bombay, Baroda and Central India railway (5' 6" gauge).

- (vi) *Special obligations as to the conveyance of:—*

- (a) Mails, troops, high Government officials, and Government stores.— } As in the case of
(b) Government hulk and coin, and the persons in charge thereof.— } Bombay, Baroda and
Central India railway
(5' 6" gauge).

- (vii) *Power of the Government to determine contract.*—The Government may, by giving 12 months' notice, determine the contract and acquire the railway—

- (a) on the 31st December 1921, or at the end of any subsequent period of 10 years, in which case the Government undertake to pay to the Company in rupees a sum equal to 25 times the average yearly net earnings of the Company during the last preceding five years, provided that such sum shall not exceed by more than 20 per cent the total capital expenditure of the Company, nor be less than such capital expenditure; or

- (b) on the 31st December 1950, in which case the Government will pay to the Company in rupees an amount equal to the total capital expenditure.

- (viii) *Power of the Company to surrender contract.*—Nil.

- (ix) *Term of contract [if not determined under (vi) or (vii)].*—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital.	Rebate from the Bombay, Baroda and Central India railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.	REMARKS.
1	2	3	4	5	6	7	8	9	10	11	12
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	
1898	35.91	82,70,413	2,530	18	48.70	The net earnings for
1899	138.85	1,21,00,133	2,42,593	73	47.40	1898, 1899 and 1st-half
1900	155.46	1,28,31,291	6,08,475	85	47.68	of 1900 were credited to
											interest on capital, and
											those for 2nd-half of
											1900 (including rebate)
1901	155.48	1,29,18,730	6,00,553	3,12,245	2.65	33,226	3,75,469	2.90	71	43.01	were treated as a set-off against the
1902	155.48	1,29,70,581	8,26,185	4,63,242	3.57	45,196	5,08,438	3.92	102	42.55	charge to capital for
1903	155.48	1,30,02,400	8,62,738	4,83,142	3.72	40,258	5,23,400	4.03	107	44.00	interest in the accounts
1904	155.48	1,30,77,018	6,68,740	3,68,894	2.82	28,441	3,97,335	3.04	81	44.00	for 1st-half of 1901.
1905	155.48	1,30,83,629	10,11,222	5,69,921	4.40	2,938	5,72,859	4.51	125	44.00	
1906	155.48	1,30,82,853	11,34,712	6,35,180	4.86	...	6,35,360	4.86	140	44.00	
1907	155.48	1,30,97,237	10,34,612	5,79,323	4.42	...	5,79,383	4.42	128	44.00	
1908	155.48	1,30,00,929	9,98,927	5,56,339	4.27	...	5,56,369	4.27	124	44.00	
1909	155.48	1,31,10,800	11,06,564	6,19,676	4.73	...	6,19,676	4.73	137	44.00	
1910	155.48	1,31,20,540	11,85,916	6,64,110	5.06	...	6,64,110	5.06	147	44.00	
1911	155.48	1,31,37,174	12,91,825	7,23,422	5.51	...	7,23,422	5.51	160	44.00	
1912	155.48	1,31,41,173	14,36,446	8,04,410	6.12	...	8,04,410	6.12	178	44.00	
1st gr. of 1913.	155.48	1,31,42,606	4,01,816	2,25,017	1.71	...	2,25,017	1.71	199	44.00	
1913-14	155.48	1,31,47,812	15,92,536	8,91,968	6.78	...	8,91,968	6.78	197	44.00	
1914-15	155.48	1,31,78,535	13,20,802	7,30,449	5.61	...	7,30,649	5.61	163	44.00	
1915-16	155.48	1,32,03,810	17,22,141	9,64,999	7.80	...	9,64,999	7.80	213	44.00	
1916-17	155.72	1,32,10,781	15,55,854	8,91,238	8.75	...	8,91,238	8.75	192	45.63	
1917-18	155.72	1,32,37,321	15,74,902	8,91,945	8.66	...	8,91,945	8.66	194	44.00	

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Bombay, Baroda and Central India railway (3' 3½" gauge)—

Progress in opening:—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
RAJPUTANA SECTION—					
<i>Main line—</i>					
Delhi to Bowari	14-2-73	31.21			
Bowari to Alwar	15-9-74	48.10			
Alwar to Bandikui	7-12-74	37.81			
Bandikui to Dausa	20-4-74	17.84			
Dausa to Jaipur	12-10-74	38.14			
Jaipur to Phulera	1-8-75	34.20			
Phulera to Ajmer	1-8-75	49.92			
Ajmer to Beawar	15-5-78	82.41			
Beawar to Haripur	12-8-79	20.88			
Haripur to Sojat Road	20-10-80	20.54			
Sojat Road to Palanpur	1-1-81	148.44			
Palanpur to Ahmedabad	15-11-79	82.36			
New zero of Ahmedabad-Dholka railway to facing point on main line of Saharmati	12-2-08	0.66			
Branches and extensions—				580.18	
<i>Virangam-Wadhwan section—</i>					
Virangam to Wadhwan*	14-12-02	39.05			
<i>Farukhagar Salt branch</i>			7.64	39.05	
<i>Agra branch—</i>				7.64	
Bandikui to Bharatpur	20-4-74	60.28			
Bharatpur to Agra Fort	11-8-73	33.24			
Agra Fort to Junna, East Bank (Agra)	1-1-76	1.50			
<i>Sambhar Lake Salt branch</i>				35.02	
Jagun extension	1-3-75	4.50			
Extension of Sambhar branch to Jhousa	10-10-76	4.50			
Kankarola Salt branch	20-12-79	17.00			
Additional salt lines in the Sambhar lake	15-2-81	1.25			
	1-9-91	6.18			
MALWA SECTION—				33.43	
<i>Main line—</i>					
Khandwa to Sanawad	1-3-74	34.20			
Sanawad to Mortakka	1-4-74	3.50			
Mortakka to Choral	20-1-75	20.50			
Choral to Mhow	1-1-78	15.69			
Mhow to Indore	2-8-76	13.60			
Indore to Patachabad Junction	3-8-76	22.23			
Patachabad Junction to Ratlam	11-7-78	48.75			
Ratlam to Jaora	2-2-80	20.50			
Jaora to Mandla	8-4-80	31.75			
Mandla to Neemuch	2-7-80	30.25			
Neemuch to Nimbahera	10-3-81	16.40			
Nimbahera to Chitorgarh	10-3-81	17.45			
Chitorgarh to Nasirabad	1-12-81	100.65			
Nasirabad to Ajmer	1-2-76	14.15			
<i>Ujjain branch—</i>				392.22	
Patachabad to Ujjain	3-8-76	12.60			
Ujjain branch extension across the Sipra river to Ujjain city	1-3-83	42.88			
CAWNPORE-ACHNERA SECTION—				11.88	
<i>Main line—</i>					
Cawnpore Mill line	26-4-09	2.34			
Cawnpore to Kanauj	15-12-80	49.20			
Kanauj to Farukhabad	1-3-81	30.71			
Farukhabad to Kasganj	14-4-81	68.79			
Kasganj to Hathras Road	1-7-84	34.04			
Hathras Road to Muttra Cantonment	19-10-75	29.11			
Junna bridge	1-7-84	1.00			
Muttra Cantonment to old connection Muttra Junction	11-11-07	2.32			
Old connection to Achnera	7-11-81	20.95			
Branches—				242.45	
Brahmacart branch	10-11-85	4.78			
Brendabau branch	26-8-89	7.25			
REWARI-BHATINDA-FAZILKA SECTION—				12.03	
<i>Main line—</i>					
Rewari to Hisar	20-3-83	68.20			
Hisar to Sirsa	1-1-84	50.75			
Sirsa to Kot Kapura	1-10-84	73.24			
Kot Kapura to Fazilka	1-1-85	50.26			
Rewari-Phulera Chord—				261.45	
Rewari to Narnaul	11-12-04	32.55			
Narnaul to Phulera	18-3-05	100.53			
Carried over				138.08	
				1,812.43	

* This section was opened on the 5' 6" gauge from 25th May 1872 and converted to and opened on the 3' 3½" gauge, from 14th December 1902.

† Of this 2.10 miles, from Sipra Junction to Sipra station, opened in 1899 are on the 5' 6" gauge and is worked by B. E. and C. I. 5' 6" gauge railway.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Bombay, Baroda and Central India railway (3' 3½" gauge)—*contd.*
 Progress in opening—*concd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
Brought forward	1,612.43	
BROAD (5' 6") GAUGE LINES—					
Agra East Bank to Idgah Agra (worked by East Indian railway).	1-1-76	83.07			* Of this the length over the Jumna bridge is of mixed (5' 6" and 5' 8½") gauge. † Opened for goods and troop traffic only.
At Idgah Agra (worked by Bombay, Baroda and Central India 5' 6" gauge) railway.	...	0.20			
At Delhi (worked by Great Indian Peninsula railway).	12-11-03	0.00			
Nagpur-Baya Extension at Delhi (worked by North-Western railway).	22-6-15	15.73	9.18	404.71	
TOTAL	1,621.61	
DOUBLE LINE, RAJPUTANA SECTION—					
3' 9½" gauge—					
Agra Fort to Idgah Agra	11-8-73	1.14			
At Delhi	25-12-02	1.78			
5' 6" gauge—					
At Delhi	27-3-05	0.08	0.00		
TOTAL DOUBLE LINE	3.01	

Details of construction—

Permanent-way.—The Rajputana section is laid with 50-lb. flat-footed steel rails on deodar sleepers excepting 20.98 miles north of Phulera station which have been relaid with 60-lb. rails on steel trough sleepers. The Malwa section has mixed 40-lb. iron, 11½-lb. and 50-lb. steel flat-footed rails on deodar sleepers. The Cawnpore-Achnera section has 41½-lb. and 50-lb. steel rails on deodar sleepers. The Rewari-Fazilka section has 41½-lb. steel rails on deodar sleepers.

Ballast.—The line is ballasted throughout with stone, kunkur, sand and hard quartz.

Fencing.—The following lines are fenced: (1) Rajputana section, main line, Delhi to Ahmedabad and the Rewari-Phulera chord, 521.18 miles; Rewari-Bandikui-Phulera loop, 173.76 miles, and branches, 94.61 miles; (2) Malwa section, main line, Khandwa to Ajmer, 98.30 miles, and branch, 2.17 miles; (3) Cawnpore-Achnera section, main line, 148.25 miles and Brindaban branch, 2.69 miles; and (4) Rewari-Fazilka section, 114.62 miles, including stations.

Curves.—The sharpest curve is of 600 feet radius.

Gradients.—On the main line of the Rajputana section, Delhi to Ahmedabad, *viz* Rewari-Phulera chord; on the Rewari-Bandikui-Phulera loop; and on the Brahmnavart branch, the ruling gradient is 1 in 150. On the Agra branch it is 1 in 150, except for 1,058 feet where it is 1 in 142 and 841 feet where it is 1 in 145 at mile 1. On the Sambhar branch, it is 1 in 200, except for 3,810 feet where it is 1 in 150 at the beginning of the line. On the Farukhagar branch it is 1 in 100. On the Malwa section it is 1 in 150, except between Khandwa and Kalakhund where it is 1 in 100 and between Kalakhund and Patal Panti (Mhow Ghat) where it is 1 in 40. On the Cawnpore-Achnera section, and on the Brindaban branch it is 1 in 200; and on the Rewari-Fazilka section, 1 in 169.

Contracts.—
 Main provisions of contracts— { As noted under Bombay, Baroda and Central India railway (5' 6" gauge) }

Statistics of working (Those for the periods prior to 1906 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

INCLUDES THE GODHRA-RUTLAM-NAGDA SECTION UP TO 1911 AND VIRAM-AM-WAIGHAN SECTION FROM 1912.

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.		Rs.	Rs.	
1906	1,915.50	16,65,57,367	2,80,04,905	1,47,43,530	8.35	65,99,910	Included with Bombay, Baroda and Central India railway (5' 6" gauge).	+ 81,13,390	281	47.35
1907	1,919.20	16,85,93,587	2,87,22,171	1,43,93,002	8.54	55,02,863		+ 30,83,839	288	49.49
1908	1,918.54	17,84,83,727	2,87,43,850	94,10,003	8.33	60,67,232		+ 35,13,381	249	61.97
1909	1,919.72	18,04,84,544	2,91,08,399	1,08,89,036	8.04	61,19,498		+ 47,79,138	252	56.75
1910	1,919.64	18,18,63,771	2,95,10,644	1,44,84,804	7.96	61,72,944		+ 83,11,800	286	49.20
1911	1,917.73	18,23,81,723	3,08,25,507	1,50,83,603	8.27	63,40,819		+ 97,42,784	309	51.07
1912	1,915.64	16,55,41,245	3,15,97,819	1,61,10,247	9.78	59,07,519		+ 1,01,42,728	335	49.01
1st yr. of 1918	1,915.64	16,66,23,366	61,34,086	45,29,216	2.72	14,56,507		+ 30,72,769	245	44.32
1913-14	1,915.64	16,78,46,869	2,98,50,716	1,47,44,027	8.78	53,64,252		+ 39,79,775	316	40.61
1914-15	1,915.64	17,10,81,551	2,86,44,574	3,32,97,458	7.77	57,21,867		+ 75,75,595	303	53.58
1915-16	1,921.61	17,14,42,885	3,19,96,389	1,68,25,911	9.81	57,08,565		+ 1,11,17,846	338	47.41
1916-17	1,921.61	17,18,91,688	3,42,32,191	1,90,55,200	11.13	56,44,490		+ 1,35,16,720	362	44.37
1917-18	1,931.61	17,02,51,167	3,50,63,020	1,91,48,143	11.25	60,74,853		+ 1,30,73,990	370	45.33

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Ahmedabad-Dholka railway (3' 3½" gauge)—

Date of registration of the Company.—22nd July 1901.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Sabarmati to Baria	23-3-03	24.75	
Baria to Dholka	1-4-03	8.79	
TOTAL			33.54

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed steel rails on deodar sleepers.

Ballast.—The line is ballasted with stone.

Fencing.—Only station yards are fenced.

Curves.—The sharpest curve is of 1,146 feet radius.

Gradients.—The ruling gradient is 1 in 300, except for 400 feet near Sāharmāti, where it is 1 in 200 and for 4,000 feet between miles 1 and 2, where it is 1 in 286.

Contracts—

Dated the 1st February 1901, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, revising, and extending up to the 31st December 1905, the arrangements for the working of the Rajputana-Malwa railway and other lines.

Dated the 25th March 1902, between the Secretary of State and the Ahmedabad-Dholka Railway Company;

Dated the 18th July 1902, between the Secretary of State and the Bombay, Baroda and Central India Railway Company; } as to the construction, management, maintenance and working of the Ahmedabad-Dholka railway.

Dated the 17th September 1902, between the Secretary of State and the Ahmedabad-Dholka Railway Company, modifying the contract of 1902, as to the issue and allotment to the Secretary of State of a certain number of fully paid up shares in the capital of the Company.

Dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Dated the 10th July 1908, between the Secretary of State and the Bombay, Baroda and Central India Railway Company; } giving effect, as from the 1st July 1908, to the arrangement agreed upon for the improvement of the rebate from interchanged traffic payable to the Ahmedabad-Dholka Railway Company by

Dated the 12th November 1908, between the Secretary of State and the Ahmedabad-Dholka Railway Company; } of the Bombay, Baroda and Central India Railway Company.

Dated the 30th June 1910, between the Secretary of State, the Ahmedabad Dholka Railway Company and the Bombay Baroda and Central India Railway Company, (supplemental to the contracts of the 25th March and 18th July 1902 and 12th November 1908), as to the adoption of the Government financial year for the preparation of accounts from the 1st April 1913.

Main provisions of contracts—

- (i) **Land.**—Provided by the Government free of cost to the Company.
- (ii) **Government aid.**—The Government constructed the line (from funds supplied by the Company), and manage, work, stock and maintain it, through the agency
- (iii) **Terms of working.**—of the Bombay, Baroda and Central India Railway Company. During
- (iv) **Distribution of profits.**—the continuance of the working agreement with the Bombay, Baroda and Central India Railway Company, the charge to the Ahmedabad-Dholka Railway Company for the provision of rolling-stock and the working and maintenance of the line, is the share of the general working expenses of the whole system of the 5' 6" and 3' 3½" gauge lines worked by the Bombay, Baroda and Central India Railway Company which is attributable to the Ahmedabad-Dholka railway in proportion to its gross earnings less the amount of rebate of 45 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways which the Government are entitled to retain, provided that the charge is not to exceed 44 per cent of the gross earnings in any year. In the event of the working agreement with the Bombay, Baroda and Central India Railway Company terminating before the contract with the Ahmedabad-Dholka Railway Company, the charge for working the latter Company's line is to be such percentage of the gross earnings as may be provided in any other working agreement that may be entered into, or, if the line be worked by State agency, such percentage as the Secretary of State may consider just or reasonable; but it is not in either case to exceed the percentage of working expenses on gross

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Ahmedabad-Dholka railway (3' 3½" gauge)—*contd.*Main provisions of contracts—*contd.*

earnings obtaining on the Bombay, Baroda and Central India railway, or 50 per cent in any year. The residue of the gross earnings, after deduction of the charge for working, etc., is payable to the Ahmedabad-Dholka Railway Company. By agreement with the Bombay, Baroda and Central India Railway Company, the Government allow to the Ahmedabad-Dholka Railway Company in respect of each year, by way of rebate, a sum not exceeding 45 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways, or either of them, and the Ahmedabad-Dholka railway, as will, together with the net earnings of the Ahmedabad-Dholka Railway Company, make up an amount equal to interest for the year at the rate of 4 per cent per annum on the actual capital expenditure. The Government also allow to the Company the sum of Rs. 5,000 per annum towards its office expenses and expenses of management; but when the Company's net earnings in any year exceed 4 per cent on the capital expenditure, the excess is to be applied towards the reduction of this allowance.

- (v) *Rules and rates.*—To be such as may from time to time be arranged between the Government and the working agency, but it is provided that they shall be within the maximum and minimum for the time being in force on the Bombay, Baroda and Central India railway (3' 3½" gauge). The classification of goods is to be in conformity with that in force on the Bombay, Baroda and Central India railway (3' 3½" gauge).

- (vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, high Government officials, and Government stores.—

(b) Government Indian and coin and the persons in charge thereof.—

As in the case of
Bombay, Baroda and
Central India railway
(3' 3½" gauge).

- (vii) *Power of the Government to determine contract.*—The Government may, by giving 12 months' notice, determine the contract and acquire the railway on the 30th June 1922, or at the end of any subsequent period of 10 years, in which case the Government undertake to pay to the Company in rupees a sum equal to 25 times the average yearly net earnings of the Company during the last preceding three years, provided that such sum shall not exceed by more than 20 per cent the total capital expenditure of the Company, nor be less than such capital expenditure.

- (viii) *Power of the Company to surrender contract.*—Nil.

- (ix) *Term of contract [if not determined under (vi) or (vii)].*—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including interest, to end of each year, i.e., (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from the Bombay, Baroda and Central India railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1903	31.10	10,02,172	61,261	35,986	5.89	...	35,986	3.59	45	44.00
1904	31.50	10,17,308	59,094	35,405	5.46	...	55,165	5.45	57	44.00
1905	33.50	10,41,905	98,211	37,503	5.17	...	57,203	5.47	56	44.76
1906	33.50	10,83,732	1,00,733	56,118	5.21	...	56,118	5.21	58	44.00
1907	33.50	11,11,330	1,13,159	64,489	5.80	...	64,489	5.80	56	44.00
1908	33.50	10,91,212	1,38,306	71,795	6.58	...	71,795	6.58	74	44.00
1909	33.54	11,05,286	1,30,130	67,383	6.09	...	67,383	6.09	69	44.00
1910	33.54	11,10,937	1,29,689	72,615	6.54	...	72,615	6.54	74	44.00
1911	33.54	11,17,717	1,32,107	73,980	6.62	...	73,980	6.62	76	44.00
1912	33.54	11,17,717	1,33,710	74,895	6.70	...	74,895	6.70	77	44.00
1st q. of 1913	33.54	11,17,717	28,308	15,686	1.42	...	15,880	1.42	65	44.00
1913-14	33.54	11,17,443	1,24,069	69,741	6.24	...	69,741	6.24	71	44.00
1914-15	33.54	11,17,443	1,21,400	69,669	6.25	...	69,669	6.25	71	44.00
1915-16	33.54	11,17,443	1,23,728	69,288	6.20	...	69,288	6.20	71	44.00
1916-17	33.54	11,17,734	1,17,169	67,217	6.01	...	67,217	6.01	67	42.73
1917-18	33.54	11,18,320	1,18,196	82,381	7.32	...	82,381	7.32	85	44.00

Ahmedabad-Parantij railway (3' 3½" gauge)—

Date of registration of the Company.—6th January 1896.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Ahmedabad to Talod	1-5-07	32.82	
Talod to Parantij	2-7-07	7.53	
Parantij to Himmatnagar	23-10-07	14.05	
Himmatnagar to Khedi Brahma	1-7-11	34.00	
TOTAL			88.40

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Ahmedabad-Parantij railway (3' 3½" gauge)—*contd.*

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed steel rails on creosoted pine and deodar sleepers.

Ballast.—The line is ballasted with kunkur, sand and stone.

Fencing.—Only station yards are fenced.

Curves.—The sharpest curve is of 1,146 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Contracts—

Dated the 13th March 1896 (called the principal contract), between the Secretary of State and the Ahmedabad-Parantij Railway Company, as to the construction of the Ahmedabad-Parantij railway.

Dated the 4th June 1896, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working by the Company of the Ahmedabad-Parantij railway.

Dated the 1st February 1901, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, revising, and extending up to the 31st December 1905, the arrangements for the working of the Rajputana-Malwa and other lines.

Dated the 29th January 1902, between the Secretary of State and the Ahmedabad-Parantij Railway Company, modifying the terms on which the Company's line is worked by the Bombay, Baroda and Central India Railway Company.

Dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Dated the 17th September 1907, between the Secretary of State and the Ahmedabad-Parantij Railway Company, for the continuance of the working of the Ahmedabad-Parantij railway on the terms in force on the 31st December 1905.

Dated the 2nd October 1908, between the Secretary of State and the Bombay, Baroda and Central India Railway Company ;

Dated the 24th November 1910, between the Secretary of State and the Ahmedabad-Parantij Railway Company ;

As to the construction, management, maintenance and working of the Brahmakhed extension as part of the Ahmedabad-Parantij railway, subject to the modifications therein set forth of the terms applicable to the main line.

Dated the 30th June 1916, between the Secretary of State, the Ahmedabad Parantij Railway Company and the Bombay Baroda and Central India Railway Company (supplemental to the contracts of 13th March and 4th June 1896, 29th January 1902, 17th September 1907, 2nd October 1908 and 24th November 1910 as to the adoption of the Government financial year for the preparation of accounts from the 1st April 1915).

Main provisions of contracts—

(i) *Land.*—Provided by the Government free of cost to the Company. The Secretary of State to use his influence to obtain the free grant of land in Native States.

(ii) *Government aid.*—

(iii) *Terms of working.*—

(iv) *Distribution of profits.*—

The Government constructed the line (from funds supplied by the Company), and manage, work, stock and maintain it, through the agency of the Bombay, Baroda and Central India Railway Company. During the continuance of the contracts between the Secretary of State and the Bombay, Baroda and Central India Railway Company relating to the working of State branches, the charge to the Ahmedabad-Parantij Railway Company in each half-year for the provision of rolling-stock and the working and maintenance of the line is the share of the general working expenses of the whole of the 5' 6" and 3' 3½" gauge systems of railways worked by the Bombay, Baroda and Central India Railway Company which is attributable to the Ahmedabad-Parantij railway in proportion to its gross earnings, less the rebate of 10 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways which the Government is entitled to retain, provided that the charge is not to exceed 44 per cent of the gross earnings in any year. In the event of the termination of the contracts above referred to, the charge is to be a percentage of the gross earnings not exceeding in any half-year that obtaining on the Bombay, Baroda and Central India railway, nor in any year 44 per cent. The residue of the gross earnings, after deduction of the charge for working, etc., is payable to the Ahmedabad-Parantij Railway Company.

By agreement with the Bombay, Baroda and Central India Railway Company, the Government allow to the Ahmedabad-Parantij Railway Company in respect of each year, by way of rebate, a sum not exceeding 10 per cent of the combined shares attributable to the Bombay, Baroda and Central India railway 5' 6" and 3' 3½" gauge systems of the gross earnings from traffic interchanged between those railways, or either of them, and the Ahmedabad-Parantij railway, as will, together with the net earnings of the Ahmedabad-Parantij Railway Company, make up an amount equal to interest for the year at the rate of 4 per cent per annum until the close of the half-year next after that in which the Brahmakhed extension is opened throughout for public traffic, and thereafter at 5 per cent per annum, on the actual capital expenditure. The Government also allow to the Company the sum of Rs. 5,000 per annum until the close of the half-year next after that in which the Brahmakhed extension is opened throughout for public traffic, and thereafter Rs. 6,000 per annum towards its office expenses and expenses of management.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.***Ahmedabad-Parantij railway (3' 3½" gauge)—*concl'd.*****Main provisions of contracts—*concl'd.***

(v) *Rates and fares.*—To be such as may from time to time be arranged between the Government and the working agency, but it is provided that they shall be within the maximum and minimum rates and fares for the time being in force on the Bombay, Baroda and Central India railway (3' 3½" gauge). The classification of goods is to be in conformity with that in force on the Bombay, Baroda and Central India railway (3' 3½" gauge).

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, high Government officials, and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof.—

(vii) *Power of the Government to determine contract.*—The Government may, by giving 12 months' notice, determine the contract and acquire the railway—

(a) on the 31st December 1930, or at the end of any subsequent period of 10 years, in which case the Government undertake to pay to the Company in rupees a sum equal to 25 times the average yearly net earnings of the Company during the last preceding five years, provided that such sum shall not exceed by more than 20 per cent the total capital expenditure of the Company, nor be less than such capital expenditure, or

(b) on the 31st December 1946, in which case the Government will pay to the Company in rupees an amount equal to the total capital expenditure.

(viii) *Power of the Company to surrender contract.*—Nil.

(ix) *Term of contract [if not determined under (vi) or (vii)].*—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (a) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from the Bombay, Baroda and Central India railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
1897	Milos.	Rs.	Rs.	Rs.	189	...	36,065	1.80	46	46.82
1898	54.70	19,42,211	69,060	36,065	412	...	85,836	4.12	53	42.79
1899	54.70	20,42,271	1,10,790	1,21,687	621	...	1,21,687	6.21	74	42.23
1900	54.70	19,45,305	2,65,105	1,55,952	798	...	1,55,952	7.98	83	41.17
1901	54.70	19,49,355	1,77,438	99,365	510	...	99,365	5.10	82	44.00
1902	54.70	19,50,012	1,79,794	1,00,585	511	...	1,00,585	5.11	63	44.00
1903	54.70	19,88,860	1,50,112	81,063	423	...	84,063	4.23	53	44.00
1904	54.70	19,89,045	1,66,227	1,04,287	524	...	1,04,287	5.24	65	44.00
1905	54.70	19,91,753	1,98,713	1,15,469	580	...	1,15,469	5.80	70	41.89
1906	54.70	19,98,023	2,20,911	1,24,727	619	...	1,23,727	6.19	78	44.00
1907	54.70	20,08,966	2,61,637	1,48,197	738	...	1,48,197	7.38	93	44.00
1908	54.70	20,26,012	2,95,664	1,65,572	817	...	1,65,573	8.17	104	44.00
1909	54.70	20,32,797	3,04,881	1,70,735	840	...	1,70,735	8.40	107	44.00
1910	54.70	26,71,739	3,21,710	1,80,158	637	...	1,80,158	6.37	113	44.00
1911	88.70	38,40,922	3,53,475	1,97,386	512	...	1,97,386	5.12	94	44.00
1912	88.70	36,61,696	3,47,123	1,94,383	530	...	1,94,388	5.30	75	44.00
1st yr. of 1913	88.70	36,83,679	1,03,125	57,918	1.57	...	57,918	1.57	90	44.00
1913-14	88.70	37,03,774	4,02,383	2,25,334	6.08	...	2,25,334	6.08	87	44.00
1914-15	88.70	37,18,868	4,25,995	2,23,557	6.42	...	2,28,557	6.42	92	44.00
1915-16	88.70	37,18,830	8,61,630	2,15,391	5.79	...	2,15,393	5.79	81	44.00
1916-17	88.70	37,23,823	3,87,371	1,93,543	5.29	...	1,93,542	5.29	71	42.83
1917-18	88.70	87,23,827	3,59,843	2,01,513	5.41	...	2,01,513	5.41	78	44.00

Gaekwar's Mehsana railway (3' 3½" gauge)—**Progress in opening—**

Section of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Viramgam-Mehsana-Taranga Hill section—				
Viramgam to Mehsana	1-2-91	40.21		
Mehsana to Vadnagar	21-3-87	30.73		
Vadnagar to Kheradi	12-12-83	7.00		
Kheradi to Taranga Hill	20-8-09	7.79	75.73	...
Rakosi extension—				
Mehsana to Pétan	20-7-91	24.69		
Pétan to Wagrod	15-1-15	14.72		
Wagrod to Rakosi	28-5-16	9.91	40.32	
Barji branch—				
Manund Road to Barji	23-10-08	20.95		
Bechradi extension—				
Channama to Bechradi	23-10-08	16.03	16.03	
TOTAL OPEN MILEAGE	163.63
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Khaliur to Khakhal (sanctioned on 15th March 1913)	...	17.29		
Wagrod to Kharada (sanctioned on 14th January 1913)	...	12.44	29.68	29.68
GRAND TOTAL	192.20

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Gackwar's Mehsana railway (3' 3½") gauge—*contd.*

Details of construction—

Permanent-way.—Except from mile 10 to mile 24·69 of the Mehsana-Patan section, which is laid with 40-lb. iron rails on deodar sleepers, the line is laid with 41½-lb. flat-footed steel rails on steel, deodar, half round jungle teak and Australian hard wood sleepers.

Ballast.—The line between Mehsana and Taranga Hill is ballasted with stone, between Manund Road and Harij and between Chanasma and Bechrari, with lime stone and the rest with kunkur.

Fencing.—Of the Manund Road-Harij and Chanasma-Bechrari sections only the station yards are fenced; and of the other three sections 4¼ miles are fenced by wire, and the rest with cactus, but this latter has in several places been entirely destroyed by floods and locusts and what remains is much broken up. On the Patan-Kakosi section only the station yards are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—On the Mehsana-Kheralu section the ruling gradient is 1 in 150, except for 5·100 feet, between Varethia and Taranga Hill, where it is 1 in 75. On the Mehsana-Virangam section it is 1 in 400, except for 1,350 feet between miles 5 and 6 where it is 1 in 200 and 900 feet between miles 12 and 13 where it is 1 in 300. On the Mehsana-Patan section it is 1 in 400, except for 850 feet between miles 6 and 7 where it is 1 in 200. On the Patan-Wagrod section it is 1 in 150, on the Manund Road-Harij section, 1 in 200 and on the Chanasma-Bechrari section, 1 in 366, all in banking section.

Agreements and contract—

Agreement, dated the 17th June 1893 (called "the Mehsana Working Agreement"), between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working by the Company of the Gackwar's Mehsana railway.

Contract, dated the 8th April 1907 (called the principal contract), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the maintenance, management and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rapputana-Malwa railway and other subsidiary lines.

Agreement, dated the 20th July 1908, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the construction by the Company of the Gackwar's Kheralu-Dabhara railway.

Agreement, dated the 20th July 1908, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the construction by the Company of the Gackwar's Manund Road-Harij and Chanasma-Bechrari railways.

Agreement, dated the 16th February 1909, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, modifying, as from the 27th March 1908 to the 26th March 1909, inclusive, the Mehsana Working Agreement of the 17th June 1893.

Agreement, dated the 15th December 1909, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Manund Road-Harij and Chanasma-Bechrari lines from the date of opening to public traffic up to and including the 22nd October 1910.

Agreement, dated the 16th May 1910, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, for the continuance of the management, maintenance and working, from the 27th March 1909, of the Mehsana-Kheralu, Mehsana-Virangam and Mehsana-Patan railways, subject to further modifications of the Mehsana Working Agreement of the 17th June 1893.

Agreement, dated the 17th May 1910, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Kheralu-Varethia (Taranga Hill) extension, subject to further modifications of the Mehsana Working Agreement of the 17th June 1893.

Agreement, dated the 3rd December 1910, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the maintenance and working of the Manund Road-Harij and Chanasma-Bechrari lines as from the 23rd October 1910, subject to further modifications of the Mehsana Working Agreement of the 17th June 1893.

Agreement, dated the 30th October 1915, between the Government of His Highness the Maharaja Gackwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Patan Wagrod and Wagrod-Kakosi extensions from the respective dates of their opening for public traffic, subject to further modifications of the "Mehsana Working Agreement" of the 17th June 1893 and the supplemental agreement of 16th May 1910.

Main provisions of agreements and contract—

- (i) *Land.*—As under Pottal-Cambay railway (Anand-Tarapur section) (5' 6" gauge.)
- (ii) *Government aid.*—The lines are the property of the Baroda Durbar (which provides all funds chargeable to the capital account), and are managed, maintained, stocked and worked by the Bombay, Baroda and Central India Railway Company as part of the Company's railway system.
- (iii) *Terms of working.*—Excepting the cost of making good damages due to extraordinary casualty which is borne by the Durbar and is chargeable against capital, and the charges for repairs or renewals of way, works and stations on the Patan-Wagrod and Wagrod-Kakosi extensions, due to defective design or defective construction of the said extensions or any portion of the same or to defective material used in the works constructed,

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Gaekwar's Mehsana railway (3' 3½" gauge)—*conold.*Main provisions of agreements and contract—*conold.*

which are to be paid for by the Durbar, the Mehsana railway and the Manand Road-Harij and Chanasma-Beehraj railways and the Patan-Wagrod and Wagrod-Kakosi extensions are debited for maintenance and working expenses, including the cost of supervision and hire of rolling-stock, with the same percentage of gross earnings as may be incurred in the half-year on the 5' 6" and 3' 3½" gauge lines of the Bombay, Baroda and Central India railway system, and also with any single item of capital expenditure on "New minor works" costing Rs. 2,000 or less, subject to a maximum charge on such account of an amount bearing the same percentage of gross receipts as obtains for similar expenditure on the Bombay, Baroda and Central India railway.

The balance in favour of or against the Baroda Durbar is paid over to, or by it, as the case may be.
(v) *Rates and fares.*—To be fixed from time to time by the Company with the approval of the Durbar; but in the absence of any special agreement between them, they are, as far as may be, to conform to those generally in force on the Bombay, Baroda and Central India railway (3' 3½" gauge).

(vi) *Special obligations as to the conveyance of—*

(a) Mails, troops, high Government officials and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof.—

(vii) *Power of the Durbar to determine agreement.*—

(viii) *Power of the Company to determine agreement.*—

(ix) *Term of agreement [if not determined under (vii) and (viii)].*—

As under Pothead
Caubay railway
(Anand-Tarapur
section—5' 6"
gauge).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on— (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	130'21	52,16,404	4,55,749	1,93,036	3'70	88	57'64
1909	138'01	53,43,871	5,57,732	2,56,206	4'79	78	54'06
1910	138'00	55,89,610	6,30,415	3,13,759	5'61	88	50'25
1911	138'00	57,02,244	6,46,429	3,20,709	5'63	90	50'37
1912	138'00	57,16,157	6,61,472	3,28,637	5'89	92	49'11
Let gr. of 1913	138'00	57,23,067	1,54,077	66,374	1'51	88	45'36
1913-14	138'00	57,80,979	8,58,961	3,39,495	5'72	92	49'85
1914-15	152'72	86,46,557	7,97,195	3,37,910	5'97	96	52'35
1915-16	152'72	64,67,495	7,14,241	3,72,108	5'75	90	47'90
1916-17	162'73	68,97,893	7,35,234	4,21,341	6'11	88	42'69
1917-18	162'73	69,05,966	8,39,687	4,64,141	6'72	98	41'14

Jaipur State railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total	Grand total.
1	2	3	4	5
<i>Main line—</i>				
Sanganor to Nawal	10-11-05	32'14		
Nawal to Siwai-Madhapur	17-10-07	10'66		
<i>Reengua extension—</i>				
Jaipur to Reengua	10-12-16	8'29	72'84	
			33'20	
TOTAL OPEN MILEAGE				
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Reengua to Sikar (sanctioned on 5th October 1914)		20'97	108'81	
Sikar to Jhaujhni (sanctioned on 15th June 1916)		39'85	70'82	
GRAND TOTAL				178'86

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails laid on deodar sleepers on the main line and of 4½-lb. British section rails on deodar and sal sleepers on the Reengua extension.

Ballast.—The line is ballasted with stone.

Fencing.—The line is unfenced except at stations and at points where the line crosses the main road.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 250, except for 4 miles and 1,080 feet at the beginning of the line and on the Reengua extension, where it is 1 in 200.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Jaipur State railway (3' 3½" gauge)—*contd.*

Agreement—

Agreement, dated the 11th September 1906, between the Jaipur Durbar and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working by the Company of the Jaipur State railway.

Railway Board's letter No. 1810 R.T., dated the 30th October 1907, as to the payment of rebate to the Jaipur Durbar.

Main provisions of agreement—

- (i) *Land*.—Provided by the Jaipur Durbar at the cost of capital.
- (ii) *Government aid*.—The line is the property of the Jaipur Durbar (which provides all funds chargeable to the capital account), and is managed, maintained, stocked and worked by the Company as part of its railway system. By way of rebate the Government allow out of their share of the net earnings of the Bombay, Baroda and Central India railway (3' 3½" gauge) (outside the contract between the Secretary of State and the Bombay, Baroda and Central India Railway Company), a sum up to 10 per cent of the net earnings of the main line from traffic interchanged with the Jaipur State railway to such extent as is necessary to make up, together with the net earnings of the Jaipur railway, an amount sufficient to give a return of 3½ per cent per annum on the capital expenditure incurred.
- (iii) *Terms of working*.— } Excluding the cost of making good damages due to extraordinary casualty which is borne by the Durbar and is chargeable against capital, the Jaipur State railway is debited for maintenance and working expenses, including the cost of supervision and use of rolling-stock, with the same percentage of the gross earnings of the Jaipur State railway as the total expenditure incurred on the entire Bombay, Baroda and Central India railway system bears to the earnings of that system, and also with any single item of capital expenditure not exceeding Rs. 2,000, subject to a maximum charge on such account of an amount bearing the same percentage of gross receipts as obtains for similar expenditure on that system. The balance in favour of or against the Jaipur Durbar is paid over to, or by it, as the case may be.
- (iv) *Distribution of profits*.— } capital, the Jaipur State railway is debited for maintenance and working expenses, including the cost of supervision and use of rolling-stock, with the same percentage of the gross earnings of the Jaipur State railway as the total expenditure incurred on the entire Bombay, Baroda and Central India railway system bears to the earnings of that system, and also with any single item of capital expenditure not exceeding Rs. 2,000, subject to a maximum charge on such account of an amount bearing the same percentage of gross receipts as obtains for similar expenditure on that system. The balance in favour of or against the Jaipur Durbar is paid over to, or by it, as the case may be.
- (v) *Rates and fares*.—To be fixed from time to time by the Company with the approval of the Jaipur Durbar and, in the absence of any special agreement between them, to conform, as far as may be, to those generally in force on the Bombay, Baroda and Central India railway (3' 3½" gauge).
- (vi) *Special obligations as to the conveyance of*—
- (a) Mails, troops, high Government officials and Government stores.—Mails and postal officers on duty to be carried at the rates and on the conditions in force from time to time on State railways in British India. (There is no provision for the carriage at special rates of troops, high Government officials and Government stores.)
- (b) Government bullion and coin, and the persons in charge thereof.—Not specified.
- (vii) *Power of the Durbar to determine agreement*.— } After 2 years from the date of opening (*viz.*, the 17th October 1907) of the Jaipur State railway
- (viii) *Power of the Company to determine agreement*.— } the agreement may be determined by either party giving to the other 12 calendar months' notice expiring on the 30th September or 31st March of any year.
- (ix) *Term of agreement (if not determined under (vii) and (viii))*.—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, to (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.			
1906	72.84	24,01,941	1,16,415	49,048	2.67	31	57.35
1909	72.84	24,02,410	1,44,902	64,680	2.86	38	52.31
1910	72.84	24,03,971	2,14,761	1,10,290	4.50	57	46.65
1911	72.84	24,09,763	2,70,094	1,39,743	5.55	71	50.48
1912	72.84	24,09,763	3,13,550	1,36,641	4.43	83	49.46
1st qr. of 1913	72.84	24,12,333	96,333	52,137	2.16	102	45.82
1913-14	72.84	24,14,723	3,12,429	1,57,262	6.35	82	49.86
1914-15	72.84	36,40,371	2,94,080	1,40,235	3.85	78	52.31
1915-16	72.84	45,76,524	3,94,842	2,09,798	4.38	104	46.87
1916-17	107.22	51,70,743	4,46,928	2,54,947	4.93	104	42.96
1917-18	108.04	54,07,642	3,36,038	2,13,839	3.95	68	44.03

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Palanpur-Deesa railway (3' 3½" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Palanpur to Deesa	8-11-93	17-28	17-28

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails, 275 miles of which are laid on cast iron plate sleepers and the rest on wooden sleepers of various kinds.

Ballast.—The line is ballasted with stone and sand.

Fencing.—The line is fenced throughout.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 150.

Contracts—

- Letter from the Government of India, Public Works Department, No. 352 R.C., dated the 25th March 1892, to the Government of Bombay ;
- Letter from the Under Secretary of State for India, No. 682, dated the 18th May 1892, to the Board of Directors, Bombay, Baroda and Central India Railway Company ;
- Letter from the Board of Directors, Bombay, Baroda and Central India Railway Company, No. 611, dated the 20th May 1892, to the Under Secretary of State for India ;
- Letter from the Under Secretary of State for India, No. 920, dated the 22nd June 1892, to the Board of Directors, Bombay, Baroda and Central India Railway Company ;
- Letter from the Government of Bombay, No. 1643, dated the 19th August 1892, to the Government of India, Public Works Department ;
- Contract, dated the 1st February 1901, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, revising, and extending up to the 31st December 1905, the arrangements for the working of the Rajputana-Malwa and other lines.
- Contract, dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, as from the 1st January 1906, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

As to the construction, management, maintenance and working, by the Bombay, Baroda and Central India Railway Company, of the Palanpur-Deesa railway as a part of the Rajputana-Malwa railway.

Main provisions of contracts—

- (i) *Land.*—Provided free of cost by the Palanpur Durbar.
- (ii) *Government aid.*—The railway is owned jointly by the Government and the Palanpur Durbar, and the former provide any further open line capital funds. It was constructed and is managed, maintained, stocked and worked by the Bombay, Baroda and Central India Railway Company as part of the Bombay, Baroda and Central India railway (3' 3½" gauge).
- (iii) *Terms of working.*—The railway is debited with a share of the general working expenses of the Bombay, Baroda and Central India Railway Company's system in proportion to the gross earnings of the Palanpur-Deesa railway.
- (iv) *Distribution of profits.*—The net earnings, after deducting the working expenses as in (iii) above, in any half-year, are to be divided between the Government and the Palanpur Durbar in proportion to the capital provided by each, after excluding (so long as the line remains a 3' 3½" gauge one) from the Government capital the sum of Rs. 25,117 the extra expenditure incurred in providing a 5' 6" gauge sub-structure.
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*—
- (a) Mails, troops, high Government officials and Government stores.—
- (b) Government bullion and coin, and the persons in charge thereof.—
- (vii) *Power of the Government to determine contract.*—
- (viii) *Power of the Company to determine contract.*—
- (ix) *Term of contract.*—
- As under Bombay, Baroda and Central India railway (3' 3½" gauge).
- The agreement is co-terminous with the Company's contract with the Secretary of State for working the Bombay, Baroda and Central India railway (3' 3½" gauge), unless it be decided to extend the railway in which case it will be open to the Government to terminate the working arrangement on giving the Company 6 months' notice.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Palanpur-Deesa railway (3' 3½" gauge)—*concl.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on		Gross earnings.	Net earnings.		Percentage of net earnings on total capital outlay given in columns (8) and (4).		Interest on Government capital.	Gain or loss to Government pertaining to each year.	Earnings per mile to each week.	Proportion of expenses to earnings.
		(i) lines open, and	(ii) lines partly or wholly under construction.		Attributable to the Durbar.	Attributable to Government.	On capital contributed by the Durbar.	On capital contributed by Government.				
		Contributed by the Palanpur Durbar.	Contributed by Government.									
1	2	3	4	5	6	7	8	9	10	11	12	13
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.			Rs.	Rs.	Rs.	
1896	17-28	1,85,000	1,78,953	4,436	1,335	1,110	0-72	0-62	5,371	-4,261	38	44-88
1894	17-28	1,85,000	2,14,601	37,554	11,365	11,781	6-14	5-90	8,783	+2,098	42	38-85
1895	17-28	1,85,000	2,15,371	38,182	11,893	11,512	6-13	5-35	8,878	+3,134	42	40-17
1896	17-28	1,85,000	2,32,746	51,029	14,101	15,073	7-62	6-48	9,149	+5,923	57	43-49
1897	17-28	1,85,000	2,33,284	43,264	10,883	12,243	5-88	5-25	9,305	+2,998	48	46-55
1898	17-28	1,85,000	2,33,264	38,199	10,834	11,028	5-59	4-99	9,331	+2,297	43	42-51
1899	17-28	1,85,000	2,33,264	41,628	12,102	13,618	6-54	5-84	9,330	+2,288	50	42-87
1900	17-28	1,85,000	2,33,264	47,009	12,636	14,218	6-83	6-10	9,330	+4,898	53	43-67
1901	17-28	1,85,000	2,33,264	36,805	9,375	10,548	5-07	4-52	9,330	+1,218	41	45-87
1902	17-28	1,85,000	2,36,786	33,600	8,329	9,521	4-50	4-02	9,408	-118	37	47-01
1903	17-28	1,85,000	2,37,069	29,734	7,141	8,181	3-86	3-46	9,432	-1,251	33	43-47
1904	17-28	1,85,000	2,37,069	29,185	7,280	8,540	3-84	3-52	9,471	-1,134	32	46-48
1905	17-28	1,85,000	2,37,069	35,178	9,469	10,448	5-12	4-58	9,472	+1,376	39	42-25
1906	17-28	1,85,000	2,39,155	40,154	9,862	11,376	5-33	4-76	9,531	+1,845	45	47-11
1907	17-28	1,85,000	2,39,155	42,061	10,266	11,878	5-35	4-97	7,223	+4,653	47	47-35
1908	17-28	1,85,000	2,47,156	45,688	9,007	10,726	4-92	4-34	8,513	+2,515	51	46-60
1909	17-28	1,85,000	2,45,700	53,323	11,727	14,034	6-38	5-71	8,329	+3,775	59	51-03
1910	17-28	1,85,000	2,45,700	58,152	13,063	6,291	7-39	6-63	8,216	+8,075	65	48-40
1911	17-28	1,85,000	2,45,700	52,775	11,949	14,248	6-46	5-80	8,332	+5,916	59	50-86
1912	17-28	1,85,000	2,45,700	51,837	11,891	14,177	6-43	5-77	8,400	+5,777	58	46-71
1st Apr. of 1913	17-28	1,85,000	2,45,700	14,813	8,677	4,364	1-99	1-78	2,089	+2,295	66	45-52
1913-14	17-28	1,85,000	2,45,700	57,010	13,258	15,808	7-17	6-43	8,324	+7,484	64	49-84
1914-15	17-28	1,85,000	2,45,700	61,408	13,328	15,892	7-20	6-47	8,598	+7,294	68	52-42
1915-16	17-28	1,85,000	2,45,700	66,339	13,897	16,953	8-39	7-71	8,332	+10,423	74	47-63
1916-17	17-28	1,85,000	2,45,700	56,069	14,632	17,415	7-51	7-10	8,999	+9,346	62	42-79
1917-18	17-28	1,85,000	2,45,700	58,520	15,009	17,896	8-11	7-28	8,533	+9,303	65	44-06

Vijapur-Kalol-Kadi railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.		Date of opening.	Miles.	Total.	Grand Total.
1	2				
Vijapur to Kalol	10-6-02	29-44			
Kalol to Kadi	12-7-03	11-03			
Kadi to Bhoyni Road	1-4-12	4-74			
TOTAL OPEN MILEAGE				46-11	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION— Bhoyni Road to Dehraji (sanctioned on 8th August 1916)			21-30	01-30	67-41

Details of construction—

Permanent way.—21 miles are laid with 4½-lb. flat-footed steel rails and 25 miles with 40-lb. flat-footed iron rails on deodar sleepers.

Ballast.—The line is ballasted with stone and kunker.

Fencing.—Only station yards and 11-07 miles of the Vijapur-Kadi section are fenced.

Curves.—The radius of the sharpest curve is 3,820 feet on the Vijapur-Kadi section and 1,910 feet on the Kadi-Bhoyni Road section.

Gradients.—The ruling gradient is 1 in 150 between Vijapur and Kadi and 1 in 200 between Kadi and Bhoyni Road.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Vijapur-Kalol-Kadi railway (3' 3½" gauge)—*concl'd.*

Agreements and contract—

Agreement, dated the 23rd November 1903, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, by the Bombay, Baroda and Central India Railway Company, of the Vijapur-Kalol-Kadi railway.

Contract, dated the 8th April 1907 (called the principal contract), between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, as from the 1st January 1908, of the Bombay, Baroda and Central India railway, the Rajputana-Malwa railway and other subsidiary lines.

Agreement, dated the 3rd March 1909, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, modifying as from the 1st July 1908 to the 30th June 1909, inclusive, the agreement of the 23rd November 1903.

Agreement, dated the 16th May 1910, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, for the continuance of the management, maintenance and working, from the 1st July 1909, of the Vijapur-Kalol-Kadi railway, subject to further modifications of the agreement of the 23rd November 1903.

Agreement, dated the 17th June 1913, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Kadi-Bhoyani extension, subject to further modifications of the agreement of the 23rd November 1903.

Main provisions of agreements and contract—

As noted under Gaskwar's Mehsana railway (3' 3½" gauge), with the exception that charges for repairs or renewals of way, works and stations on the Kadi-Bhoyani extension, due to defective design or construction of the extension or to defective materials used in the works constructed, are to be paid for by the Durhar.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	41-37	13,12,800	1,30,643	51,099	3-96	56	56-90
1909	41-37	13,08,338	1,17,211	56,498	4-32	54	51-80
1910	41-37	13,29,176	1,32,202	68,019	5-12	61	48-56
1911	41-37	15,14,964	1,35,891	67,582	4-46	63	50-27
1912	46-11	15,63,569	1,34,917	68,346	4-37	58	49-35
1st qr. of 1913	46-11	15,81,365	34,840	18,981	1-23	58	45-92
1913-14	46-11	15,71,787	1,46,014	72,768	4-63	60	49-82
1914-15	46-11	16,02,858	1,63,126	77,712	4-85	60	52-56
1915-16	46-11	16,31,527	1,63,288	85,045	5-21	68	47-90
1916-17	46-11	18,02,634	1,56,316	89,389	4-72	65	42-25
1917-18	46-11	21,06,018	1,51,600	84,762	4-03	67	44-09

Bilimora-Kalamba railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Bilimora to Rankuwa ...	28-7-14	13-42		
Rankuwa to Unni ...	22-1-15	12-83		
Unni to Kalamba ...	1-5-17	8-09		
TOTAL OPEN MILEAGE				
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—			34-98	
Mahuva to Anaval (sanctioned on 11th May 1914) ...		17-91	17-91	
GRAND TOTAL				58-84

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—contd.

Bilimora-Kalamba railway (2' 6' gauge)—contd.

Details of construction—

Permanent way.—The permanent way consists of 30-lb. flat-footed steel rails on sal sleepers.

Ballast.—The line is ballasted with sand and moorum.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 1,442 feet radius.

Gradients.—The ruling gradient is 1 in 150, and 1 in 700 between Unai and Kalamba.

Agreement—

Dated the 23rd October 1914, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Bilimora-Kalamba railway.

Main provisions of agreement—

- (i) *Land.*—
 - (ii) *Government aid.*—
 - (iii) *Terms of working.*—
 - (iv) *Distribution of profits.*—
 - (v) *Rates and fares.*—
 - (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, high Government officials and Government stores.—
 - (b) Government bullion and coin and the persons in charge thereof.—
 - (vii) *Power of the Durbar to determine agreement.*—
 - (viii) *Power of the Company to determine agreement.*—
 - (ix) *Term of agreement [if not determined under (vii) and (viii)].*—
- As noted under Potlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge).
- The Company works the Bilimora-Kalamba railway at actual cost, plus a sum equal to 10 per cent of the total working expenses, but not less than Rs. 300 per mensem in the half-year for superintendence. The railway is also debited with a contribution from its net earnings to the Company's Provident Fund calculated on the same basis as obtains on the Bombay, Baroda and Central India railway. The balance in favour of or against the Baroda Durbar is paid over to or by it, as the case may be.
- As noted under Potlad Cambay railway (Anand-Tarapur section) (5' 6" gauge).
- The agreement may be terminated at any time on one year's notice from either side, to expire on the 30th September or 31st March in any year.
- Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1914-15 ...	24.32	13,43,273	12,648	5,974	0.44	33	69.79
1915-16 ...	26.32	14,15,786	45,840	3,164	0.22	33	93.10
1916-17 ...	28.24	14,96,964	57,865	15,913	1.06	42	73.47
1917-18 ...	34.93	15,53,071	61,459	6,277	0.40	34	89.79

Bedeli-Chhota Udaipur railway (2' 6" gauge)—

Sanction to the construction of this line by the agency of the Bombay, Baroda and Central India Railway Company, on behalf of the Baroda and Chhota Udaipur Durbars, was conveyed in Railway Department (Railway Board) Notification No. 25, dated the 2nd February 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Bedeli to Chhota Udaipur	1-12-17	22.56	22.56

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.***Bodeli-Chhota Udaipur railway (2' 6" gauge)—*concl'd.*****Details of construction—***Permanent way.*—The permanent way consists of 41½ lb. flat-footed rails laid on wooden sleepers.*Ballast.*—The line is ballasted with sand.*Fencing.*—The line is fenced at important level crossings only.*Curves.*—The sharpest curve is of 819 feet radius.*Gradients.*—The ruling gradient is flatter than 1 in 1,000 including level.**Agreement—**

The line has been constructed by the Bombay, Baroda and Central India Railway Company on behalf of the Baroda and Chhota Udaipur Durbars. It is being maintained and worked as an extension of the Gekwar's Dabhoi railway under the terms and conditions which apply to that railway, subject to certain modifications which are under consideration.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay including suspense, to end of the year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.		Gross earnings.	Net earnings.		Percentage of net earnings on total capital outlay given in column (3).		Earnings per mile per week.	Proportion of expenses to earnings.
		Contributed by the Baroda Durbars.	Contributed by the Chhota Udaipur Durbars.		Attributable to the Baroda Durbars.	Attributable to the Chhota Udaipur Durbars.	On capital contributed by the Baroda Durbars.	On capital contributed by the Chhota Udaipur Durbars.		
1	2	3	4	5	6	7	8	9	10	11
1917-18.	Miles. 22.56	Rs. 5,05,630	Rs. 5,03,630	Rs. 18,556	Rs. 6,576	Rs. 1,832	1.30	0.86	Rs. 48	55.41

Broach-Jambusar railway (2' 6" gauge)—**Progress in opening—**

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Broach to Jambusar	23-11-11	29.69	29.69

Details of construction—*Permanent way.*—The line is laid with second-hand 41½-lbs. flat-footed steel rails, partly on soil and partly on half-round jungle wood sleepers.*Ballast.*—The line is being ballasted with sand.*Fencing.*—The line is unfenced.*Curves.*—The sharpest curve is of 603.8 feet radius.*Gradients.*—The ruling gradient is 1 in 200.**Contracts—**

Main provisions of contracts— } This line is a branch of the Bombay, Baroda and Central India railway and is worked under the contracts noted under Bombay, Baroda and Central India railway (3' 6" gauge).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay including suspense, to end of each year, i.e., outlay on (a) lines open, and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Milos.	Rs.	Rs.	Rs.				Rs.	
1914-15	29.78	13,28,661	21,756	11,069	0.88	41,525	-80,458	40	49.12
1915-16	29.78	13,95,233	83,433	43,353	3.10	47,294	-4,012	51	43.12
1916-17	29.69	14,10,287	80,088	41,832	2.95	46,241	-4,690	54	53.27
1917-18	29.69	14,17,183	1,40,739	78,180	5.32	149,099	+29,081	91	44.45

BOMBAY BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*

Gaekwar's Dabhoi railway (2' 6" gauge) —

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Chandod-Dabhoi-Jambusar section—				
Chandod to Dabhoi	15-4-79	10-62		
Dabhoi to Goya Gate	1-7-80	17-00		
Goya Gate to Vishvamitri	24-1-81	1-03		
Vishvamitri to Padra	1-7-87	7-14		
Padra to Mohba	10-7-83	9-20		
Mohba to Masor Road	1-11-04	8-48		
Masor Road to Jambusar	1-5-17	6-88		
			58-95	
Jarod-Samlaya extension—				
Dabhoi to Jarod	15-11-13	32-88		
Jarod to Samlaya	13-12-15	5-41		
			29-34	
Bodeli Extension—				
Dabhoi to Sankheda Bahadarpur	17-9-79	9-64		
Sankheda Bahadarpur to Bodeli	16-6-80	12-44		
			23-08	
Miyagam branch—				
Dabhoi to Miyagam	8-4-73	20-00		
			20-00	
Masor extension—				
Miyagam to Malsar	15-1-12	28-67		
			23-67	
TOTAL OPEN MILEAGE		153-94
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Motipura to Tankhala (sanctioned on 25th February 1914)	26-39		
Samlaya via Ravli to Timba (sanctioned on 24th April 1914)	33-31		
Choranda to Kora (sanctioned on 29th June 1917)	11-68		
			71-31	
GRAND TOTAL	225-25

Details of construction—

Permanent-way.—The line is laid with 31-lb. flat-footed steel rails on wooden sleepers, but about 5 miles are laid with 41½ lb. rails about one mile of 28-lb. iron rails in the road. The Masor Road-Jambusar

Miyagam-Malsar and Jarod Samlaya sections are laid with 30-lb. steel rails on wooden sleepers.

Ballast.—The line is ballasted chiefly with sand.

Fencing.—The line is practically unfenced except in station yards.

Curves.—The sharpest curve is of 500 feet radius.

Gradients.—The ruling gradient is 1 in 400, with small lengths of 1 in 200 and 1 in 300. On the Jarod-Samlaya section, it is 1 in 193 and on the Masor Road-Jambusar section, 1 in 1,000.

Agreements and contract—

Agreement, without date, having effect from the 1st January 1897, and as amended from time to time between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, by the Company, of the Dabhoi railway.

Contract, dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, as from the 1st January 1906, of the Bombay, Baroda and Central India, the Rajputana-Malwa and other subsidiary lines.

Agreement, dated the 9th May 1916, between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, by the Company, of the Miyagam-Malsar, Dabhoi-Jarod, Jarod-Samlaya, Samlaya-Timba, Masor Road-Jambusar and the Motipura-Tankhala extensions from the dates they are or shall have been opened for public traffic, subject to modifications of the working agreement of the Dabhoi railway.

Main provisions of agreement and contract—

- (i) *Land.*—
- (ii) *Government aid.*— } As noted under Petlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge).
- (iii) *Terms of working.*— } The Company works the Dabhoi railway at actual cost, plus a sum equal to 10 per cent of total working expenses, but not less than Rs. 500 per
- (iv) *Distribution of profits.*— } mensem, for superintendence and lump sum payments, half yearly, for cost of working the Miyagam and Vishvamitri Junction stations; the railway is also debited with a contribution from its net earnings to the Company's Provident Fund calculated on the same basis as obtains on the Bombay, Baroda and Central India railway. The balance in favour of, or against, the Baroda Durbar is paid over to, or by it, as the case may be.
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*— } As noted under Petlad-Cambay railway (Anand-Tarapur section) (5' 6" gauge).
 - (a) Mails, troops, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—cont d.

Gaskwar's Dabhoi railway (2' 6" gauge)—*conold.*

- (vii) *Power of the Durbar to determine agreement.*— } The agreement may be terminated at any time
 (viii) *Power of the Company to determine agreement.*— } on one year's notice from either side to expire on
 the 30th September or 31st March in any year.
 (ix) *Term of contract [if not determined under (vii) and (viii)].*—Not specified.

Statistics of working—(Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	94.48	25,94,874	4,68,069	3,44,526	9.42	95	47.53
1909	94.48	25,99,330	4,98,182	2,81,813	10.61	101	43.48
1910	94.48	31,41,688	5,95,304	3,46,177	11.01	121	41.88
1911	94.48	37,35,219	6,22,780	3,59,142	9.92	127	42.28
1912	118.15	42,65,146	6,07,931	3,31,317	7.73	100	45.50
1st qtr. of 1913	118.15	34,53,698	1,37,000	71,910	2.08	102	54.50
1913-14	141.98	48,78,401	6,07,371	3,37,708	7.71	101	49.40
1914-15	141.98	47,91,372	6,01,539	3,27,120	6.82	94	52.70
1915-16	147.39	62,33,601	6,94,142	3,22,851	5.17	93	53.49
1916-17	147.05	77,74,164	7,40,713	3,72,516	4.80	97	49.08
1917-18	152.94	97,40,787	7,72,802	4,02,456	4.13	98	45.59

Kosamba-Zankhva railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Kosamba to Zankhva	1-5-12	26.10	26.10	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION— Zankhva to Hardipada (sanctioned on 23rd March 1914)	22.57	22.57	
GRAND TOTAL	48.67

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. steel rails laid on jarrah and half-round jungle teak sleepers.

Ballast.—Metal ballast has been provided between stations and sand ballast in station yards.

Fencing.—No fencing has been provided.

Curves.—The sharpest curve is of 600 feet radius.

Gradients.—The ruling gradient is 1 in 200 with short lengths of 1 in 150, 1 in 125 and 1 in 100.

Agreement—

Dated the 6th December 1915, between the Government of His Highness the Maharaja Gaskwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Kosamba-Zankhva railway.

Main provisions of agreement—

As noted under Bilimora-Kalamba railway (2' 6" gauge).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1912	26.12	12,27,218	12,909	—11,207	...	14	156.21
1st qtr. of 1913	26.12	12,09,586	6,152	—4,272	...	18	199.42
1913-14	26.12	12,79,938	25,382	—12,545	...	18	169.43
1914-15	26.12	13,07,064	25,334	—14,370	...	19	156.96
1915-16	26.12	13,34,567	81,640	—12,987	...	23	141.05
1916-17	26.10	18,28,746	32,284	—34,743	...	24	306.62
1917-18	26.10	18,28,800	36,460	—10,472	...	27	128.72

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*contd.*Petlad-Vaso railway (2' 6" gauge)—
Progress in opening—

Sections of railway.						Date of opening.	Miles.	Total.
1						2	3	4
Petlad to Vaso	10-12-14	15.75	
Vaso to Pihij	17-4-15	3.50	
TOTAL						19.25

Details of construction—

Permanent-way.—The line is laid with 50-lb. flat-footed steel rails on wooden sleepers.

Ballast.—For the present the line is packed with moorum ballast. The Vaso-Pihij section is ballasted with gravel.

Fencing.—The line is unfenced, except in station yards.

Curves.—The sharpest curve is of 361 feet radius.

Gradients.—The ruling gradient is 1 in 500.

Agreements—

Dated the 17th November 1914, between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Petlad-Vaso railway.

Dated the 17th June 1915 (supplemental to the agreement of 1914), between the Government of His Highness the Maharaja Gaekwar of Baroda and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working of the Vaso-Pihij extension, with effect from the 17th April 1915, as an integral part of the Petlad-Vaso railway.

Main provisions of agreement—

As noted under Bilimora-Kalamba railway (2' 6" gauge).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i. e., outlay on (a) lines open, and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1914-15	15.50	6,71,440	9,236	2,116	0.32	38	77.23
1915-16	19.03	7,60,122	54,066	12,862	1.67	55	76.21
1916-17	19.25	8,79,735	60,805	20,007	2.27	61	67.19
1917-18	19.25	8,99,964	65,219	21,805	2.37	65	67.33

Rajpipla State railway (2' 6" gauge)—

Progress in opening—

Sections of railway.					Date of opening.	Miles.	Total.	Grand total.
1					2	3	4	5
Ankleswar to Raj-Pardi	1-7-97	19.13		
Raj-Pardi to Umalla	10-1-99	4.95		
Umalla to Ametha	1-6-99	7.85		
Ametha to Nanded Station	23-7-99	5.57		
Nanded Station to Nanded Town	10-11-17	1.74		
TOTAL OPEN MILEAGE					39.24	

Details of construction—

Permanent-way.—The line is laid with 41½-lb. flat-footed steel and iron rails on half-round jungle teak sleepers.

Ballast.—The line is ballasted chiefly with coarse river sand.

Fencing.—Only the station yards and small lengths at miles 4 and 9 are fenced.

Curves.—The sharpest curve is of 1,482 feet radius.

Gradients.—The ruling gradient is 1 in 150. Between Nanded Station and Nanded Town it is 1 in 100.

BOMBAY, BARODA AND CENTRAL INDIA RAILWAY SYSTEM—*concd.***Rajpipla State railway (2' 6" gauge)—*concd.*****Contract and agreement—**

Agreement, dated the 19th March 1900, between the Rajpipla State and the Bombay, Baroda and Central India Railway Company, as to the maintenance and working of the Rajpipla State railway.

Contract, dated the 8th April 1907, between the Secretary of State and the Bombay, Baroda and Central India Railway Company, as to the management, maintenance and working, as from the 1st January 1906, of the Bombay, Baroda and Central India, the Rajputana-Malwa and other subsidiary lines.

N.B.—A revised agreement, which shall be held to have come into force from the 10th November 1917 superseding the agreement of 19th March 1900, is under consideration.

Main provisions of agreement and contract—

- (i) *Land.*—Provided free of cost by the Rajpipla State.
- (ii) *Government aid.*—The line is the property of the Rajpipla State (which provides all funds chargeable to the capital account), and is managed, maintained, stocked and worked by the Bombay, Baroda and Central India railway as part of the Company's system.
- (iii) *Terms of working*— } The Rajpipla State railway is debited with the actual cost of working and a share of the working expenses at Anklesvar Junction, plus a sum equal
- (iv) *Distribution of profits.*— } to 12½ per cent. on total working expenses in the half-year for supervision, but such supervision shall not be levied unless the net earnings of the Rajpipla State railway give a clear return of 3½ per cent. per annum on the capital cost of the line, and then only to the extent that the balance of the net earnings may permit after a clear return of 3½ per cent. per annum has been allowed to the Rajpipla State railway on the total capital expended, and in addition thereto a contribution from its net earnings to the Company's Provident Fund calculated on the same basis as obtains on the Bombay, Baroda and Central India railway. The balance in favour of, or against, the Rajpipla State is paid over to, or by it, as the case may be.
- (v) *Rates and fares.*—Are to be fixed from time to time by the Company in communication with and subject to the approval of His Highness' Government.
- (vi) *Special obligations as to the conveyance of:—* } As under Petlad-Candlary railway (Anand-
(a) Mails, troops, high Government officials and Government stores. } bay railway (Anand-
(b) Government bullion and coin, and the persons in charge thereof. } Tarapur section).
- (vii) *Power of the Rajpipla State to determine agreement.*— } The agreement may be determined by either party, at the end of any financial half-year of one year's notice from either side.
- (viii) *Power of the Company to determine agreement.*— } one year's notice from either side.
- (ix) *Term of agreement* (if not determined under (vii) and (viii)).—Not specified.

Statistics of working—(Those for the periods prior to 1908 will be found in Appendix 3 to the Railway Administration Report for 1907)

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (b).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2 Miles.	3 Rs.	4 Rs.	5 Rs.	6	7 Rs.	8
1908 . . .	37.37	13,53,352	81,269	27,462	2.63	42	68.18
1909 . . .	37.37	13,61,118	83,439	28,888	2.12	43	65.38
1910 . . .	37.37	13,64,349	1,02,324	41,189	3.02	53	59.75
1911 . . .	37.37	13,90,221	1,23,490	54,836	3.91	61	55.59
1912 . . .	37.37	13,90,293	1,19,151	44,460	3.20	61	62.69
1st qz. of 1913	37.37	14,13,423	48,567	24,677	1.75	90	49.36
1913-14 . .	37.37	14,18,501	1,39,663	45,365	3.20	67	65.01
1914-15 . .	37.37	14,29,469	1,28,545	49,678	3.48	66	61.37
1915-16 . .	37.37	14,72,531	1,28,696	54,791	3.99	66	54.32
1916-17 . .	37.37	16,36,408	1,18,569	54,529	3.11	61	57.47
1917-18 . .	39.24	17,13,088	1,35,561	49,549	2.91	65	61.23

Nasari-Kamrej Light railway (2' 6" gauge)—

Sanction to the construction of this steam tramway by the Baroda Durbar was conveyed in the Foreign and Political Department letter No. 145-I-B., dated the 4th February 1914.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Nasari via Palsana to Kamrej (sanctioned on 4th February 1914)	...	20.00	30.00

BOMBAY PORT TRUST RAILWAY (5' 6" gauge)—

The railway serves all the Docks of the Port of Bombay and also the Bunders on the east of the Island north of the Ballard Pier, as well as various depôts allotted to certain trades, and is used for goods and troop traffic only.

It consists of a double line track for its whole length, as well as of reception and sorting yards, depôte stations, and numerous sidings in the docks.

Sanction to the construction of this line by the Bombay Port Trust was conveyed in Railway Board's Notification No. 152, dated the 28th May 1913, and at the end of March 1918, 105 miles of track were laid and connected up.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Wadala Junction to Victoria Overbridge	1-1-15	7.40	
Victoria Overbridge to Docks	1-2-15	6.34	
TOTAL			13.74

Details of construction—

Permanent-way.—The tracks are laid throughout with 75-lb. flat-footed steel rails on wooden sleepers principally jarrah, teak and sal with spike fastenings.

Ballast.—As the greater part of the railway is laid on newly reclaimed ground, moorum ballast is used extensively for packing and boxing, and will be used until such time as it is considered that a firm formation has been obtained. On old ground blue stone trap ballast is provided. Over several parts of the Sewri-Mazagon reclamation it was found necessary to carry the rails on wooden mattresses owing to severe settlement. The largest mattress is 900 feet long.

Fencing.—The line is being fenced where necessary.

Curves.—The radius of the sharpest curve is 800 feet outside the dock area and 500 feet within the docks.

Gradients.—The steepest grade on the line is 1 in 277, near the Nawab Tank bridge.

Contract—

Main provisions of contract— } Nil. The line is owned and worked by the Bombay Port Trust.

Statistics of working—Not available.

CALCUTTA PORT COMMISSIONERS' RAILWAY (5' 6" gauge)—

The railway serves the godowns, warehouses, jetties, workshops, jute, sugar, tea, rice and grain depôts, timber yards, mills and coal depôts on both the Calcutta and Howrah Foreshores, and is used for only goods traffic. The railway consists of single and double tracks, and there are a large number of sidings for crossing trains and loading goods. The mileage of track including all sidings amounts to 15.928.

The first section, from Chandpal Ghât to Kidderpore Docks, was laid in 1886, being included in the general sanction for the Docks, and was used solely for the carriage of material for the construction of the Docks. It was opened to general goods traffic in 1891.

Progress in opening—

Sections of railway.	Date of opening.	Miles	Total.	Grand total.
1	2	3	4	5
<i>Lines on the Calcutta Foreshore—</i>				
<i>Main line—</i>				
Cossipore (Gan Foundry Road) to Bagh Bazar . . .	1-6-78	1.14		
Bagh Bazar to Meerbuhar Ghât . . .	11-1-75	1.76		
Meerbuhar Ghât to Jetties . . .	1-6-78	0.84		
Jetties to Chandpal Ghât . . .	1-12-89	0.32		
Chandpal Ghât to Kidderpore Docks (Graving Dock) .	1-1-87	2.16		
Graving Dock to Chetla . . .	0-0-93	3.20		
			9.41	
<i>Branches—</i>				
Graving Dock to Majbarat . . .	0-0-93	2.34		
Dock Junction to Bengal-Nagpur railway junction .	0-0-01	1.35		
Shapora to Garden Reach Jetties . . .	2-7-16	2.13		
			5.82	
<i>Line on the Howrah Foreshore—</i>				
Tellul Ghât old Bhupura Khal to Shalimar . . .	31-12-01	...	2.23	
GRAND TOTAL		17.47

Details of construction—

Permanent-way.—The Cossipore-Chandpal Ghât section is laid with steel rails weighing 75 lbs. and 60 lbs. to the yard on wooden sleepers. The Chandpal Ghât-Kidderpore Dock section is laid with 75-lb. double-headed and flanged rails on wooden sleepers and partly with East Indian railway second-hand material or wooden sleepers. The Shalimar branch is laid with 75-lb. double-headed steel rails on cast iron chairs and flanged rails spiked on sâ sleepers. The Dock section is laid with 60-lb. and 75-lb. flanged and double-headed rails laid on wooden sleepers.

Ballast.—On the Cossipore-Chandpal Ghât section, picking and boxing is generally done with coal cinders and in some places with 1st class ballast. The Chandpal Ghât-Kidderpore Dock section is packed with brick ballast. On the Shalimar branch, packing is done with 1st class *ghana* ballast.

Fencing.—The line is fenced throughout. The Chandpal Ghât-Kidderpore Dock section is fenced on both sides.

Curves.—The radius of the sharpest curve is 250 feet.

Gradients.—The ruling gradient on the greater part of the railway is 1 in 300, except where the line passes under the Howrah bridge approach, where the gradient is 1 in 80 and between Hastings bridge and Watginge where the gradient is 1 in 190.

Contract—

Nil. The line was constructed by the Port Commissioners out of Port Trust Funds and is maintained and worked by them. The land from Chandpal Ghât to Ahiritollah Ghât was originally transferred to the Commissioners by Government for which the former pay a quit rent of Rs. 37,292 per annum. The land north of Ahiritollah Ghât was acquired by the Commissioners under the Land Acquisition Act and that south of Chandpal Ghât was transferred by Government to the Commissioners.

Statistics of working Not available.

EASTERN BENGAL RAILWAY SYSTEM.

The lines owned by the late Eastern Bengal Guaranteed Railway Company were acquired by the State on the 1st July 1884, with which the Northern Bengal State and the Calcutta and South Eastern railways were amalgamated for working by the State as one undertaking under the name of the Eastern Bengal railway.

Date of registration of the late guaranteed company.—1857.

Lines comprised in the system.—The Eastern Bengal railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Eastern Bengal railway (5' 6" gauge)	569.26	...	569.26
(b) Sara-Sirajganj railway (5' 6" gauge)	53.12	...	53.12
(c) Eastern Bengal railway (3' 3½" gauge)	977.72	...	977.72
(d) Eastern Bengal railway (2' 6" gauge)	35.10	...	35.10
(e) Cooch Behar State railway (3' 3½" gauge)	59.09	...	59.09
(f) Myunensingh-Jamulpur-Jagannathganj railway (3' 3½" gauge)	50.05	...	50.05
(g) Kibulua-Sagurhat railway (2' 6" gauge)	19.68	19.68
Total	1,734.34	19.68	1,754.00

Running powers—

Foreign line over home line .—

East Indian railway, Nalhati to Chiprove Sealdah and Majherat	36.88
Assam-Bengal railway Tangi to Narayanganj	23.00
	59.88

Eastern Bengal railway (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
EASTERN SECTION—					
Main line—					
Calcutta to Ranaghat	20-9-82	45.74			
Ranaghat to Poradaha Junction	15-11-82	57.12			
Poradaha Junction to Bhairamara	19-1-85	11.73			
Bhairamara to Shakhole (8 miles south of Gopalpur)	1-1-15	14.41			
Shakhole (3 miles south of Gopalpur) to Santahar	1-11-14	44.83			
				173.63	
Branches—					
Kulurjuchi chord—					
Kakragachi Road to Gobra	1-2-07	2.26			
			2.26		
Chilipore Terminus extension—					
Belgaachi bridge to Cossipur	1-3-03	0.68			
	1-9-03	0.98			
			1.66		
Down Den-Chilipore low level connection—					
	10-12-13	1.18			
	20-10-14	1.66			
			2.84		
Faridpur-Chilipore connection					
	4-12-10	1.17			
				1.17	
Mataladabad branch—					
Ranaghat to Bhagwangola	1-9-05	88.85			
Bhagwangola to Krishnapur	10-11-05	3.90			
Krishnapur to Lalgaola Ghat	15-7-07	0.22			
				04.97	
Goalundo extension—					
Poradaha Junction to Jagati Junction	15-11-82	4.28			
Jagati Junction to mile 145.74	1-1-71	87.87			
	20-6-11	0.73			
Mile 145.74 to Pachoria Junction	1-4-90	3.16			
Pachoria Junction to Goalundo	22-10-94	5.90			
	27-11-17	5.53			
				50.57	
Kushitia loop—					
Jagati Junction to Kushitia	16-2-84	3.77			
Kushitia to Kaliganga Junction	1-8-81	1.33			
				5.10	
Faridpur branch—					
Pachoria Junction to Shivarampore	20-10-98	8.77			
Shivarampore to Faridpur	9-4-89	5.14			
				18.91	
Durgapur Ghat line—					
	1-7-07	4.51			
				4.51	
Fakirabad Ghat line					
	5-7-12	3.45			
				3.45	
Raika Branch—					
Bhairamara to Raika	1-12-16	9.29			
				9.29	
Churni extension—					
	1-1-02	1.50			
				1.50	
TOTAL, EASTERN SECTION, CARRIED OVER	879.86	

* For goods traffic only.

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Eastern Bengal railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward, Eastern section	370.96	
SOUTHERN SECTION—					
<i>Main line—</i>					
Calcutta (Belaghat) to Sonarpur	2-1-62	10.00			
Sonarpur to Baruipur	10-6-82	5.30			
Baruipur to Magra Hat	18-12-82	9.55			
Magra Hat to Diamond Harbour	23-4-83	12.69			
Diamond Harbour towards Hara Fort	25-4-83	9.42			
			37.96		
<i>Branches—</i>					
<i>Canning branch—</i>					
Sonarpur to Champahati	2-1-62	5.00			
Champahati to Port Canning	15-5-83	12.79			
Banera diversion extension	5-3-00	0.25			
	17-11-02	0.81			
<i>Budge-Budge branch—</i>					
Ballygunge to Budge-Budge	1-5-90	13.69			
			18.85		
			13.68		
TOTAL, SOUTHERN SECTION	79.47	
CENTRAL SECTION—					
<i>Main line—</i>					
Dum Dum Junction to Dattapukur	2-4-83	14.25			
Dattapukur to Gobardanga	7-12-83	17.00			
Gobardanga to Bongaon	22-4-84	12.00			
Bongaon to Khosla	10-2-84	61.25			
			104.50		
<i>Branches—</i>					
Ranghat to Bongaon	16-10-82	20.75			
Dum Dum Cantonment to Pattipooker	1-8-84	2.68			
			23.43		
TOTAL, CENTRAL SECTION	127.93	
TOTAL OPEN MILEAGE	509.26	
QUADRUPLE LINE—					
<i>On the main line of Eastern section—</i>					
Saldah to Kakurgachi	18-2-16	0.79			
Kakurgachi to Dum Dum	1-3-07	3.13			
Dum Dum to Barrackpore	12-12-12	10.30			
Barrackpore to Kankinara	21-11-12	7.25			
			21.47		
TRIPLE LINE—					
<i>On the main line of Eastern section—</i>					
Naihati to Halishahar ...	11-11-14	1.69			
			1.69		
DOUBLE LINE—					
<i>On the main line of Eastern section—</i>					
Kankinara to Naihati	1-9-86	1.70			
	21-3-87	0.20			
Naihati to Kanchrapara	20-4-92	4.00			
Kanchrapara to Ranghat	12-11-92	17.56			
Ranghat to Aranghat	7-8-97	5.50			
Aranghat to Bogoola	17-9-97	6.73			
	3-11-97	6.65			
Bogoola to Shibubashi	17-11-98	0.75			
	29-11-00	0.15			
Shibubashi to Dursuna	17-9-97	9.50			
Dursuna to Poradaha	27-11-09	0.24			
	17-10-13	6.73			
Poradaha to Bhairamara	25-1-15	5.00			
Bhairamara to Ishurdi Junction	25-2-15	10.52			
			161.95		
<i>On the branches of Eastern section—</i>					
Kakurgachi Chord—					
Kakurgachi to Gobra	1-2-07	2.26			
			2.26		
Chitpore branch, a portion	13-4-88	0.82			
			0.82		
Dum Dum-Chitpore low level connection	10-12-13	1.18			
	20-10-14	1.66			
			2.84		
Total carried over	107.87		

*For goods traffic principally, occasionally used for troops special.

†Excluding the triple length.

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Eastern Bengal railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
DOUBLE LINE—<i>contd.</i>					
Brought forward	107.87		
Pattipooker-Chitpore connection	20-10-14	1.17	1.17		
Goalundo extension— Poradaha Junction to Jagati Junction	2-3-15	4.28	4.28		
On the main line of Southern section— Sealdah to Ballygunge	20-10-88 19-9-00	3.50 0.36			
Ballygunge to Jadabpur	16-10-13	1.85			
Jadabpur to Baraipur	23-11-15	10.33			
On the branches of Southern section— Budge-Budge branch— Ballygunge to Majherat	20-11-93	4.00	4.00		
TOTAL DOUBLE LINE	132.92	

Details of construction—

Permanent way.—The permanent way consists mostly of steel rails and sleepers of wood and iron. The steel rails are of various types: (i) 90-lb. flat-footed laid on (a) the new double goods track between Dum Dum Junction and Kankinara, and between Sealdah and Kakurgachi, (b) the up and down tracks between Kankinara and Ishurdi and Poradaha and Jagati, (c) the track between Ishurdi and Santahar, (d) the line from Jagati Junction *via* Kushtia Chord, to Faridpur and the Kushtia loop line, (e) the Murshidabad branch between Ramaghat and Krishnagar city, (f) the up and down tracks on the Pattipooker-Chitpore connection, from Pattipooker to sub-way at Canal Junction Cabin, (g) the up and down tracks on the low level line between Dum Dum and Canal Junction, (h) the whole of the Central section; and (i) the up and down tracks between Beliaghata and Tiljala and between Ballyganj and Baraipur and the single line between Baraipur and Diamond Harbour and between Sonarpur and Taldi; (ii) 85-lb. bull-headed laid on (a) the original double line between Calcutta and Kankinara, (b) the new double track between Dum Dum and Kakurgachi and (c) the up and down tracks between Kakurgachi and Majherat *via* Tiljala; (iii) 75-lb. double-headed laid on the third track between Naihati and Halishahar; (iv) 75-lb. new pattern flat-footed laid on the Murshidabad branch between Krishnagar city and Lalgolaighat; (v) 73-lb. double headed laid on the Southern section between Taldi and Canning and Majherat and Budge Budge; and (vi) second-hand 62-lb. flat-footed laid on the Churni Extension.

The line from sub-way at Canal Junction Cabin to Chitpore, is laid partly with 75-lb. double-headed and partly with 75-lb. flat-footed rails. A few short lengths near ghat stations at Goalundo are still laid with old iron permanent-way.

All flat-footed rails, as a rule, are laid on wooden sleepers, excepting for a few short lengths between Naihati and Poradaha where cast iron sleepers have been used under 90-lb rails. The 85-lb. bull-headed rails are laid on the Denham and Olphert's sleepers, with wooden sleepers at joints and continuous joint pattern combined chair-fish plates, or on Denham and Olphert's cast iron sleepers, with wooden sleepers and cast iron chairs with wooden keys at joints. The 75-lb. double-headed rails are laid on the ordinary cast iron or on Denham and Olphert's cast iron sleepers. The 73-lb. double headed rails are laid on Denham and Olphert's cast iron or on wooden sleepers with cast iron chairs and wooden keys.

Ballast.—On the main line of the Eastern section, from Bhairamara to Shakhole, the line is ballasted with broken trap and onward to Santahar with shingle. Where 85-lb. bull-headed rails have been laid, brick ballast has been replaced by stone. The ballast on the lengths relaid with 90-lb. rails is also being gradually replaced with stone. The bottom ballast on the Murshidabad branch is brick and the ballasting is being completed with stone. The second tracks between Poradaha and Bhairamara and Poradaha and Jagati are ballasted with broken trap and shingle, respectively. The new double goods track between Kankinara and Dum Dum is fully ballasted with shingle. The new second track between Ballygunge and Baraipur on the Southern section is mainly ballasted with brick. The Canning branch is practically unballasted and the Faridpur branch only at the bridges.

Fencing.—The whole of the Eastern section is fenced, except between Pachooria Junction and Goalundo and the Faridpur branch. The Southern section is fenced except the Canning branch. The Central section is fenced throughout.

Curves.—The sharpest curve is of 1,000 feet radius.

Gradients.—The ruling gradient is 1 in 300; except between miles 160 and 162 on the Faridpur branch, where it is 1 in 100. There is also a short length of 1 in 200 grade on the low level approaches to Chitpur from Dum Dum junction.

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Eastern Bengal railway (5' 6" gauge)—*concl.*

Contracts.—

Nil.—The line is owned and worked by the State.

Rates and fares.—Certain maxima and minima have been fixed by the Government, between the limit of which the Railway Administration can vary the rates and fares for goods and coaching traffic.*Statistics of working.*—(Those for the periods prior to 1888 will be found in Appendix 38 to the Railway Administration Report for 1907) —INCLUDES THE EASTERN BENGAL RAILWAY 5' 6" AND 2' 6" GAUGE SECTION^a.

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Annuity.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.			Rs.	Rs.	Rs.	Rs.	
1888	678.21	9,36,48,486	1,05,19,210	55,25,424	5.90	28,83,744	20,11,011	+ 6,30,660	283	47.47
1889	748.40	9,73,16,143	1,11,76,874	61,91,625	6.36	30,18,705	20,43,953	+ 11,28,969	282	44.00
1890	763.99	10,04,95,109	1,14,78,392	90,70,323	6.04	30,96,150	19,14,110	+ 11,60,063	271	47.12
1891	776.57	10,19,64,737	1,26,75,440	65,32,100	6.40	32,01,160	19,48,198	+ 13,62,736	294	48.47
1892	812.95	10,48,66,143	1,18,59,445	62,33,727	5.94	33,53,707	21,86,396	+ 6,93,624	270	46.06
1893	812.71	10,56,47,715	1,20,51,147	96,33,138	6.28	33,88,241	22,14,254	+ 10,32,643	283	44.94
1894	912.99	10,61,71,400	1,40,15,736	83,33,539	7.97	34,79,411	25,81,063	+ 23,00,085	314	46.40
1895	813.65	10,76,16,616	1,45,09,759	99,74,474	6.34	35,12,105	25,10,875	+ 29,51,494	328	39.15
1896	814.36	11,02,05,096	1,50,81,679	90,02,286	6.17	35,15,987	23,46,898	+ 31,40,001	344	40.31
1897	817.88	11,51,93,689	1,47,62,353	80,64,938	7.09	37,20,343	22,13,438	+ 21,33,212	336	48.36
1898	827.97	11,92,73,103	1,47,17,879	83,55,064	7.05	38,62,725	21,01,651	+ 23,70,696	334	43.37
1899	832.19	12,20,73,261	1,56,13,486	83,01,083	6.99	39,79,133	20,63,534	+ 25,36,416	345	46.38
1900	843.64	12,68,77,100	1,71,00,460	92,46,424	7.32	41,82,063	20,67,252	+ 29,77,139	376	45.93
1901	854.89	13,24,19,708	1,63,99,440	83,06,281	6.27	43,35,321	20,93,467	+ 18,59,403	369	48.95
1902	890.18	14,04,08,803	1,78,38,086	91,48,340	6.52	46,69,423	20,86,413	+ 22,90,304	381	48.97
1903	897.67	15,21,86,102	1,81,52,429	88,57,094	5.82	50,18,385	20,87,434	+ 17,16,335	375	51.39
1904	971.31	16,55,23,769	1,94,63,088	98,23,372	5.93	54,62,375	20,87,434	+ 12,39,966	374	54.47
1905	1,334.99	19,08,88,052	2,03,73,194	96,19,904	5.01	59,23,224	20,87,434	+ 16,06,546	348	52.78
1906	1,271.23	20,29,66,593	2,46,31,091	1,06,09,661	5.24	68,54,092	20,87,434	+ 16,67,135	369	56.96
1907	1,378.61	21,54,21,452	2,65,68,569	1,03,15,781	4.79	63,94,610	20,87,434	+ 18,33,737	389	61.17
1908	1,274.47	22,87,26,095	2,73,15,420	91,99,105	3.58	70,30,092	20,87,434	+ 9,19,421	412	69.96
1909	1,508.09	24,27,44,601	2,77,24,064	97,10,666	4.00	75,15,941	20,87,434	+ 3,07,291	355	64.97
1910	1,507.73	25,56,91,026	2,83,74,562	1,16,98,257	4.58	73,34,551	20,87,434	+ 20,76,272	366	58.77
1911	1,509.62	27,01,11,904	3,15,19,633	1,17,55,335	4.83	79,48,551	20,87,434	+ 17,19,268	409	62.70
1912	1,569.93	29,00,60,252	3,43,38,589	1,39,40,687	4.81	84,00,069	20,87,434	+ 34,53,184	429	59.49
1st of 1913.	1,871.68	27,89,66,503	3,92,62,207	34,79,977	1.26	21,70,558	5,21,959	+ 7,87,569	498	61.13
1913-14	1,521.43	30,61,83,803	3,73,45,065	1,43,52,345	5.99	1,04,57,669	20,87,434	+ 40,76,943	469	55.64
1914-15	1,639.05	35,01,45,002	3,32,48,254	1,14,97,734	3.26	1,12,28,488	20,87,434	+ 19,12,196	401	65.42
1915-19	1,839.91	35,96,06,436	3,49,23,853	1,37,75,460	3.83	1,17,12,779	20,87,434	+ 24,75,643	409	64.94
1919-17	1,627.96	36,29,18,133	3,69,89,430	1,68,75,235	4.68	1,15,44,512	19,68,750	+ 53,61,973	437	54.36
1917-18	1,582.04	36,53,74,510	3,47,38,909	1,46,36,653	4.08	1,22,11,218	19,75,155	+ 4,50,269	405	57.87

^aExcluding Rs. 33,597, representing payment made to the Brahmaputra Suttaiper Branch Railway Company up to 1st April 1904 on account of surplus profits and other adjustments.

† Excluding payments made to the Darjeeling Himalayan Railway extensions and Sara-Sirajganj Railway on account of rebate.

Sara-Sirajganj railway (5' 6" gauge)—

Date of registration of the Company—1913.

The construction of this line by the Eastern Bengal railway on behalf of the Sara-Sirajganj Railway Company was sanctioned in Railway Board's Notification No. 277, dated the 10th October 1913. The line takes off at Ishardi in an easterly direction and terminates at Sirajganj on the banks of the Jamuna, which is the local name for the Brahmaputra river.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Ishardi to Bhangoora ..	1-7-16	21.25	
Bhangoora to Sirajganj Bazar ..	25-7-16	26.41	
Sirajganj to Sirajganj Ghat ..	17-12-16	3.46	
TOTAL ..	—	—	51.12

EASTERN BENGAL RAILWAY SYSTEM—contd.

Sara-Sirajganj railway (5' 6" gauge)—contd.

Details of construction—

Permanent-way.—The permanent-way consists of 90-lb. flat-footed steel rails laid on *sāl* and *jarrah* sleepers on the main line and passenger sidings and on old steel trough sleepers on the goods sidings. The permanent way on the Sirajganj Ghat line consists of 75 lb. double headed and flat-footed rails laid mostly on wooden sleepers.

Ballast.—The ballast consists of sandy earth just sufficient to pack the line for running.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 5,730 feet radius.

Gradients.—The ruling gradient is 1 in 300.

Contract—

Dated the 14th April 1916, between the Secretary of State for India and the Sara-Sirajganj Railway Company, as to the construction, maintenance and working of the Sara-Sirajganj railway, by the agency of the Eastern Bengal railway.

Main provisions of contract—

- (i) **Land.**—Land in British territory provided by Government free of cost.
- (ii) **Government-aid.**—For the more convenient and economical construction of the railway, its execution was undertaken by the Government, who also stock, manage, maintain and work it through the agency of the Eastern Bengal railway. The Government agree to allow to the Company, in respect of each year, by way of rebate, such a sum, not exceeding in any year the net earnings from traffic interchanged between the Eastern Bengal railway and the Company's railway, as shall, together with the net earnings of the Company for the said year, make up an amount equal to interest for such year at a rate of 5 per cent. per annum on the share capital of the Company for the time being paid up and shall also allow Rs. 15,000 per annum add such other actual expenses as may be incurred by the Company for or towards office expenses and expenses of management and direction of the Company and also such legal expenses as shall have been approved by the Secretary of State.
- (iii) **Terms of working.**—For management, maintenance, working and the use of rolling-stock, the Eastern Bengal railway shall retain, every half-year, a percentage of the gross earnings of the Sara-Sirajganj railway, which shall bear the same proportion to the gross earnings of the said railway, as the working expenses of the Eastern Bengal railway, including the said railway bear to the gross earnings of the Eastern Bengal railway, including the said railway, up to a maximum of 50 per cent.
- (iv) **Distribution of profits.**—If the net earnings exceed 5 per cent. on the paid up share capital of the Company, the office expenses and expenses of management of the Company, as at (ii) above, shall be a first charge on the surplus profits and the balance of the profits shall be divided equally between the Secretary of State and the Company; provided that if the surplus profits are insufficient to meet the administration charges the balance will be paid to the Company by the working agency out of the stipulated percentage of the earnings retained by the working agency as working expenses.
- (v) **Rates and fares.**—Same as on the Eastern Bengal railway.
- (vi) **Special obligations as to the conveyance of—**
 - (a) Mails, troops, police, high Government officials and Government stores—
 - (b) Government hulkion and coin and the persons in charge thereof—

} None specified.
- (vii) **Power of the Government to determine contract.**—The Government may determine the contract, by giving 12 months' "notice of purchase", either on the 30th September 1946, or on the 31st day of March in the last year of any subsequent period of ten years, in which case the Government undertake to pay to the Company, within 4 months from the date of the determination of the contract, a sum equal to 25 times the amount of the average yearly net earnings of the Company's line (excluding payments on account of rebate) derived during the three years preceding the time at which the contract is determined, provided that the total amount so payable to the Company does not exceed 20 per cent the total capital expenditure of the Company or is less than such capital expenditure.
The contract may also be determined by giving to the Company 12 months' "notice of special purchase" in the following cases:—
 - (a) When the Secretary of State considers it desirable that the gauge of the said railway should be altered.
 - (b) When it is desired to convert the said railway into a line of through communication.
 - (c) When the Secretary of State desires to extend the said railway and the Company does not, within six months from date of formal requisition from the Secretary of State, raise such additional capital as is necessary for this purpose.

If the contract be determined by "notice of special purchase", the Government undertakes to pay to the Company 25 times the average net earnings of the Company's line (excluding payments on account of rebate) derived by the Company during the three years preceding the time at which the contract is determined or 115 per cent of the total capital expenditure of the Company whichever may be the greater.
- (viii) **Power of the Company to surrender contract.**—Nil.
- (ix) **Term of contract if not determined under (vii).**—None specified.

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Sara-Sirajganj railway (5' 6" gauge)—*concl'd.*
Statistics of working—

Year.	Mileage open at the end of each year.	Total capital outlay, including suspense, to the end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from the Eastern Bengal railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1915-16	23-37	75,45,161	1,31,780	45,890	0-76	1,00,401	1,66,391	1-92	96	50-00
1916-17	32-36	86,70,637	2,68,182	1,34,091	1-55	1,37,138	3,31,229	3-83	97	50-00
1917-18	58-12	80,49,504								

* Credited to capital.

Eastern Bengal railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Mandhari to Katihar	1-4-87	13-84			
Junction with the Bengal and North-Western railway at Katihar.	9-3-01	0-69			
Katihar to Rayganj	1-7-89	37-49			
Rayganj to Dinagopore	15-2-88	82-68			
Dinagopore to Chirir Bandar	18-5-84	8-75			
Chirir Bandar to Parlatipur Junction	1-7-85	9-99			
Parlatipur Junction to Shampur	19-5-78	15-74			
Shampur to Rungpore	2-7-78	7-50			
Rungpore to Kaunia	1-6-79	11-25			
Kaunia to Mogalhat (including Teesta Bridge)*	1-4-01	17-19			
Mogalhat to Gitaldaha Junction	2-1-02	1-66			
Gitaldaha to Golakganj	25-9-02	24-33			
Golakganj to Kokrajhar	1-3-06	35-78			
Kokrajhar to Sorbhog	1-3-09	39-73			
Sorbhog to Amingaon (on the right bank of the Brahmaputra)	1-4-09	67-27			
Pandu (on the left bank of the Brahmaputra) to Gauhati.	1-1-10	5-00			
			328-1		
Santahar-Siliguri section—					
Santahar Junction to Jalpaiguri	28-8-77	121-29			
Jalpaiguri to Siliguri	10-6-78	23-75			
			145-04		
Bantahar-Kaunia loop—					
Santahar to Bogra	1-4-99	24-50			
Bogra to Mohimganj	5-4-00	22-02			
Mohimganj to Bonarpura	1-8-00	4-00			
Bonarpura to Kaunia	1-7-05	44-47			
			95-59		
Dacca section—					
Narayanganj to Dacca	4-1-85	10-12			
Dacca to Jaydohpur	1-8-85	29-10			
Jaydohpur to Gafargaon	1-8-85	32-50			
Gafargaon to Mymensingh.	1-8-85	23-52			
			86-24		
Jointti Branch, British Section†—					
South bank of Kaljani River to Alipur Duar	18-1-00	0-04			
Alipur Duar to Raja Bhat Khawa	5-4-00	9-97			
Raja Bhat Khawa to Jointti	1-2-01	9-18			
			19-79		
Branches and extensions on the Main line—					
Kori branch—					
Katihar to Kasba	1-4-87	21-75			
Kasba to Forbesganj	1-7-89	38-84			
Forbesganj to Jogbani	15-2-09	8-40			
			67-10		
Gadagari extension—					
Katihar to Gadagari.	1-1-09	10-32			
			105-32		
Kisengunge branch—					
Barsoi to Kisengunge	15-12-02	5-11			
			35-11		
Dhubri branch—					
Golakganj to Dhubri	23-9-02	18-73			
			19-73		
Total carried over	890-17	

* The line between Teesta Junction and Mogalhat was originally opened on the 2' 6" gauge as a part of the Kaunia-Dharila (2' 6" gauge) branch on 6th February 1882.

† This line was originally on the 2' 6" gauge, but was converted to and opened on the 3' 3½" gauge up to Raja Bhat Khawa from 13th April 1916 and up to Jointti from 1st May 1910.

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Eastern Bengal railway (3' 3½" gauge)—*conold.*Progress in opening—*conold.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	896.17	
Tangla extension— Rangiya to Tangla	1-8-12	34.32	24.32		
Branch on the Santahar-Kaunia loop— Singhiani branch— Bonarpura to Fulchhari (on the right bank of the Brahmaputra). Bahadurabad (on the left bank of the Brahmaputra) to Singhiani. Kandipara Ghat line	{ 1-9-00 18-8-12 18-8-12 6-11-14	{ 8.25 1.00 24.92 5.54	30.71		
Branch on the Jainti Branch— Dalsingpara branch— Raja Bhat Khawa to Kalchini Kalchini to Hasmara Hasmara to Dalsingpara	{ 1-4-12 1-4-12 5-1-14	{ 7.24 6.66 2.52	17.53	81.55	
GRAND TOTAL OPEN MILEAGE	977.73	
DOUBLE LINE— Teesta Junction to Lalmonirhat	1-9-14	7.29	7.29		

Details of construction—

Permanent-way.—The permanent-way consists of 50-lb. flat-footed steel rails, O.S., N.S. and B.S., and wooden sleepers, with the following exceptions:—

Forty-one miles of the Santahar-Kaunia loop, between Nasaratpur and Bonarpura and the up and down lines between Teesta and Lalmonirhat are laid with 60-lb. flat-footed steel rails, B.S. The lines from Manihari to Katihar, Golakganj to Dhubri, and Buxa Road to Jainti and the Kandipara Ghat line, are laid with 4½-lb. flat-footed steel rails. Nine miles of Dacca section are laid with 64-lb. double-headed and the remainder, with 62-lb. flat-footed second-hand steel rail. On the Tangla extension, the Dalsingpara branch and in certain station yards of the Dacca section the rails are second-hand 4½-lb. flat-footed.

Ballast.—The whole of the line, except the portions from Golakganj Junction to Dhubri, Forbesganj to Jogbani, Rangiya to Tangla, Raja Bhat Khawa to Dalsingpara and Singhiani to Bahadurabad and Kandipara Ghat line, is ballasted or shortly to be ballasted. The ballast is brick, stone or shingle.

Fencing.—The whole of the 3' 3½" gauge line is fenced, except the sections Santahar to Kaunia, Bonarpura to Fulchhari, Barsoi to Kissengunge, Forbesganj to Jogbani, Golakganj to Dhubri, the Santahar extension, Rangiya to Tangla, Raja Bhat Khawa to Dalsingpara and Dacca to Mymensingh, the Gauhati extension and the Singhiani-Fulchhari extension. On the unfenced sections the station yards are usually fenced.

Curves.—The sharpest curve is of 575 feet radius.

Gradients.—The ruling gradient on the 3' 3½" gauge section is 1 in 200 which occurs at the approaches of large bridges and fairly frequently and for long lengths on the Gauhati extension where there are also short lengths of 1 in 100 and 1 in 125 between Pandu station and Gauhati. On the Santahar extension and on the section from Raja Bhat Khawa to Kalchini the ruling gradients on the last few miles near the hills are 1 in 100, and 1 in 150, respectively, but there is a small length of 1 in 50 between Buxa Road and Jainti.

Contracts—

Nil.—The line is owned and worked by the State.

Statistics of working.—

Included with the Eastern Bengal Railway (5' 6" gauge).

Eastern Bengal railway (2' 6" gauge)—

The Ranaghat-Krishnagar branch has been amalgamated with the Eastern Bengal railway system from 1st July 1904. The Teesta-Kurigram branch was originally a portion of the 2' 6" gauge lines from Teesta Junction to Mogalhat and Jatrapur, known as the Kaunia-Dharila branch. The line from Teesta Junction to Mogalhat has been converted to the 3' 3½" gauge and now forms part of the "Kaunia-Dhnrta section." The line from Kurigram to Jatrapur has been abandoned.

EASTERN BENGAL RAILWAY SYSTEM—contd.

Eastern Bengal railway (2' 6" gauge)—concl'd.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
<i>Ranaghat-Krishnagar branch—</i>			
Aistala Ghat (right bank of the Churni river) near Ranaghat to Krishnagar .	5-4-99	20.25	
<i>Teesta-Kurigram branch—</i>			
Teesta Junction to Kurigram	19-7-81	14.85	
TOTAL			35.10

Details of construction—

Permanent-way.—On the Ranaghat-Krishnagar and Teesta-Kurigram branches the rails are flat-footed steel, 26 lbs. per yard; the sleepers are pykado and eal.

Ballast.—The Ranaghat-Krishnagar branch is brick ballasted and the Teesta-Kurigram branch is not ballasted.

Fencing.—No lines on the 2' 6" gauge are fenced.

Curves.—The sharpest curve is of 500 feet radius.

Gradients.—The ruling gradient on the Teesta-Kurigram and Ranaghat-Krishnagar branches is 1 in 200, except on a short length on the Teesta-Kurigram line where it is 1 in 100.

Contracts—

Nil.—The line is owned and worked by the State.

Statistics of working—

Included with the Eastern Bengal Railway (5' 6" gauge).

Cooch Behar State railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Oitaldaha to Manahahi River	15-9-93	18.31		This line was originally on the 5' 6" gauge, but was converted to, and opened on, the 3' 3½" gauge up to Cooch Behar from 14th February 1910 and up to the end of the Cooch Behar State section from 13th April 1910.
Manahahi River to the town of Cooch Behar	15-12-98	3.22		
Torsa Bridge	16-3-00	0.11		
Cooch Behar to temporary Alipur Duar (Kholta)	15-4-99	10.06		
Temporary Alipur Duar (Kholta) to the South Bank of the Kaljani river.	18-1-00	0.40		
TOTAL			33.09	

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails, 41½ lbs. per yard, laid on eal sleepers.

Ballast.—The line is ballasted with shingle.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 1,300 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

Dated the 25th February 1907, having effect from the 1st January 1907, between the Secretary of State and His Highness the Maharaja of Cooch Behar, as to the management, maintenance and working of the Cooch Behar State railway by the Eastern Bengal railway.

Main provisions of agreement—

- (i) *Land.*— } The railway is the property of the Cooch Behar Durbar, which provides all funds not contemplated in clause 2 of the agreement required for the completion and equipment of the line from time to time, and is managed, maintained and worked by the agency of the Eastern Bengal railway.
- (ii) *Government aid.*— }
- (iii) *Terms of working.*— } For management, maintenance and working, the Eastern Bengal railway retains 40 per cent of the gross earnings: provided that when the stock of the Eastern Bengal railway is used for the conveyance of any traffic on the Cooch Behar State railway, the Eastern Bengal railway retains up to, but not exceeding, 45 per cent of the gross earnings obtained from the use of such stock. The remainder, being the net earnings of the Branch, is paid over to the Durbar.
- (iv) *Distribution of profits.*— }
- (v) *Rates and fares.*—The Administration of the Eastern Bengal railway has full control over the rates and fares on the Cooch Behar State railway, subject to the maxima and minima prescribed by the Government of India in schedule A appended to the agreement (certain station to station rates applicable after the opening of the Dharila bridge are prescribed in schedule B to the agreement).

EASTERN BENGAL RAILWAY SYSTEM—*contd.*Cooch Behar State railway (3' 3½" gauge)—*concl'd.*Main provisions of agreement—*concl'd.*(vi) *Special obligations as to the conveyance of—*

(a) Mails, troops, police, high Government officials and Government stores.—Mails are conveyed in accordance with rules in force on State railways. There is no special provision in the agreement for the carriage of troops, high Government officials and Government stores.

(b) Government bullion and coin, and the persons in charge thereof.—Not specified.

(viii) *Power of the Government to determine agreement.—*(viii) *Power of the Cooch Behar Durbar to determine agreement.—* } Terminable on the expiry of six months' notice from either side.(ix) *Term of agreement.—*Until determined under (vii) and (viii).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.	REMARKS.
1	2	3	4	5	6	7	8	9
	Milos.	Rs.	Rs.	Rs.		Rs.		
1908 . . .	33-06	15,17,033	1,96,254	1,14,833	7-57	112	41-48	* The decrease in 1909 was chiefly due to the cost of repairs to damages caused by floods in 1906, which were originally debited to Reserve in 1906 and 1907, having been written back to capital in 1909.
1909 . . .	33-60	17,71,532	1,91,077	1,33,144	7-85	109	42-17	† The increase is due chiefly to the debit to Reserve of the cost of repairs to flood damage.
1910 . . .	33-27	20,45,637	2,03,510	1,05,029	5-28	118	44-91	
1911 . . .	33-09	19,08,477	2,61,711	1,18,369	6-26	132	45-23	
1912 . . .	33-09	18,70,869	2,71,997	1,16,019	7-56	157	46-13	
1st yr. of 1913.	33-00	19,39,585	77,277	41,562	8-52	180	46-31	
1913-14 . .	33-09	20,22,791	3,00,374	1,53,808	8-05	175	45-46	
1914-15 . .	33-09	20,50,061	2,69,364	1,41,749	6-91	156	47-36	
1915-16 . .	33-09	19,59,396	2,63,494	1,40,765	7-18	153	46-57	
1916-17 . .	33-08	19,61,815	2,86,112	1,55,257	7-91	166	45-74	
1917-18 . .	33-09	19,76,641	2,89,878	1,59,817	7-07	157	48-19	

Mymensingh-Jamalpur-Jagannathganj railway (3' 3½" gauge)—

Date of registration of the Company.—9th June 1899.

This line, which terminates on the Brahmaputra river, is connected with the Eastern section of the Eastern Beagal railway at Goalundo by the India General Navigation and Railway and River Steam Navigation Companies' steamer services. The new Singhjani-Fulehkhari extension, starting at Singhjani, a station on this line, links it with the Northern section of the Eastern Bengal railway at Fulehkhari.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mymensingh to Singhjani	15-10-98	33-32	
Singhjani to Jagannathganj	22-10-99	23-78	
TOTAL			56-05

Details of construction—

Permanent-way.—The permanent-way consists of 50-lb. flat-footed steel rails, O.S., laid on sal sleepers.

Ballast.—The line is ballasted throughout with brick.

Fencing.—The line is fenced only at stations and through the town of Mymensingh.

Curves.—The sharpest curve is of 2,685 feet radius.

Gradients.—The ruling gradient is 1 in 300.

Tonnage and contract—

Agreement, dated the 6th January 1897 } between the Secretary of State and the India General Steam Navigation Company (called the Old Company), as to the construction, management, maintenance and working of the Mymensingh-Jamalpur-Jagannathganj branch railway.

Contract, dated the 6th January 1897 } (called the preliminary agreement)

Contract, dated the 6th January 1897 } (called the scheduled contract)

EASTERN BENGAL RAILWAY SYSTEM—concl'd.

Mymensingh Jamalpur-Jagannathganj railway (8' 3½" gauge)—concl'd.

Agreements and contract—concl'd.

Agreement, dated the 8th October 1899, (supplemental to the preliminary agreement and scheduled contract of 1897), between the *India General Steam Navigation Company* (called the Old Company) and Messrs. W. H. Cheetham, C. C. Kilburn, and A. Pointon, merchants, the liquidators thereof, the *India General Navigation and Railway Company* (called the New Company), and the *Secretary of State*, as to the substitution, as from the 1st July 1899, of the New Company for the Old Company as a party to the preliminary agreement and the scheduled contract, respectively, and for the transfer of the domicile of the Mymensingh-Jamalpur-Jagannathganj branch railway Head Office from Calcutta to London.

Main provisions of agreements and contract—

- (i) *Land*.—Provided by the Government free of cost to the Company.
- (ii) *Government aid*.—For the more convenient and economical construction of the railway its execution was undertaken by the Government, who also stock, manage, maintain and work it through the agency of the Eastern Bengal railway. The Government agree to allow to the Company, in respect of each calendar year, by way of rebate, such a sum not exceeding in any year the net earnings from traffic interchanged between the Eastern Bengal railway system and the Company's railway only, as shall together with the Company's net earnings for the year, make up 3½ per cent. per annum, on the actual capital expenditure on the branch. (Mymensingh is to be considered a station on the Eastern Bengal railway system, and cross traffic passing over the Company's line when booked through between stations on the Dacca-Mymensingh section and other stations on the Eastern Bengal railway is not to be taken into account in calculating rebate).
- (iii) *Terms of working*.— } For management, maintenance, working and the use of rolling-stock
- (iv) *Distribution of profits*.— } the Eastern Bengal railway retains 45 per cent. of the gross earnings of the branch; the remainder, being the net earnings, is paid over to the Company.
- (v) *Rates and fares*.—To be arranged between the Government and the working agency, subject to the condition that they are to be within the maxima and minima, and that the classification of goods is to be in conformity with that in force on the Eastern Bengal railway.
- (vi) *Special obligations as to the conveyance of*.—
 - (a) Mails, troops, police, high Government officials and Government stores.— } Not specified.
 - (b) Government bullion and coin, and the persons in charge thereof.— }
- (vii) *Power of the Government to determine contract*.—Government may determine the contract on 12 months' notice either on—
 - (a) the 31st December 1919, or at the end of any subsequent period of 10 years, in which case the Government undertake to pay to the Company in rupees a sum equal to 25 times the amount of the average yearly net earnings, not including rebate payments, derived by the Company from the branch railway during the three years immediately preceding the time at which the contract is determined, provided that such sum shall not exceed by more than 20 per cent. the total capital expenditure of the Company, nor be less than such total capital expenditure; or
 - (b) on the 31st December 1948, in which case the Government undertake to pay to the Company a sum equal to the total capital expenditure in rupees.
- (viii) *Power of the Company to surrender contract*.—Nil.
- (ix) *Term of contract*.—Until determined under (vii).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, <i>viz.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from the Eastern Bengal railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.	REMARKS.
1	2	3	4	5	6	7	8	9	10	11	12
	Miles.	Rs.	Rs.	Rs.					Rs.		
1898	33-07	10,44,638	7,600	4,213	0-40	...	4,213	0-40	27	45-99	* The increase
1899	33-37	16,11,348	66,499	36,575	2-27	...	36,575	2-27	58	45-06	is due to the
1900	33-37	18,78,395	1,82,928	89,116	4-74	...	89,116	4-74	58	15-00	incurred on
1901	33-37	20,81,346	1,67,756	92,265	4-43	...	92,265	4-43	60	45-00	terminal
1902	33-14	22,55,677	2,05,251	1,12,888	4-94	...	1,12,888	4-94	71	45-00	at Jagannathganj.
1896	32-70	23,28,917	2,22,825	1,19,573	5-13	...	1,19,573	5-13	82	46-34	
1904	51-37	25,51,113	2,21,188	1,18,586	5-03	...	1,18,586	5-03	81	45-19	* The increase
1905	50-69	25,86,029	2,16,612	1,18,748	4-88	...	1,18,748	4-88	81	45-19	is due to the
1906	53-22	24,15,248	2,72,828	1,50,030	6-21	...	1,50,030	6-21	103	45-03	expense incurred on
1907	53-90	24,34,018	3,31,673	1,82,402	7-50	...	1,82,402	7-50	122	45-00	at Jagannathganj.
1908	53-91	24,50,870	3,94,876	2,17,176	8-86	...	2,17,176	8-86	141	45-00	diverting about 4
1909	54-35	24,84,174	3,80,917	2,49,204	8-43	...	2,49,204	8-43	134	45-00	miles of main line
1910	55-51	25,31,451	3,78,228	2,68,025	8-22	...	2,68,025	8-22	133	45-00	near Bidyanagar.
1911	55-22	25,72,135	3,96,262	2,17,944	8-47	...	2,17,944	8-47	137	45-00	
1912	55-22	26,27,977	3,98,790	2,18,235	8-31	...	2,18,235	8-31	138	45-00	
1st. qtr. of 1913.	55-22	26,16,049	39,327	54,575	2-06	...	54,575	2-06	138	45-00	* The decrease
1913-14.	55-22	26,89,250	5,11,805	2,57,198	9-74	...	2,57,198	9-74	178	44-70	is due to the
1914-15.	55-22	28,54,778	5,12,412	3,05,846	11-50	...	3,05,846	11-50	178	44-81	write-back of expenditure referred to in the remark marked 7.
1915-16.	53-66	26,67,078	5,50,484	3,02,738	11-35	...	3,02,738	11-35	197	47-00	
1916-17	56-23	26,75,964	6,30,618	3,46,840	12-96	...	3,46,840	12-96	216	45-00	
1917-18	56-05	26,79,585	6,30,160	3,51,538	13-12	...	3,51,538	13-12	219	47-00	

EASTERN BENGAL RAILWAY SYSTEM—*conold.***Khulna-Bagirhaut railway (2' 6" gauge)—***Date of registration of the Company—1916.*

The construction of this line by the Eastern Bengal railway on behalf of a Branch Line Company was sanctioned in Railway Board's Notification No. 448-P., dated the 9th March 1916.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Khulna to Bagirhaut (sanctioned on 9th March 1916)	...	19' 66 miles	19' 66

EAST INDIAN RAILWAY SYSTEM.

Chairman.—Lieut.-Col. Richard Gardiner.

Secretary.—Charles W. Young, Esq.

Offices.—28-30, Nicholas Lane, London, E. C.

Date of registration of the old guaranteed company.—1849.

Lines comprised in the system.—The East Indian railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) East Indian railway (5' 6" gauge)	2,463.77	723	2,471.70
(b) Delhi-Umballa-Kalka railway (5' 6" gauge)	26.40	...	266.40
(c) Jind-Panipat railway (Native State Section) (5' 6" gauge)	25.99	...	25.99
(d) South Bihar railway (5' 6" gauge)	79.19	...	79.19
Total	2,775.26	7.93	2,783.19

Running powers—

<i>Home line over Foreign lines:—</i>		Miles.
Agra, Fort to Juma Bridge, Bombay, Baroda and Central India (3' 3 3/4" gauge) railway, for passenger trains only	100	36.88
Naihati to Majherhat, Eastern Bengal railway, for goods trains only	...	10.00
Mughal Sarai to Benares Cantonment, Oudh and Rohilkhand railway, for certain passenger trains only	...	8.37
Agra City to Agra Cantonment, Great Indian Peninsula railway, for goods and passenger trains	...	2.95
Jind City to Jind Junction, Southern Punjab railway, for passenger and goods trains
Total	51.20	...
<i>Foreign lines over Home line:—</i>		
Bengal-Nagpur railway at Katni	0.30
" " " at Kanpur	0.66
" " " at Aunsool	0.50
" " " at Howrah, for passenger trains only	1.00
Great Indian Peninsula railway at Cawnpore, 0.97 mile for passenger trains and 0.52 mile for goods trains	1.49
" " " at Katni, 0.34 mile, and between Belanganj and Juma Bridge goods depot, 1.86 mile, for goods trains only	2.24
" " " at Manikpur	0.63
North Western and Oudh and Rohilkhand railway, Ghazipur to Delhi	13.00
Total	19.83	...

East Indian railway (5' 6" gauge)—

The lines owned by the late East Indian Guaranteed Railway Company were purchased by the State in 1879, and all the contracts then subsisting between the Secretary of State and the company (except those relating to debentures or debenture stock) were determined. The purchase price was £32,750,000, and it was provided that this should be paid in the form of a terminable annuity of the amount of £1,473,750, payable from the 1st January 1880 to the 14th February 1953. One-fifth of the annuity was deferred, and the holders of this portion (representing a capital sum of £6,550,000) constitute the present East Indian Railway Company. Since the purchase certain State and Companies' branch lines were incorporated in the undertaking.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
<i>Main line—</i>				
Howrah to Hooghly	15-8-54	23.28		
Hooghly to Panduah	1-9-54	14.31		
Panduah to Khana Junction	3-3-55	36.85		
Khana Junction to Benuegaon	3-9-55	43.71		
Benuegaon to Siarsol (near Aunsool)	21-7-53	1.70		
Siarsol (near Aunsool) to Sitarampur	1-1-65	15.15		
Sitarampur to Luckeesoor Junction	1-1-71	124.59		
Luckeesoor to Dinapore	17-11-62	82.42		
Dinapore to Mughal Sarai	23-12-62	123.57		
Mughal Sarai to Mirzapur	1-1-64	39.22		
Mirzapur to South Bank, Juma	4-4-64	52.95		
Juma Bridge to Allahabad	15-8-65	2.70		
Allahabad to Cawnpore	3-3-59	119.47		
Cawnpore to Etawah	1-7-61	86.46		
Etawah to Shikohabad	13-11-61	34.73		
Shikohabad to Tundla Junction	1-4-62	22.92		
Tundla Junction to Aligarh	1-3-63	48.56		
Aligarh to Chola (Bulandshahr Road)	1-4-64	35.64		
Chola to Delhi (South Bank, Juma)	1-8-64	41.29		
Delhi Terminus	1-1-67	1.78		
			954.92	
<i>Loop line—</i>				
Khana Junction to River Adajai	8-10-58	19.00		
River Adajai to Sauntha	3-8-59	25.12		
Sauntha to Timpahar	15-10-60	76.12		
Timpahar to Bhagalpur	1-11-61	69.15		
Bhagalpur to Jamalpur	10-2-62	33.03		
Jamalpur to Kiul	17-11-62	28.00		
			250.42	
Carried over	205.54

EAST INDIAN RAILWAY SYSTEM—*contd.*East Indian railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
Brought forward	1,305.34	
Grand Chord—					
Sitarampur to Barakar	1-1-85	5.43			
Barakar to Dhaubaid	20-5-84	25.78			
Dhaubaid to Paharpur	6-12-86	103.69			
Paharpur to Manpur	15-8-86	17.42			
Gya to Moghal Sarai	1-3-89	126.11			
			278.40		
Howrah-Burdwan Chord—					
A point 6 miles from Howrah to Saktighar	1-1-17	45.26			
			45.26		
Branches on the Main line—					
Tarkessur branch—					
Sheoraphali to Tarkessur	1-1-85	22.21			
			22.21		
Bhadreswar branch—					
Bhadreswar Junction to the river bank.	6-12-82	2.60			
			2.60		
Naihati branch—					
Bandel Junction to Naihati	15-3-87	4.47			
			4.47		
Bandel Barharwa branch—					
Bandel Junction to Nabadiwip	1-4-12	49.50			
Nabadiwip to Katwa	15-5-12	24.31			
Katwa to Jaugipur Road	1-5-12	65.91			
Jaugipur Road to Dhalian Ganges	31-1-12	17.24			
Dhalian Ganges to Barharwa	19-1-11	18.32			
			168.28		
Ondal-Saunthia Chord—					
Ondal to Saunthia	10-12-86	43.91			
			43.91		
Ondal loop—					
Ondal to Bahoisole	1-5-84	2.63			
Bahoisole to Mangalpur	1-1-83	2.74			
Mangalpur to Toposi	2-2-83	2.65			
Toposi to Ikrak Junction	15-1-84	2.42			
Ikrak Junction to Gaurangdi	1-6-85	11.16			
Gaurangdi to Rupaipur	30-3-85	7.54			
			31.54		
Toposi-Barabani Chord—					
Toposi to mile 3.79	15-6-88	3.79			
Mile 3.79 to mile 6.50 towards Barabani	19-1-13	2.71			
			6.50		
Ikrak branch—					
Ikrak Junction to Barabani	15-4-94	8.40			
Barabani to Sitarampur	15-4-02	6.98			
			15.38		
Salanpur branch—					
Salanpur to Shamdi	7-9-94	4.29			
	1-1-97	1.24			
			5.53		
Giridih branch—					
Madhapur Junction to Giridih	1-1-71	26.70			
			26.70		
Dongur branch—					
Jasidih Junction to Baidyanathdham	23-12-82	4.12			
			4.12		
Mokameh Ghat branch—					
Tal Junction, via Mokameh Ghat, to Mokameh Junction.	1-5-83	2.98			
			2.98		
Patna Ghat branch—					
Patna to Patna Ghat	17-11-82	0.87			
			0.87		
Patna-Gya branch—					
Bankipore Junction to Bankipore	2-6-79	0.25			
Bankipore to Jehanabad	21-4-79	28.85			
Jehanabad to Gya	2-6-79	28.48			
			57.68		
Digha Ghat branch—					
Bankipore Junction to Digha Ghat	2-1-85	5.53			
			5.53		
Tari Ghat branch—					
Dildarnagar Junction to Tari Ghat	5-10-80	12.00			
			12.00		
Benares chord—					
Dihwa Block hut to Beohupur (Ondh and Beohlikhand railway).	14-5-10	1.18			
			1.18		
Jubbulpore branch—					
Naini Junction to Jubbulpore	1-8-67	224.49			
			224.49		
				957.63	
Carried over	2,163.97	

*This line was constructed by the Tarkessur Railway Company and worked by the East Indian Railway Company, under an agreement, up to the 31st December 1914. It was acquired by the State and incorporated with the East Indian railway on the 1st January 1915.

†This line was constructed on the 5' 3 1/2" gauge and worked by Messrs. Burn and Co. of Calcutta up to the 30th June 1911. It was acquired by the State and incorporated with the East Indian railway on the 1st July 1911 and converted to the 5' 6" gauge on the 13th September 1912.

‡This line was constructed by the State and worked by that agency up to 1882. It was made over to the East Indian Railway Company to be worked, under an agreement, on the 1st January 1883 and incorporated with the East Indian railway on the 1st July 1892.

§This line is the old Dildarnagar-Ghasipur State railway which was incorporated with the East Indian railway on the 1st January 1899.

EAST INDIAN RAILWAY SYSTEM—contd.

East Indian railway (5' 6" gauge)—contd.

Progress in opening—contd.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
Brought forward	2,162.97	
Allahabad Fort branch	3-3-59	2.33			
Cauapore city branch	15-2-79	0.89	2.33		
Shikohabad-Farukhabad branch—			0.88		
Shikohabad to Mainpuri	1-3-05	22.71			
Mainpuri to Bhongson	17-6-05	8.03			
Bhongson to Farukhabad	1-1-06	27.81			
			65.95		
Agra branch—					
Tundla Junction to Jammu bridge.	1-4-02	13.35			
Jammu bridge to Agra city (Agra direct access.)	15-10-07	1.64			
			14.99		
Hathras branch—					
Hathras Junction to Hathras Kila	1-11-98	5.58			
			5.58		
Hapur branch—					
Khurja to Bulandshahr	7-2-07	14.00			
Bulandshahr to Hapur	15-4-07	24.81			
			38.81		
Branches on the loop line—					
Azimganj branch—					
Nalhati to Azimganj	21-12-63	27.23			
			27.23		
Rajmehal branch—					
Tinpalaz Junction to Rajmehal	15-10-00	7.00			
			7.00		
Sakrigali branch—					
Sakrigali Junction to the river Ganges	1-1-94	1.26			
			1.26		
Mirza Chowki branch—					
Mirza Chowki to the river side	1-3-09	0.20			
			0.20		
Sultangunge Ghat branch—					
Sultangunge Junction to Sultangunge Ghat	6-5-95	1.16			
			1.16		
Moughyr branch—					
Jamulpur Junction to Moughyr	10-4-62	5.68			
			5.68		
Branches on the Grand Chord—					
Chanch branch—					
Chanch block hut to mile 197.30	1-2-93	2.88			
	5-8-98	1.00			
			3.88		
Pandra branch—					
Pandra block hut to mile 151.41	20-11-00	2.66			
			2.66		
Pradbankhunta-Pathardihi Chord—					
Pradbankhunta to Pathardihi	1-1-13	9.59			
			9.59		
Katras branch—					
Dhanbaid to Katrasgarh	20-5-94	9.11			
			9.11		
Damuda branch—					
Kasunda to Jharra	30-6-95	4.69			
Jharra to Pathardihi	30-6-95	3.40			
	15-7-96	1.77			
			9.77		
Jharra branch—					
Dhanbaid to Jharra	1-6-08	3.75			
			3.75		
Kasunda Totumari link—					
Kasunda to Totumari (including portion of Chandur branch).	20-4-07	3.15			
	6-12-06				
			3.15		
Katras-Khanoodih extension—					
Katrasgarh to Khanoodih	7-3-03	7.17			
			7.17		
Jamunatand link—					
Kanoodih extension mile 182.58 to mile 184.55 on the Bokharo Colliery joint line.	11-10-16	1.97			
			1.97		
Katras-Mulkera cross connection—					
Northern half of connection	15-8-03	0.66			
			0.66		
Barun-Daltonganj branch—					
Sone East Bank (Barun) to Rajhara	3-5-02	67.80			
Rajhara to Daltonganj	15-12-02	10.72			
			78.52		
				800.80	
TOTAL OPEN MILEAGE CARRIED OVER	2,463.77	

*This line was constructed by the Indian Branch (afterwards Oudh and Rohilkhand) Railway Company as a 4' gauge line. It was purchased by the State on the 31st March 1872, incorporated with the East Indian railway on the 1st April 1882 and opened on the 5' 6" gauge on the 15th July 1892.

EAST INDIAN RAILWAY SYSTEM—*contd.*East Indian railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
Brought forward.	3,468.77	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—					
Topoi-Barabani chord— 5.50 miles from Topoi to Barabani (sanctioned on 28th May 1913).	...	3.70			
Allahabad Port branch— Extension to Danraj (sanctioned on 23rd November 1914).	...	1.85			
Dhanbad to Katmagah and beyond (sanctioned on 25th March 1918).	...	2.28			
			7.93	7.93	
GRAND TOTAL	3,471.70	
SIXTUPLE LINE— Howrah station to Bengal-Nagpur railway Junction cabin	1-1-08	0.85	0.85	0.85	
QUINTUPLE LINE— Lillooh to Bally	1-1-17	2.24	2.24	2.24	
QUADRUPEL LINE— Bengal-Nagpur Railway Junction cabin to Lillooh	1-1-07	2.08			
Serampore to Sheoraphuli	25-6-13	1.50			
Saktighar to Burdwan	1-1-17	2.21			
			11.49	11.49	
TRIPLE LINE— Bally to Uttarpara	1-10-15	0.83			
Uttarpara to Serampore	3-6-12	0.05			
Sheoraphuli to Haidyalati	18-9-18	0.37			
Haidyalati to Bhadreswar	17-4-16	2.71			
Debipur to Boisdoo	1-1-03	2.42			
Raneesunge to Assand	22-7-07	11.15			
DOUBLE LINE— On the main line—			24.23	24.23	
Bally to Uttarpara	10-3-57	40.55			
Sheoraphuli to Chanderdurg	1-2-58	2.58			
Chanderdurg to Hooghly	1-5-58	3.04			
Hooghly to Nagra	1-10-58	5.49			
Magra to Pandooch	25-2-59	8.82			
Pandooch to Saktighar	1-10-59	18.16			
Burdwan to Khana	1-1-59	8.16			
Khana to Durgapur	1-6-70	31.35			
Durgapur to Raneesunge	2-9-70	11.36			
Raneesunge to Sitarampur	19-12-70	5.45			
Sitarampur to Luckeesarai	1-1-71	124.59			
Luckeesarai to Barh	22-6-60	9.82			
Barh to Barh	22-2-68	27.10			
Barh to Futwah	11-1-68	25.87			
Futwah to Dinapore	20-3-67	12.63			
Dinapore to Bihta	13-8-68	10.84			
Bihta to Arrah	28-3-70	13.64			
Arrah to Buxar	13-8-68	42.63			
Buxar to Dildarnagar	15-1-82	22.47			
Dildarnagar to Zamaia	20-5-82	8.42			
Zamaia to Sakaldih	20-9-82	16.17			
Sakaldih to Moghal Sarai	10-8-82	11.40			
Moghal Sarai to Ahraura Road	10-8-07	7.92			
Ahraura Road to Kyalhat	8-13-05	4.95			
Kyalhat to Chunar	29-12-08	3.22			
Chunar to Dugmaipur	19-2-09	4.91			
Dugmaipur to Palara	27-2-09	4.91			
Palara to Jhingura	16-1-08	4.81			
Jhingura to Mirzapur	6-8-07	6.78			
Mirzapur to Binduachal	6-7-11	4.56			
Binduachal to Biroha	12-7-11	2.91			
Biroha to Gaipura	28-9-11	4.64			
Gaipura to Jigna	10-10-11	4.34			
Jigna to Mandah Road	16-11-11	5.24			
Mandah Road to Unchdih	30-11-11	5.07			
Unchdih to Moja Road	23-11-11	5.19			
Moja Road to Touse bridge	26-10-11	8.94			
Touse bridge to Bheerpur	10-4-11	3.58			
Bheerpur to Karchana	9-4-11	5.74			
Karchana to Chhooki	6-8-09	5.70			
Carried over	520.01		

*Excluding the triple length.

EAST INDIAN RAILWAY SYSTEM—*contd.*East Indian railway (5' 6" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
Brought forward	520.01		
DOUBLE LINE—<i>contd.</i>					
Chheoki to Naini	31-1-07	1.08			
Naini to Allahabad	15-1-06	3.76			
Allahabad to Subadargunge	4-10-13	0.60			
	27-1-09	3.50			
Ghaziabad to Shahdara	29-2-02	8.13			
Shahdara to east side of Jumna bridge near Delhi	1-7-02	2.57			
East side of Jumna bridge to Delhi	6-3-13	3.24			
			22.68		
<i>On the branches of the main line—</i>					
Nalhati branch	15-8-87		4.47		
	1-7-04				
<i>On the Grand Chord—</i>					
Sitarampur to Barakar	6-8-01	5.43		4.47	
Chanoh to Mugma	29-9-03	3.78			
Mugma to Farka	29-1-06	3.16			
Farka to Kaloobathan	17-1-06	2.59			
Kaloobathan to Ohlota Ambona	21-3-06	5.79			
Ohlota Ambona to Pradhankhunta	17-10-05	3.68			
Pradhankhunta to Dhanbad	20-9-06	5.01			
	1-7-06				
Gujhandi to Gurpa	11-3-07	13.62			
Gya to Kastha	30-4-14	4.93			
Ganj Khwaja to Moghal Sarai	4-5-14	5.14			
			51.13		
<i>On the branches of the Grand Chord—</i>					
Portion of Jharra branch	1-1-04	0.17			
	26-9-12	1.45			
Lodua to Pathardih	1-1-13	0.45			
			2.07		
<i>On the Howrah-Burdwan chord—</i>					
A point 6 miles from Howrah to Saktighar	1-1-17	45.26	45.26		
GRAND TOTAL, DOUBLE LINE	645.82	

Details of construction—

Permanent way.—The main line from Howrah to Delhi, including Howrah-Burdwan chord, the Grand Chord, the Loop line from Khana Junction to Kiri, the Jubbulpore branch, Tarkessur branch, Jharra branch, Ondal loop, Ikrah branch, Giridih branch, Patna-Gya branch, Barun-Daltonganj branch, Agra branch, Shikohabad-Farukhabad and Bandel-Barharwa branches are laid with steel rails throughout. A few short branches are still laid with iron rails, but these are being replaced with second-hand steel rails removed from the main line in the course of relaying operations.

On both the up and down roads of the main line from Howrah to Allahabad, a distance of about 564 miles, the rails are 85-lb. bull-headed with the exception of a few lengths aggregating 310 miles laid with 88½-lb. bull-headed rails, and 2 short lengths of about 2 miles laid with 75-lb. double-headed rails.

Above Allahabad the main line up to Fatchpur (mile 636) is laid with 85-lb. bull-headed rails. The sections Fatchpur to Kanchaust (about 90 miles), Tundla to Barhan (6 miles) and Khurja to Patpore (about 50 miles) are laid with 88½-lb. bull-headed rails. The rest of the main line and branches are laid with 75-lb. double-headed rails.

The Grand Chord line is laid with 85-lb. rails, between Sitarampur and Gurpa, and with 88½-lb. bull-headed rails, between Gurpa and mile 339, near Sonc East Bank (excepting a length of 5 miles) and between mile 375 (near Pisauli) and Moghal Sarai and on the newly opened down track between Gya and Kastha and Ganj Khwaja and Moghal Sarai. The remaining length is laid with 75-lb. double-headed rails.

Of the Howrah-Burdwan chord, the Bally-Manirampur and Jangram-Saktighar sections are laid with 90-lb. flat-footed, and the rest with 88½ lb. bull-headed, rails.

The Deoghur and Tarkessur branches are laid with 75-lb. double-headed rails and the Nalhati branch with 88½ lb. bull-headed rails.

As at present laid, about thirty per cent. of the sleepers are wooden and the remainder iron. The wooden sleepers principally consist of sal and deodar; but of late jarrah and Australian hard wood sleepers have also been put into the road. The chairs are cast iron and vary in weight from 36 to 51½ lbs. The iron sleepers are of the Denham-Olpherts' pattern and weigh about 252 lbs. each.

Ballast.—The line, with the exception of the Howrah-Burdwan chord and the Barharwa-Bandel branch, is ballasted throughout with stone.

Fencing.—The line is fenced throughout, except on the Damoodur, Ikrah, Salampur, Chanoh, Pandra, Azimganj, Barun-Daltonganj, Shikohabad-Farukhabad, Barharwa-Bandel and Deoghur branches, the Ondal loop and the Ondal-Saintia and Dhanbad-Jharra chords.

Curves.—The sharpest curve is of 1,000 feet radius and situate between Agra (Jumna Bridge station) and Agra City station.

EAST INDIAN RAILWAY SYSTEM—*contd.*

East Indian railway (5' 6" gauge)—*contd.*

Details of construction—*concl.*

Gradients.—The ruling gradient on the main line is 1 in 300, except between Raneengunge and Luckeeseraï where it is 1 in 200 with a 1 in 100 banking section, between Simultala and Jhajha, and on the Grand Chord, 1 in 200 (compensated on curves), with a 1 in 80 banking section between Gurpa and Gujhandi. The ruling gradient on the Tarkessur branch, is 1 in 500, on the Howrah-Burdwan chord and the Shikohabad-Farukhabad branch 1 in 400, on the Daltonganj branch, 1 in 333, on the Patna-Gya and Digba Ghat branches, 1 in 250. On the Bandel-Barharwa branch, the Loop line, the Monghyr branch, the Ondal-Sainthia chord, the Khurja-Hapur branch and the Jubbulpore branch, it is 1 in 200; on the Azimganj branch, 1 in 100, and on the Deoghur branch 1 in 50.

Contracts and agreement—

- Contract, dated the 22nd December 1879 (called the principal contract) *between the Secretary of State and the East Indian Railway Company*, as to the maintenance, management and working of the undertaking.
- Agreement, dated the 27th July 1882, *between the Secretary of State and the East Indian Railway Company*, as to the working of the Kurburharree and Serampore collieries.
- Contract, dated the 16th November 1893 (supplemental to the contract of 1879), *between the Secretary of State and the East Indian Railway Company*, as to the incorporation in the undertaking of certain State branch lines.
- Contract, dated the 26th February 1896 (supplemental to the contract of 1879), *between the Secretary of State and the East Indian Railway Company*, as to the raising of capital by debentures.
- Contract, dated the 22nd November 1897 (supplemental to the contracts of 1879 and 1896), *between the Secretary of State and the East Indian Railway Company*, as to the construction and working of the Moghal Sarni-Gya railway.
- Contract, dated the 4th April 1899 (supplemental to the contract of 1879), *between the Secretary of State and the East Indian Railway Company*, as to the creation of debenture stock.
- Contract, dated the 14th November 1899 (modifying the contract of the 22nd December 1879 as supplemented by the contracts of 1896 and 1899), *between the Secretary of State and the East Indian Railway Company*.
- Contract, dated the 16th April 1903 (supplemental to the contracts of 1899, and to those of 1879, 1896 and 1899 therein referred to), *between the Secretary of State and the East Indian Railway Company*, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.
- Contract, dated the 10th July 1907 (supplemental to the contracts of 1879, 1899 and 1903), *between the Secretary of State and the East Indian Railway Company*, as to the creation of a 3½ per cent Debenture stock.
- Contract, dated the 25th October 1911, *between the Secretary of State, the Deoghur Railway Company and the East Indian Railway Company*, as to the transfer to the Secretary of State of the Deoghur railway and its management, maintenance and working by the East Indian Railway Company as a part of the undertaking.
- Contract, dated the 10th June 1914, *between the Secretary of State and the East Indian Railway Company*, as to the adoption of the Government Financial year for the preparation of accounts.
- Contract, dated the 3rd May 1915, *between the Secretary of State and the East Indian Railway Company*, as to the creation of 4½ per cent. Debenture Stock.

Main provisions of contracts and agreement—

- (i) **Land.**—Provided by the Government at the cost of capital.
- (ii) **Government aid.**—Guarantee of interest in sterling at 4 per cent per annum on £6,550,000, the capital sum representing the deferred portion (one-fifth) of the annuity payable by Government in purchase of the East Indian railway. Also guarantee of principal and interest in respect of debentures and debenture stock issued by the Company.
- (iii) **Distribution of profits.**—The surplus profits in each half-year remaining after payment of interest and annuity charges, and the contribution to the Provident Fund, to be divided as follows :—
Of the first Rs. 25,00,000 of such surplus profits (or of the whole amount when it does not exceed Rs. 25,00,000) the Government to receive four-fifths and the Company one-fifth; of any excess beyond Rs. 25,00,000 the Government to receive fourteen-fifteenths and the Company one-fifteenth.
- (iv) **Rates and fares.**—Maximum and minimum rates and fares to be authorised, and the classification of passengers and goods to be prescribed, by the Government.
- (v) **Special obligations as to the conveyance of—**
 - (a) Mails, troops, high Government officials and Government stores.—To be conveyed on same general conditions, and at rates (to be approved by the Government) not less than those in force for the time being for similar services on State railways of the same gauge.
 - (b) Government bullion and coin, and the persons in charge thereof.—To be carried at special rates to be from time to time approved by the Government.

EAST INDIAN RAILWAY SYSTEM—contd.

East Indian Railway (5' 6" gauge)—contd.

Main provisions of contracts and agreement—contd.

- (vi) *Power of the Government to determine contract.*— } By the contract of the 14th November 1899 the
 (vii) *Power of the Company to surrender contract.*— } Government and the Company mutually agree
 that they will not determine the contract dated the 22nd December 1879 before the 31st December 1919. On that date, or at the end of any succeeding fifth year thereafter, either party may determine the contract by giving two years' previous notice. (On the determination of the contract the portion of the annuity that has been deferred will become payable for the period remaining up to the 14th February 1953.)
 (viii) *Term of contract [if not determined under (vi) and (vii)].*—50 years from 1st January 1880.

Statistics of working (Those for 1879 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including surplus, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Interest.	Annuity.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11	12
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1880.	1,504.25	34,18,12,052	4,29,45,116	2,84,66,874	8.33	1,96,03,398	...	17,73,690	70,90,786	549	33.71
1881.	1,506.75	34,67,27,455	4,54,11,472	3,06,38,827	8.84	30,27,492	1,72,92,000	20,63,867	82,55,468	578	32.53
1882.	1,508.77	34,88,42,743	4,71,17,594	2,94,15,380	9.44	31,83,022	1,72,92,000	17,88,073	71,82,291	601	37.37
1883.	1,509.46	35,02,20,413	4,94,67,085	3,06,77,691	8.62	33,68,151	1,75,10,887	19,90,731	79,98,922	630	37.58
1884.	1,509.46	35,34,09,687	4,88,08,714	2,70,70,394	7.66	34,79,296	1,77,35,384	11,72,321	66,92,291	558	38.24
1885.	1,514.99	35,61,22,471	4,63,66,893	2,97,35,295	8.35	36,22,003	1,79,65,714	16,29,502	65,17,986	580	38.90
1886.	1,514.86	35,80,42,570	4,60,70,833	3,02,20,962	8.44	37,84,444	1,89,50,137	14,97,276	59,89,105	591	35.25
1887.	1,513.36	35,85,11,092	4,00,65,681	3,09,89,517	8.65	38,48,886	1,92,13,333	15,87,239	63,49,039	583	32.71
1888.	1,513.45	35,82,32,469	3,98,32,469	3,09,89,517	8.38	38,60,374	2,03,43,580	11,64,893	46,58,773	567	33.91
1889.	1,525.44	36,00,54,709	4,44,57,391	2,91,14,970	8.09	39,98,237	2,09,60,000	8,31,347	33,25,286	557	35.24
1890.	1,525.34	36,00,54,709	4,34,39,355	2,95,21,546	8.20	39,95,919	2,03,43,530	19,37,019	41,48,078	538	32.03
1891.	1,525.44	35,94,89,179	4,91,85,230	3,36,54,312	9.92	37,33,297	1,86,94,654	26,45,992	1,05,81,569	615	27.95
1892.	1,610.27	36,51,42,775	4,88,55,105	3,48,16,719	9.54	37,25,754	2,06,47,161	20,88,769	38,55,041	587	28.73
1893.	1,610.73	37,17,65,636	5,08,44,054	3,60,94,233	9.71	41,26,889	2,34,46,789	17,04,125	68,16,499	584	29.01
1894.	1,624.11	37,50,81,824	5,26,89,485	3,64,26,405	9.71	43,37,968	2,43,89,562	15,99,767	61,69,068	604	30.87
1895.	1,700.19	38,08,79,764	5,41,50,856	3,78,74,726	9.93	45,73,671	2,61,01,132	14,29,078	57,30,845	603	30.13
1896.	1,701.11	38,51,11,272	5,40,49,142	3,87,77,682	9.54	46,90,562	2,58,59,455	12,45,733	46,81,932	597	31.98
1897.	1,765.09	39,63,30,442	5,88,28,013	4,14,58,460	10.46	48,30,238	2,47,34,406	23,87,763	35,51,053	649	29.47
1898.	1,712.25	40,38,39,605	5,97,36,060	4,08,07,269	9.96	50,46,514	2,32,64,533	24,99,244	19,98,078	638	31.76
1899.	1,710.47	42,06,85,477	6,35,45,974	4,36,80,018	9.93	54,63,902	2,46,51,046	30,09,920	1,20,39,890	697	32.87
1900.	1,840.32	44,54,88,809	6,84,74,972	4,47,15,571	10.94	60,18,054	2,15,00,905	18,09,104	1,83,27,450	706	34.70
1901.	1,898.04	45,95,76,136	7,03,96,636	4,57,13,311	9.95	65,46,878	2,16,82,360	18,51,450	1,56,32,623	733	35.06
1902.	1,923.35	47,43,29,237	7,07,38,237	4,29,80,833	9.06	70,34,402	2,16,46,888	16,19,965	1,26,70,302	667	36.35
1903.	1,935.11	48,80,94,026	6,99,72,700	4,64,35,793	9.51	74,46,371	2,16,15,000	18,24,361	1,53,49,401	692	33.64
1904.	1,982.87	50,26,09,029	7,59,71,844	5,06,03,115	10.07	80,23,878	2,16,15,000	20,46,276	1,88,39,861	740	33.39
1905.	1,972.30	52,58,72,737	7,50,47,130	4,82,21,719	9.17	86,75,890	2,16,15,000	18,62,975	1,60,62,044	738	35.74
1906.	2,165.04	54,79,98,490	8,02,50,910	4,67,58,855	8.90	93,88,271	2,16,15,000	18,30,639	1,59,00,545	721	38.65
1907.	2,308.39	56,77,47,025	8,11,29,807	4,84,10,858	8.53	1,01,60,204	2,16,15,000	17,75,310	1,48,54,344	673	39.74
1908.	2,313.18	58,74,01,144	8,28,51,108	4,44,26,132	7.56	1,09,27,823	2,16,15,000	14,58,587	1,04,21,422	683	43.80
1909.	2,212.07	60,87,01,843	8,28,35,189	4,77,00,061	7.93	1,15,85,958	2,16,15,000	16,39,194	1,26,48,799	699	41.73
1910.	2,212.77	60,82,33,218	8,60,42,147	4,50,01,256	8.54	1,18,60,704	2,16,15,000	19,01,703	1,66,23,849	722	39.01
1911.	2,246.86	62,08,94,990	9,22,86,885	4,59,09,918	9.00	1,21,80,902	2,16,15,000	21,40,874	1,99,73,342	756	38.87
1912.	2,331.09	63,48,50,982	10,15,30,003	4,69,20,505	9.98	1,26,75,172	2,16,15,000	23,95,339	2,63,53,604	810	37.27
1st gr. of 1913	2,350.40	64,01,60,586	9,58,38,908	4,40,21,547	2.38	32,55,583	54,03,750	5,51,140	56,78,085	814	41.77
1913.	2,424.20	66,70,44,170	10,26,92,832	4,81,38,002	9.20	1,35,11,326	2,16,15,000	24,12,112	2,37,69,564	789	39.81
1914.	2,445.03	70,52,05,287	10,35,97,927	4,63,79,018	8.87	1,48,98,653	2,16,15,000	21,04,291	2,36,60,074	776	38.16
15. 1915.	2,448.22	71,50,37,547	10,51,90,267	4,69,64,189	8.95	1,60,07,057	2,16,15,000	24,22,809	2,39,19,923	800	39.19
16. 1916.	2,495.26	72,11,34,810	11,08,91,903	4,70,05,890	9.71	1,62,94,019	2,16,15,000	29,06,458	2,92,90,413	823	35.94
17. 1917.	2,493.77	72,16,13,786	11,77,52,256	4,76,10,842	10.63	1,63,44,008	2,16,15,000	32,72,122	3,55,29,712	890	33.18

(a) Interest in 1880 includes annuity charges, which cannot be separated.

(b) Includes arrears credits for substantial improvements, Rs. 10,40,127.

(c) Includes Rs. 14,530 realised from Palmer's Trust Estate.

(d) Excludes Rs. 1,000 paid to Mr. Patterson, Law Agent, as remuneration in respect of the amount realised from the Palmer's Trust Estate.

(e) Excludes the annual rental paid to the South Bihar Railway Company together with interest on Government advances for the purposes of this railway.

(f) Includes the South Bihar railway.

(g) Includes arrears credits for substantial improvements, Rs. 26,19,763.

(h) Includes arrears credits for substantial improvements, Rs. 31,35 miles, Bhagalpur to Mandar Hill, of the Bhagalpur Banai branch.

(i) The decrease is due to the dismantling of 31.35 miles, Bhagalpur to Mandar Hill, of the Bhagalpur Banai branch.

(j) Excluding Rs. 53,065 paid to the Burdwan-Katwa railway to make up guaranteed interest on paid up capital.

EAST INDIAN RAILWAY SYSTEM—*contd.*

Delhi-Umballa-Kalka railway (5' 6" gauge)—

Chairman.—Alexander Izat, Esq., C.I.E.

Secretary.—E. A. Neville, Esq.

Offices.—287, Gresham House, Old Broad Street, London, E.C.

Date of registration of the Company.—25th January 1889.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
<i>Main line.</i> —			
Delhi to Kalka	1-3-91	161.88	
<i>Kaithal branch.</i> —			
Kurukshetra to Kaithal	1-12-10	29.76	
<i>British section of Jind-Panipat railway.</i> —			
Panipat Junction to 24½ miles from Madlauda	1-11-16	14.76	
TOTAL			206.40

Details of construction—

Permanent-way.—The permanent-way consists of double-headed steel rails, 75 lbs. to the yard, laid on Denham-Olpherts' cast-iron plate and wooden sleepers with cast-iron chairs. On the Kaithal branch 75-lb. flint-footed steel rails have been used.

Ballast.—The Main line and Kaithal branch are ballasted with stone. The British section of the Jind-Panipat railway is at present packed with earth except at bridge approaches.

Fencing.—The Main line and Kaithal branch are fenced. The British section of the Jind-Panipat railway is fenced round station-yards at important road-crossings and villages.

Curves.—The sharpest curve is of 1,010 feet radius.

Gradients.—The ruling gradient is 1 in 200, except for 15 miles from Kalka where it is 1 in 40.

Contracts—

Dated the 24th January 1889 (called the principal working contract), between the Secretary of State and the East Indian Railway Company, for working and maintenance.

Dated the 12th February 1889 (called the principal contract), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company for the construction of the railway.

Dated the 19th March 1890 (supplemental to the contract of 1889), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, as to the raising of additional capital by the issue of debentures.

Dated the 19th December 1895 (supplemental to the contract of 1889), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, conceding to the Company, from the 1st January 1893, the 2 per cent of gross earnings previously retained by Government.

Dated the 21st July 1896 (supplemental to the contract of 1889), between the Secretary of State and the East Indian Railway Company, as to the provision of funds for further capital works.

Dated the 24th July 1896 (supplemental to the contracts of 1889 and 1890), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, as to the provision of funds for further capital works.

Dated the 9th June 1897 (supplemental to the contracts of 1889, 1890 and 1895), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, guaranteeing interest at the rate of 3½ per cent on share capital.

Dated the 27th April 1903 (supplemental to the contract of 1889), between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Dated the 1st July 1909 (supplemental to the contracts of 1889 and 1896), } as to the working and
between the Secretary of State and the East Indian Railway Company; } construction, respectively.

Dated the 3rd November 1909 (supplemental to the contracts of 1889, 1890, } ly, of the Kaithal
1895, 1896, 1897 and 1903), between the Secretary of State and the } branch.

Delhi-Umballa-Kalka Railway Company; }
Dated the 8th April 1914, between the Secretary of State and the Delhi-Umballa-Kalka Railway Company, as to the adoption of the Government Financial year for the preparation of accounts.

Main provisions of contracts—

(i) *Land.*—To be provided by the Government free of cost to the Company.

(ii) *Government aid.*— } The Government undertake (through the agency, in the first instance, of the

(iii) *Terms of working.*— } East Indian Railway Company) to supply the necessary rolling-stock and to work and maintain the line until the 31st December 1926, taking 48 per cent of the gross receipts of the railway for the working agency and paying 52 per cent to the Company. By the contract of 9th June 1897 Government supplement the net earnings of the Company for the year 1896 and each succeeding year by such an annual subsidy as will enable the Company, after payment of debenture interest, to pay a dividend of 3½ per cent per annum on its share capital.

(iv) *Distribution of profits.*—Surplus profits in any year in excess of 3½ per cent per annum on share capital are divided equally between the Government and the Company until the Government has been repaid amounts advanced by way of subsidy, with interest. Thereafter all surplus profits will belong to the Company.

(v) *Rates and fares.*—To be agreed upon between the Government and the working agency; but between Delhi and Umballa not more than the maximum, nor less than the minimum, in force on the East Indian railway, and between Umballa and Kalka not more than three times such maximum nor less than such minimum.

EAST INDIAN RAILWAY SYSTEM—*contd.*Delhi-Umballa-Kalka railway (5' 6" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*(vi) *Special obligations as to the conveyance of.—*(a) Mails, troops, high Government officials and Government stores.— } Nil.
(b) Government bullock and coin, and the persons in charge thereof.— }(vii) *Power of the Government to determine contract.*—The Government may determine the contract on the previous determination of the Principal Contract or on the 31st December 1926, or on the 31st December of any subsequent tenth year. On determination Government are to receive possession of the railway, and to pay the Company a sum equal to 25 times the average yearly profits of the Company during the preceding five years. Payments by the Government by way of subsidy under the contract of the 9th June 1897 and also the additional 2 per cent of gross earnings conceded to the Company under the contract of the 19th December 1895 are to be excluded from the profits of the Company in calculating the price to be paid by the Government.(viii) *Power of the Company to surrender contract.*—Nil.(ix) *Term of contract [if not determined under (vi)].*—Not specified.

Statistics of working (including the Jind-Panipat railway (Native State section) from 1916-17).—

Year.	MILEAGE OPEN AT END OF EACH YEAR.		TOTAL CAPITAL OUTLAY, INCLUDING SUSPENSE, TO END OF EACH YEAR, OR, OUTLAY ON (i) LINES OPEN AND (ii) LINES PARTLY OR WHOLLY UNDER CONSTRUCTION.		GROSS EARNINGS.		NET EARNINGS.		PERCENTAGE OF NET EARNINGS ON TOTAL CAPITAL OUTLAY, GIVEN IN COLUMN (4) & (5).		DELHI-UMBALLA-KALKA RAILWAY, INCLUDING BRITISH SECTION OF JIND-PANIPAT RAILWAY		Subsidy from Government.	Total income.	Percentage of total income on total capital outlay given in column (4).	Earnings per mile per week.	Proportion of expenses to earnings.
	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.	Delhi-Umballa-Kalka railway, including British section of Jind-Panipat railway.	Native State section of Jind-Panipat railway.					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Miles.	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.					
1891	162.24	...	1,55,44,692	...	9,07,087	4,72,902	3,04	1,72,002	3,04	128	48.00	...
1892	161.40	...	1,58,22,157	...	10,81,769	5,62,529	3,36	2,62,529	3,36	130	48.00	...
1893	161.40	...	1,55,24,000	...	11,98,508	6,23,324	401	2,23,324	4,01	143	48.00	...
1894	161.40	...	1,55,25,547	...	13,37,526	6,95,514	448	6,95,514	4,48	159	48.00	...
1895	161.40	...	1,55,06,120	...	14,66,519	7,59,479	490	7,59,479	4,90	174	48.00	...
1896	160.47	...	1,54,49,783	...	14,18,846	6,85,797	444	6,85,797	4,44	174	48.00	...
1897	162.24	...	1,53,26,583	...	14,73,519	8,18,156	504	8,18,156	5,04	186	48.00	...
1898	162.24	...	1,53,43,587	...	16,07,512	8,36,906	545	8,36,906	5,45	191	48.00	...
1899	162.24	...	1,53,91,272	...	14,49,578	7,66,677	483	7,66,677	4,83	172	48.00	...
1900	162.24	...	1,53,15,167	...	15,72,423	7,71,512	486	7,71,512	4,86	163	48.00	...
1901	162.24	...	1,52,92,648	...	18,05,858	9,30,616	611	9,30,616	6,11	213	48.00	...
1902	162.24	...	1,54,23,791	...	18,66,685	9,70,681	629	9,70,681	6,29	221	48.00	...
1903	162.36	...	1,55,49,998	...	18,30,959	9,52,999	612	9,52,999	6,12	216	48.00	...
1904	162.36	...	1,55,51,763	...	18,53,475	9,85,807	640	9,85,807	6,40	218	48.00	...
1905	162.36	...	1,56,97,439	...	20,16,256	10,48,807	672	10,48,807	6,72	238	48.00	...
1906	162.36	...	1,57,26,333	...	20,01,218	10,12,194	663	10,12,194	6,63	237	48.00	...
1907	162.36	...	1,58,24,128	...	21,04,659	11,38,423	757	11,38,423	7,57	272	48.00	...
1908	162.36	...	1,60,07,122	...	21,06,153	11,95,738	695	10,95,778	6,95	250	48.00	...
1909	162.36	...	1,66,56,205	...	22,90,710	11,91,169	715	11,91,169	7,15	271	48.00	...
1910	152.13	...	1,75,45,512	...	26,05,803	13,79,118	772	13,55,018	7,72	261	48.00	...
1911	152.12	...	1,77,75,158	...	31,53,621	16,09,571	922	16,29,671	9,22	314	48.00	...
1912	152.12	...	1,79,15,379	...	35,36,536	16,19,569	938	16,79,769	9,38	323	48.00	...
1st qr. of 1913	152.12	...	1,79,84,924	...	8,36,576	4,35,009	243	13,609	2,43	335	48.00	...
1913-14	152.12	...	1,80,32,784	...	31,67,202	16,16,915	913	16,76,944	9,13	317	48.00	...
1914-15	151.04	...	1,84,33,681	...	32,15,691	16,72,114	907	16,72,114	9,07	323	48.00	...
1915-16	151.61	...	1,94,01,786	...	31,82,267	16,33,358	862	16,65,128	8,62	319	48.00	...
1916-17	206.40	25.90	1,94,38,488	15,99,654	30,59,838	18,83,843	17,299	9.67	1.68	...	18,85,843	9.67	303	48.00	...
1917-18	206.40	25.90	1,95,27,500	16,71,921	41,31,256	22,17,812	56,355	11.51	3.37	...	22,17,812	11.51	767	48.00	...

Jind-Panipat railway (Native State Section), (5' 6" gauge).—

This line is the portion of the Jind-Panipat railway which lies within the limits of Jind territory; the portion lying in British territory forms an integral part of the Delhi-Umballa-Kalka railway. Its construction by the Agency of the Delhi-Umballa-Kalka Railway Company was authorised by the Railway Board in their letter No. 2477-R.C. dated the 11th September 1913.

Progress in opening.—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
2.45 miles from Madlauda to Jind city on the Southern Punjab railway	1-11-16	25.90	25.90

EAST INDIAN RAILWAY SYSTEM—contd.

Jind-Panipat Railway (Native State Section) (5' 6" gauge)—contd.

Details of construction—

Permanent-way.—The permanent-way consists of second-hand 75-lb. double-headed steel rails on wooden and Denham-Olphert's sleepers.

Ballast.—The line is at present packed with earth, except at bridge approaches where brick ballast has been used.

Fencing.—The line is fenced only round station-yards and at important road-crossings and villages.

Curves.—The sharpest curve has a radius of 3,820 feet.

Gradient.—The ruling gradient is 1 in 250.

Agreement.—The line is being maintained and worked under the terms of an agreement which is under consideration.

Statistics of working—

Included with the Delhi-Umballa-Kalka railway.

South Bihar railway (5' 6" gauge)—

Chairman.—Sir Henry S. Cunningham, K.C.I.E.

Acting Secretary.—Percy A. Coys, Esq.

Offices.—41, York Street, Westminster, S. W.

Date of registration of the Company.—4th July 1895.

Progress in opening—

Sections of railway.		Date of opening.	Miles.	Total.
1	2	3	4	
Lucknow to Wazirpur.		1899		
Wazirpur to Gaya.		1900	79.19	79.19

Details of construction—

Permanent-way.—The permanent-way consists of double-headed steel rails 75 lbs. to the yard, laid on wooden sleepers and cast-iron chairs and Denham-Olpherts' cast-iron plate sleepers.

Ballast.—The line is ballasted throughout with stone.

Fencing.—The line is fenced only near village, at stations and for a short distance on each side of level crossings.

Curves.—The sharpest curve is of 3,000 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Contracts—

Dated the 7th August 1895 (called the principal contract), between the Secretary of State and the South Bihar Railway Company, as to construction.

Dated the 22nd August 1895 (called the contract of 1895), between the Secretary of State and the East Indian Railway Company, as to maintenance and working.

Dated the 21st April 1905 (supplemental to the contract of 1895), between the Secretary of State and the South Bihar Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Dated the 14th December 1906 (supplemental to the contract of 1895), between the Secretary of State and the South Bihar Railway Company, as to the lease of the South Bihar railway to the Secretary of State and yearly payment to the Company until date of determination of the contract of the 7th August 1895.

Dated the 16th January 1907, between the Secretary of State and the East Indian Railway Company, as to working the South Bihar railway as part of the Company's undertaking.

Main provisions of contracts—

(i) *Lease.*—Provided by the Government free of cost to the Company.

(ii) *Government aid.*—

(iii) *Terms of working.*—

(iv) *Distribution of profits.*—

Government has leased the line, from funds provided by the South Bihar Railway Company, and maintained, stocked and worked it through the agency of the East Indian Railway Company up to the 31st December 1905, for a certain proportion of its gross earnings; and, by agreement with the East Indian Railway Company, also allowed to the South Bihar Railway Company, by way of rebate, a percentage of the East Indian Railway's share of the receipts from traffic interchanged between the two railways towards making up an amount equal to 1 per cent interest for each half-year on the actual capital expenditure (subject to certain limits) on the South Bihar railway.

With effect from the 1st January 1906 the South Bihar Railway Company leased its line to the Government for a yearly sum of £30,000, payable by half-yearly payments of £15,000, at the end of each calendar half-year, in substitution of the corresponding provisions of the principal contract of the 7th August 1895.

As between the Government and the East Indian Railway Company the South Bihar railway as from 1st January 1906 is worked as part of the undertaking of the Company, who pay to the Government from the net half-yearly revenue of the undertaking the half-yearly sum of £15,000 and also interest for each half-year at 3½ per cent per annum on Rupees 7,63,099-1-11, being the amount of capital advances made by the Government for the purposes of the South Bihar railway.

GREAT INDIAN PENINSULA RAILWAY SYSTEM.

Chairman.—Sir Charles Herbert Armstrong.

Secretary.—R. H. Walpole, Esq.

Offices.—48, Copthall Avenue, London, E. C.

Date of registration of the former Guaranteed Company.—1853.

Lines comprised in the system.—The Great Indian Peninsula railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Great Indian Peninsula railway (5' 6" gauge)	2,553.13	114.94	2,668.07
(b) Agra-Delhi Chord railway (5' 6" gauge)	122.68	...	122.68
(c) Baroa-Kotah railway (5' 6" gauge)	40.29	...	40.29
(d) Bhopal-Itarsi railway (5' 6" gauge)	57.32	...	57.32
(e) Bhopal-Ujjain railway (5' 6" gauge)	113.38	...	113.38
(f) Bina-Gaons-Baran railway (5' 6" gauge)	147.07	...	147.07
(g) Cawnpore-Banda railway (5' 6" gauge)	75.71	...	75.71
(h) Rhond-Baranatti railway (5' 6" gauge)	27.36	...	27.36
(i) Ellichpur-Footsall railway (2' 6" gauge)	117.86	...	117.86
(j) Pulgaon-Arri railway (2' 6" gauge)	21.83	...	21.83
(k) Mathlora Light railway (2' 6" gauge)	12.61	...	12.61
(l) Pachora-Jannar railway (2' 6" gauge)	34.62	34.62
Total	3,321.94	149.56	3,441.50

Running powers—

Home line over foreign lines:—

Dadar junction to Colaba, 7.25 miles, for goods trains only and at Ujjain, 0.24 mile for passenger and goods trains, Bombay, Baroda and Central India railway	7.49
Idgah to Agra Fort, Bombay, Baroda and Central India railway, for passenger and goods trains	1.32
At Cawnpore, 0.97 mile for passenger and 0.52 mile for goods trains only, at Manikpur, 0.63 mile for passenger and goods trains, at Katni, 0.38 mile for goods trains only and between Belanganj and Junna Bridge Goods Depot, 1.86 miles for goods trains, East Indian railway	4.36
At Cawnpore, 0.86 mile for passenger and goods trains and between Cawnpore and Lucknow, 44.63 miles for passenger trains only, Oudh and Rohilkhand railway	45.49
At Katni, 1.60 miles for passenger and between Nagpur and Itwari Bazar, 1.73 miles for goods trains, Bengal-Nagpur railway	6.33
Total	61.99

Foreign lines over home line:—

Bengal-Nagpur railway, at Nagpur, for passenger and goods trains	0.85
Bombay, Baroda and Central India railway, Dadar Junction to Carmo Bridge, for goods trains only	4.30
Bombay, Baroda and Central India railway, 90.05 miles, Muttra Junction to Delhi Junction, and 1.76 miles, Mahim to Cowari, for passenger and goods trains	91.83
East Indian railway, Belanganj junction to Agra Cantonment, for passenger trains only	3.67
Bombay, Baroda and Central India railway, Fatehpur Road junction to Belanganj junction, for goods trains only	1.04
Total	101.19

Great Indian Peninsula railway (5' 6" gauge)—

The Great Indian Peninsula railway comprises the line formerly owned by the old Guaranteed Company of that name (now called the Great Indian Peninsula railway proper), in amalgamation with that of the late Indian Midland Railway Company (now known as the Midland section). The Guaranteed Company's railway was purchased by the State in 1900, when all the contracts then subsisting between the Secretary of State and that Company were determined and a new Great Indian Peninsula Railway Company was constituted. The amount of the purchase price was £34,559,218, of which £23,109,218 is being paid by means of a terminable annuity of £1,268,516, the remaining £1,750,000 being represented by Company's stock issued in exchange for £67,017 of annuity. In addition to the purchase price, the debentures and debenture stock of the Company for which the Secretary of State incurred the liability on purchase amounted to £5,922,350.

The contract between the Secretary of State and the Indian Midland Railway Company, dated the 22nd October 1885, was determined by the Secretary of State on the 31st December 1910. That does not, however, substantially affect the carrying out of the contract, between the Secretary of State and the Great Indian Peninsula Railway Company, dated the 21st December 1900, the effect of which is that the railways formerly known as the "Indian Midland Railway System" are to form part of the undertaking worked by the Company for so long as that contract remains in force.

Nor are the arrangements subsisting at the date of the termination of the Indian Midland Railway Company's contract for working of the Native State branches of that Company's line disturbed in any way by the termination of that Company's contract, the necessary alterations, whereby the Government becomes a party thereto instead of the Indian Midland Railway Company, having been made in the working agreements relating to such branches. The Gwalior Light railway was worked by the Great Indian Peninsula Railway Company up to the 30th June 1913, after which date the working was taken over by the Gwalior Durbar.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*Great Indian Peninsula railway (5' 6" gauge)—*contd.*
Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand Total.
1	2	3	4	5
GREAT INDIAN PENINSULA RAILWAY PROPER—				
NORTH-EAST LINE—				
<i>Main line—</i>				
Victoria Terminus to Thana	18-4-53	21-00		
Thana to Kalyan	1-5-54	13-41		
Kalyan to Vasind	1-10-55	16-14		
Vasind to Asangaon	8-3-60	8-75		
Asangaon to Kasara	1-1-61	21-54		
Kasara to Igatpuri (Thal Ghat)	1-1-65	9-99		
Igatpuri to Nasik	29-1-61	31-43		
Nasik to Chalisgaon	1-10-61	87-24		
Chalisgaon to Jalgaon	6-10-63	57-48		
Jalgaon to Bhusaval	20-5-63	15-04		
Bhusaval to Bhrnampur	20-11-65	33-73		
Bhrnampur to Khandwa	3-9-66	42-78		
Khandwa to Bir	17-3-68	31-15		
Bir to Itarsi	1-1-70	39-27		
Itarsi to Solapur	1-9-70	30-62		
Solapur to Jabulpore	8-3-70	121-85		
			615-46	
<i>Branches—</i>				
<i>Itarsi-Nagpur Branch—</i>				
Itarsi to Betul	1-5-18	68-25		
Betul to Amla	20-9-14	14-31		
Amla to Parasia	1-11-15	33-86		
<i>Bombay Harbour Branch—</i>				
Roay Road station to Kurla	12-12-10	6-19		134-42
<i>Mumbai chord—</i>				
Ravali to Mahim	12-8-14	1-30		6-19
				1-30
<i>Chalisgaon-Dhulia branch—</i>				
Chalisgaon to Dhulia	15-10-60	34-95		
				34-95
<i>Jalgaon-Amalner branch—</i>				
Jalgaon to Erandol Road	20-5-60	18-24		
Erandol Road to Amalner	4-4-60	16-09		
				34-26
<i>Nagpur branch—</i>				
Bhusaval Junction to Malkapur	20-5-63	30-05		
Malkapur to Shergaon	24-10-64	32-53		
Shergaon to Buldhara	18-12-65	72-67		
Buldhara to Palgaon	16-7-66	40-29		
Palgaon to Sindi	5-11-66	38-27		
Sindi to Nagpur	20-2-67	29-44		
				243-25
<i>Khandgaon branch—</i>				
Jalamb to Khandgaon	4-3-70	7-97		
<i>Amravati branch—</i>				
Badnera to Amravati	16-2-71	5-10		7-97
				5-10
<i>Balkharshah branch—</i>				
Warhu to mile 490-20	1-2-79	18-95		
Mile 490-20 to mile 512-64	24-12-75	22-44		
Mile 512-64 to Warora	26-4-76	4-09		
Warora to Balkharshah	1-2-68	37-12		
				82-51
<i>Mohpani branch—</i>				
Gadavala to Mohpani	3-9-72	12-17		
Mohpani to Gotitoria	25-11-96	1-07		
Mohpani to new coal-field	3-6-00	0-14		
			13-68	
SOUTH-EAST LINE—				
<i>Main line—</i>				
Kalyan to Palasdhari (Karjat)	12-5-56	30-60		
Palasdhari to Bhandala (Shore Ghat)	14-5-62	13-20		
Bhandala to Poona	14-6-58	42-01		
Poona to Diksal	15-12-58	84-25		
Diksal to Barsi Junction	23-10-59	50-60		
Barsi Junction to Mehool	31-1-60	23-53		
Mehool to Shapur	6-6-60	20-51		
Shapur to Gulbarga	1-2-70	70-29		
Gulbarga to Krishnani	1-12-70	78-76		
Krishnani to Rajahmundry	1-5-71	15-31		
			408-85	
<i>Branches—</i>				
<i>Mummad branch—</i>				
Dhond to Ahmednagar	15-3-78	50-41		
Ahmednagar to Mummad	17-4-78	35-03		
			145-44	
<i>Khopoli branch—</i>				
Palasdhari to Khopoli	13-5-56	7-24		
			7-24	
				861-83
TOTAL OPEN MILEAGE, GREAT INDIAN PENINSULA RAILWAY				
				1,741-01
MIDLAND SECTION—				
<i>Main line (including the Scindia State railway)—</i>				
Bhopal to Jhansi	1-1-60	179-92		
Jhansi to Gwalior	1-8-66	69-39		
Gwalior to Hoshangpur	30-12-79	33-40		
Hoshangpur to Dholpur	15-5-81	8-04		
Dholpur to Agra Cantonment	10-1-78	36-05		
Junction with Agra-Delhi Chord railway at Agra to terminal point of Rahaugani Goods Depot	27-2-66	1-75		
Centre of Agra Cantonment (mile 834-21) to junction point with Bombay, Baroda and Central India Railway near Idgah (Agra) (mile 835-56)	1-8-05	1-33		
			319-90	
				1,741-01
CARRIED OVER				
			319-90	

*So in d.s.
State rail
way.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Great Indian Peninsula railway (5' 6" gauge)—contd.

Progress in opening—contd.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	319.90	1,741.01	
Branches—					
Manikpur branch—					
Jhansi to Manikpur	5-6-89	89.46			
Manikpur to Banda	1-8-89	78.96			
Banda to Manikpur	15-2-89	61.37			
			180.29		
Cawnpore branch—					
Jhansi to Chaurah	1-2-88	94.97			
Chaurah to Cawnpore	1-4-88	40.98			
Initial point of Cawnpore-Banda railway at Jhansi to junction point with District N. 8 near Great Indian Peninsula Railway fencing at Jhansi.	1-4-15	0.50			
			136.4		
Moth quarry	26-7-47	2.78			
			2.78		
Bina to point of junction with Bina-Goonna-Baran railway.	1-5-95	5.00			
Bhopal to point of junction with Bhopal-Ujjain railway.	11-11-95	0.18			
			2.18		
Bina-Saugor-Katni branch—					
Bina to Saugor	5-6-89	45.25			
Saugor to Damoh	28-8-86	47.63			
Damoh to Katni	1-1-89	67.87			
Katni Murwara to Junction with Bengal-Nagpur railway.	1-1-90	0.71			
Katni Murwara to Junction with East Indian railway Junction near east mouth of tunnel (mile 837.58) to East Indian railway down point of Agra city (mile 837.57).	1-1-99	0.34			
	3-4-13	0.04			
East Indian railway down point of Agra city (mile 837.57) to Junction with East Indian railway (mile 837.60)	3-3-13	0.03			
			162.07		
Ait to Kanuch	7-12-05	8.50			
			8.50		
TOTAL OPEN MILEAGE, MIDLAND SECTION	812.12	
TOTAL OPEN MILEAGE, GREAT INDIAN PENINSULA RAILWAY.	2,553.13	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—					
Harn-Nagpur branch—					
Amla to Pandhurna } Sanctioned on 8th June	...	38.80			
Pandhurna to Nagpur } 1904.	...	64.94			
			103.74		
Harbour Branch extension—overhead connection—					
Tank Bundar to Victoria Terminus (sanctioned on 6th March 1912).	...	2.12			
			2.12		
Ghugus colliery branch—					
Tadli to Ghugus (sanctioned on 31st May 1917).	...	9.08			
			9.08		
				114.94	
GRAND TOTAL	2,668.07	
QUADRUPLE LINE—					
Victoria Terminus to Curry Road	4-12-05	4.29			
Curry Road to Thana	4-12-15	17.07			
Thana to Kalyan	{ 17-3-16	1.59			
	{ 1-3-17	6.67			
DOUBLE LINE—					
NORTH-EAST LINE—					
Main line—				99.62	
Thana to Kalyan	{ 1-4-77	2.84			
	{ 1-5-54	† 2.44			
Kalyan to Vasind	23-10-05	16.14			
Vasind to Atgaon	20-2-67	9.65			
Atgaon to Kasara	25-4-67	15.04			
Kasara to Igatpuri	1-1-65	9.89			
Igatpuri to Kalyan	10-1-63	130.54			
Kalyan to Pachora	17-3-89	18.05			
Pachora to Mahoji	27-5-89	9.14			
Mahoji to Bhadli	6-3-73	27.59			
Bhadli to Bhussaval	6-6-73	7.84			
Bhussaval to Bhussaval Junction	1-7-82	9.90			
Bhussaval Junction to Khandwa (Abna Junction)	11-1-89	74.53			
Khandwa to Itarsi	16-10-05	110.48			
			38.86		
Bombay Harbour Branch—					
Bay Road Station to Kurla	2-12-10	6.19			
			6.19		
Mahon Chord—					
Ravali to Mahim	12-8-14	1.30			
			1.30		
SOUTH-EAST LINE—					
Main line—					
Kalyan to Palasdhari	25-7-70	30.81			
Palasdhari to Khandala	14-5-68	13.20			
Khandala to Lonavla	14-6-68	3.85			
Lonavla to Karla	28-5-07	4.92			
Karla to Talegaon	8-1-88	13.51			
Talegaon to Shelarvadi	22-5-08	7.77			
Shelarvadi to Purna	13-5-08	18.46			
			85.62		
Nagpur branch—					
Bhussaval Junction to Bodwad	11-1-89	17.98			
Bodwad to Shigaon	1-4-90	44.98			
Shigaon to Mirajapur	30-3-15	46.49			
Mirajapur to Badnera	9-11-15	35.90			
Badnera to Dhamangan	25-1-17	28.76			
Dhamangan to Dahagaon	1-5-17	22.94			
Dahagaon to Dhokra	12-3-13	3.11			
			3.91		
Carried over	716.08		

†Excluding the quadruple sections.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Great Indian Peninsula railway (5' 6" gauge)—contd.
Progress in opening—concltd.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
DOUBLE LINE—concltd.					
Brought forward			716.08		
Midland section—					
Agra cantonment to new Junction with Agra-Delhi Chord railway near Raja-ki-Mandi.	3-2-13	2.70			
Old Junction with Agra-Delhi Chord railway near Raja-ki-Mandi (mile 837.19) to terminal point of Belanganj goods Depot (mile 838.07).	3-2-13	0.88			
Junction near east mouth of tunnel (mile 837.53) to East Indian railway down point of Agra City (mile 837.57).	8-2-13	0.04			
			3.62		
TOTAL DOUBLE LINE				719.70	

Details of construction—

Permanent way.—On the Great Indian Peninsula railway proper, the main line is laid with 100-lb. bull-headed, 82-lb. bull-headed and 69-lb. double-headed steel rails. The sleepers originally laid were chiefly wooden; these have now to a large extent been replaced by iron pots. The whole of the South-East line, except the Ghat sections, is laid with iron pots. On the Midland section, the whole of the main line, the Manikpur branch, the Cawnpore branch from Jhansi to mile 323.64 and the line from Bina to Katni, are laid with 80-lb. flat-footed steel rails on cast-iron pot sleepers. The Cawnpore branch from mile 351.77 to Hamirpur Road is laid chiefly with 82-lb. bull-headed rails on cast-iron pot sleepers. The main line between Bombay and Igatpuri and Kalyan and Lonavla is being relaid with 100-lb. bull-headed rails on wooden sleepers.

Ballast.—The line is ballasted with sand, gravel, laterite, knukur or stone.

Fencing.—With the exception of the Mohpani, Chaliagon-Dhulia, Jalgaon-Amalner and Warora-Balharshah branches, the Great Indian Peninsula railway proper is fully fenced. On the Midland section the main line is fenced throughout and the branches are partially fenced.

Curves.—The sharpest curve has a radius of 990 feet on the Bhore Ghat, between miles 75 and 78. The next sharpest curve has a radius of 1,056 on the Thull Ghat, between miles 78 and 79.

Gradients.—On the Great Indian Peninsula railway proper the ruling gradients on ordinary sections of the main line vary from 1 in 100 to 1 in 200, with 1 in 100 banking sections near Vasind and Asvali; the ruling gradient on the Ghat sections is 1 in 37. On the Midland section the ruling gradient between Bhopal and Jhansi is 1 in 200; between Jhansi and Agra 1 in 150 and between Jhansi and Manikpur 1 in 125. The Jhansi-Cawnpore branch is practically level, except at bridge approaches where the gradients are 1 in 250 and 1 in 300, and between Jhansi and Garhmanu where it is 1 in 200.

Contracts—

Dated the 21st December 1900 (called the principal contract), between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, as one undertaking, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.

Dated the 24th April 1903 (supplemental to the contract of 1900), between the Secretary of State and the Great Indian Peninsula Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Dated the 4th August 1908 (supplemental to the contracts of 1900 and 1903), between the Secretary of State and the Great Indian Peninsula Railway Company, as to Debenture stock.

Dated the 1st August 1913 (supplemental to the contracts of 1900, 1903 and 1908), between the Secretary of State and the Great Indian Peninsula Railway Company, for working the Nerbudda colliery.

Dated the 3rd July 1914 (supplemental to the contracts of 1900, 1903, 1908 and 5th February* and 19th March† 1909), between the Secretary of State and the Great Indian Peninsula Railway Company, as

to the adoption of the Government financial year for the preparation of accounts.

Main provisions of contracts—

(i) **Land.**—Originally, i.e., up to the 30th June 1900, was provided by the Government free of cost to the Company; that acquired thereafter is provided by the Government to the Company at the cost of capital.

(ii) **Government aid.**—Guarantee of interest at 3 per cent on the new capital of the Company.

(iii) **Distribution of profits.**—The working expenses of the whole undertaking are divided half-yearly between and attributed to the systems, in proportion to the gross receipts of each (the branch lines in Berar being treated as part of the Great Indian Peninsula Railway system).

From the gross receipts of each of the systems is deducted the share of its working expenses apportioned as aforesaid; and the gross earnings of each subsidiary line is charged with a share of the working expenses attributed to the system to which it belongs in the ratios which the gross receipts of such subsidiary lines bear to those of that system.

The net earnings of each year are applied :—

(1) in payment to the Secretary of State of the sum of Rs. 2,00,00,000 ;

(2) in repayment to the Secretary of State in rupees of all interest payable in respect of such year on all money raised after 30th June 1900 by the Company with the sanction of the Secretary of State for the purpose of the undertaking otherwise than by the issue of shares or capital stock, or provided by the Secretary of State after the same date.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*

Great Indian Peninsula railway (5' 6" gauge)—*contd.*

Main provisions of contracts—*contd.*

Any surplus to be divided between the Government and the Company in the proportion of $\frac{1}{10}$ th to the former and $\frac{9}{10}$ th to the latter. If the Company shall with the sanction of the Secretary of State increase its new capital and issue further shares or stock as fully paid up, the Company's share in such surplus as aforesaid shall thereonforth be increased by as additional fractional share bearing the same proportion to the original fractional share of $\frac{1}{10}$ th as the additional capital of the Company shall bear to the authorised capital of £2,575,000, but so that the fractional share shall in no event exceed $\frac{1}{10}$ th.

(iv) *Rates and fares.*—Maximum and minimum rates and fares and classification of passengers and goods to be as authorised by the Government.

(v) *Special obligations as to the conveyance of—*

(a) Mails, troops, high Government officials, and Government stores.—To be conveyed on the same general conditions as those in force on State railways, and at rates to be approved by the Government (not being less than the rates in force for similar services on State railways of the same gauge).

(b) Government bullion and coin, and the persons in charge thereof.—At special rates to be approved by the Government.

(vi) *Power of the Government to determine contract.*—

(vii) *Power of the Company to surrender contract.*—

} On the 30th June 1925 the Company are to give the Secretary of State possession of the undertaking, and the Secretary of State is to pay to the Company the amounts paid up, or credited as paid up, on all shares or stock then existing in the Company's new capital.

(viii) *Term of contract.*—25 years from 1st July 1900.

Statistics of working—(Those for the periods prior to 1901 will be found in Appendix 38 to the Railway Administration report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Annuity.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	
1	2	3	4	5	6	7	8	9	10	11	12	
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	
1901	1,749.37	30,64,49,134	4,16,57,453	2,16,18,151	7.66	48,90,016	1,00,87,970	1,17,661*	-25,34,396	518	48.03	
1902	1,561.03	30,88,53,092	4,24,26,217	2,10,98,908	6.84	46,38,679	1,00,56,785	2,61,702	-31,81,198	523	50.19	
1903	1,561.03	31,08,58,065	4,68,61,531	2,38,12,514	7.66	50,67,701	1,00,26,730	3,79,633	-6,63,350	575	49.18	
1904	1,561.03	32,00,72,108	4,82,41,344	2,41,79,728	7.55	53,19,948	1,00,28,595	3,84,935	-5,53,750	582	49.88	
1905	1,561.03	32,46,20,022	5,22,31,877	2,70,20,162	8.23	57,50,809	1,00,28,585	5,28,113	+17,12,855	611	48.17	
1906	1,561.03	33,07,64,972	5,05,53,770	2,50,01,900	7.54	61,21,511	1,00,28,555	4,46,777	-2,96,228	620	49.02	
1907	1,561.03	33,22,04,887	5,28,77,292	2,49,15,550	7.07	61,14,090	1,00,28,340	1,28,308	-6,56,748	640	52.88	
1908	1,569.51	37,36,87,900	4,68,32,792	1,76,86,218	4.73	68,53,229	1,00,28,340	4,49,998	-82,09,645	563	62.24	
1909	1,569.51	37,38,51,484	5,27,26,707	2,24,48,394	6.08	72,63,545	1,00,28,340	—	-39,47,591	634	57.03	
1910	1,906.24	38,67,62,534	5,88,64,731	2,58,06,771	6.67	74,54,102	1,00,28,355	4,60,703	-11,30,149	705	56.14	
1911	2,439.46	52,61,05,122	7,51,04,583	3,71,75,319	6.09	1,32,37,381	1,00,21,899	2,11,081	-2,01,092	579	53.98	
1912	2,419.33	54,85,41,956	8,02,03,165	3,69,31,275	6.74	1,33,36,041	1,00,27,104	6,30,327	+39,40,203	658	54.00	
1st yr. 1913	3,418.41	55,07,80,072	2,35,95,846	1,67,43,557	1.92	91,21,681	47,56,035	3,08,487	+23,56,754	751	54.47	
1915	2,494.08	59,49,23,530	8,57,95,516	3,40,32,063	5.72	1,40,18,233	1,00,28,043	4,01,512	-2,95,725	664	60.31	
1916	15.	3,409.64	63,57,03,067	7,71,55,344	2,86,15,825	4.57	1,35,09,055	1,42,26,985	63,799	+8,15,996	593	62.91
1915	16	2,554.35	63,18,51,816	9,04,19,770	3,87,73,463	4.95	1,71,15,005	1,00,27,710	5,20,238	+21,10,470	681	57.12
1916	17	3,551.71	65,77,23,935	9,74,13,433	4,50,10,638	6.81	1,70,18,950	1,00,27,690	7,04,097	+31,38,711	734	53.79
1917	18	2,538.13	66,55,45,847	10,61,08,431	4,94,90,571	7.44	1,76,88,691	1,00,27,695	10,02,459	+1,17,85,753	799	53.25

* From 1st July 1900 to 31st December 1901.

Agra-Delhi Chord railway (5' 6" gauge)—

This railway has been constructed by the State and is worked by the Great Indian Peninsula Railway Company.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Rajaki-Mandi (Agra) to Kosi	8-10-04	56.66		
Kosi to Delhi Sadr	15-11-04	68.70		
Delhi Sadr to Delhi	1-5-05	6.43		
Loop line connecting Agra-Delhi Chord railway with Delhi-Umballa-Kalka and Southern Punjab railways.	15-10-11	9.22	119.98	
Branch—				
Kosi to Bankat	24-9-06	5.95	5.95	
TOTAL				119.98
DOUBLE LINE—				
Junction point near Rajaki-Mandi to centre of Bilochpura station.	8-3-13	0.55		
Loop line connecting Agra-Delhi Chord railway with Delhi-Umballa-Kalka and Southern Punjab railways	15-10-11	0.22		
Catch point No. 2 at Bombay end of Delhi Sadr Yard to terminal point of Agra-Delhi Chord railway.	0-0-12	1.21		
			2.78	

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*Agra-Delhi Chord railway (5' 6" gauge)—*concl'd.*

Details of construction—

Permanent way.—The main line is laid with 85-lb. bull-headed steel rails on 45-lb. cast-iron chairs spiked with 8 spikes to deodar sleepers, and the branch is laid with 75-lb. flat-footed steel rails, second hand, on dog-spiked deodar sleepers.

Ballast.—The line is ballasted with kunkur soling and stone ballast to bring it up to full section.

Fencing.—The line is fully fenced.

Curves.—The sharpest curve is of 950 feet radius.

Gradients.—The ruling gradient is 1 in 400, except between Raja-ki-Mandi Junction and Bilochpura (Agra) and between Delhi Sadr and Delhi Junction where it is 1 in 200 and 1 in 333, respectively.

Contracts—

Dated the 21st December 1900 (called the principal contract), between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, as one undertaking, of the railways known as the Great Indian Peninsula railway system, and the Indian Midland railway system, and the subsidiary lines included therein.

Dated the 5th February 1909, between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, of the Agra-Delhi Chord railway as part of the Indian Midland railway system of the Company's undertaking.

Dated the 3rd July 1914 (supplemental to the contracts of 1900 and 1909), between the Secretary of State and the Great Indian Peninsula Railway Company, as to the adoption of the Government financial year for the preparation of Accounts.

Main provisions of contracts—

- (i) *Land.*—Provided by the Government at the cost of capital.
- (ii) *Government aid.*—The line is the absolute property of the Government, which provide all the funds chargeable to capital, and it is managed, maintained and worked by the Great Indian Peninsula Railway Company as part of the Indian Midland Railway system of the Company's undertaking.
- (iii) *Terms of working.*—The line is worked for the same proportion of the total working expenses of the undertaking, including this railway, as the gross earnings of this railway bear to the gross earnings of the whole undertaking, provided that no proportion in excess of 20 per cent of the gross receipts paid to any Railway Administration to whom running powers may be granted over the Agra-Delhi Chord is debited in the General Working Expenses Account of the Company's undertaking, such excess, if any, being directly debited to the Revenue Account of the Agra-Delhi Chord railway as a separate charge against its receipts.
- (iv) *Distribution of profits.*—The whole of the net earnings of the railway belong to the Government.
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.— (b) Government bullion and coin, and the persons in charge thereof.—	}	As noted under the Great Indian Peninsula railway.
--	---	--
- (vii) *Power of the Government to determine contract.*—
- (viii) *Power of the Company to surrender contract.*—
- (ix) *Term of contract.*—

the Company, on the 30th September or 31st March by giving to the other party not less than twelve calendar months' notice.	}	The contract is current from the day on which the line was opened throughout for traffic and is to continue in force until terminated, either by the Government or
---	---	--

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including surplus, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (2).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1904	119 51	1,05,90,556	18,070	9,992	0 00	2,95,161	-2,85,172	22	44 70
1905	119 75	1,22,46,927	5,01,655	4,10,625	3 43	4,20,181	-556	140	17 85
1866	125 69	1,37,90,307	16,46,320	8,15,363	6 37	4,70,263	+3,45,080	234	50 47
1907	125 69	1,25,37,017	18,15,900	7,45,489	5 81	4,09,625	+3,35,864	247	53 67
1908	125 66	1,38,12,753	15,17,793	5,70,112	4 15	4,84,834	+1,35,278	192	62 44
1909	125 66	1,39,68,543	14,74,866	6,22,196	4 76	4,35,393	+1,36,068	226	57 81
1910	125 66	1,34,32,395	17,65,793	7,52,601	5 60	4,45,949	+3,06,052	270	57 34
1911	125 96	1,43,65,868	20,67,879	8,63,294	6 06	4,67,506	+3,95,788	316	58 25
1912	125 88	1,43,40,719	22,83,607	10,48,793	7 31	4,58,760	+5,60,032	349	54 58
1st yr. of 1913.	125 88	1,44,67,320	8,4,932	2,80,382	1 94	1,22,470	+1,57,712	376	54 41
1913-14	125 88	1,45,94,629	23,09,374	9,21,034	8 31	5,08,329	+4,12,705	350	60 13
1914-15	125 88	1,47,46,965	32,08,644	12,01,747	8 15	5,13,360	+6,18,367	480	81 82
1915-16	125 88	1,47,58,191	28,84,018	12,33,114	8 40	5,12,249	+7,26,895	440	57 92
1916-17	125 88	1,47,96,695	30,47,574	14,16,878	9 53	4,87,091	+9,33,187	406	53 72
1917-18	125 88	1,48,68,632	33,67,179	15,74,689	10 59	5,15,137	+10,59,541	514	55 22

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Baran-Kotah railway (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Baran to Antah	20-2-07	13-58	
Antah to Kotah	1-8-09	26-71	
TOTAL			40-29

Details of construction—

Permanent-way.—The permanent-way consists of 87-lb. flat-footed steel rails and Australian or s&L sleepers.

Ballast.—The ballast consists of broken stone.

Fencing.—The line is not fenced.

Curves.—The sharpest curve is of 1,809 feet radius.

Gradients.—The ruling gradient is 1 in 150.

Contracts—

Dated the 21st December 1900 (called the principal contract), *between the Secretary of State and the Great Indian Peninsula Railway Company*, as to the maintenance, management and working, by the Company, as one undertaking, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.

Dated the 19th March 1909, *between the Secretary of State and the Great Indian Peninsula Railway Company*, as to the maintenance, management and working, by the Company, of the Baran-Kotah railway as part of the Indian Midland railway system of the Company's undertaking.

Dated the 3rd July 1914 (supplemental to the contracts of 1900 and 1909), *between the Secretary of State and the Great Indian Peninsula Railway Company*, as to the adoption of the Government financial year for the preparation of Accounts.

Main provisions of contracts—

As noted under Agra-Delhi Chord railway (5' 6" gauge), except that the charge for working expenses is not in any half-year to exceed 50 per cent of the entire gross receipts of the Baran-Kotah railway. (*Note.*—These terms had effect from the 1st July 1909, the date on which the Baran-Kotah railway was handed over to the Great Indian Peninsula Railway Company for working, *vide* Railway Board's letter to the Engineer-in-Chief, Nagda-Mutra railway, No. 1022-R.T., dated the 7th June 1909. Prior to that date the charge was the same percentage as obtained for working the lines comprised in the Great Indian Peninsula railway undertaking, *vide* letter from the Agent, Great Indian Peninsula railway to the Secretary, Railway Board, No. 57-II-5, dated the 15th April 1912.)

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> outlay on (1) lines open and (2) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1908	13-58	39,59,072	1,836	1,562	0-04	1,29,811	-1,28,223	10	55-28
1909	40-29	45,22,438	48,152	23,181	0-51	1,49,921	-1,20,740	23	51-86
1910	40-29	45,67,295	1,08,829	52,720	1-15	1,51,068	-86,348	50	49-22
1911	40-29	45,65,880	1,58,808	79,405	1-74	1,54,829	-75,421	76	50-00
1912	40-29	45,96,797	1,90,090	97,153	2-11	1,57,421	-60,233	91	48-85
1st yr. of 1913.	40-29	46,47,772	38,663	19,334	0-42	39,301	-19,967	74	50-00
1913-14	40-29	46,47,772	1,77,597	68,754	1-91	1,62,688	-73,324	85	50-00
1914-15	40-29	46,47,772	1,49,980	75,609	1-63	1,62,585	-84,066	72	49-54
1915-16	40-29	46,47,772	2,31,240	1,10,830	2-38	1,61,364	-50,774	106	50-00
1916-17	40-29	47,42,698	2,43,097	1,21,548	2-56	1,54,774	-33,228	116	50-00
1917-18	40-29	49,10,727	1,61,578	60,969	1-65	1,67,730	-86,747	77	50-00

Bhopal-Itarsi railway (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Itarsi to Hoshangabad	1-6-82	10-89		
Hoshangabad to Bhopal	1-11-84	45-45		
			56-34	
Branch—				
Centre of Bhopal station to the joint boundary of the Bhopal-Itarsi and Indian Midland railways at Bhopal	11-11-95	0-68		
			0-68	
TOTAL				57-29

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*

Bhopal Itarsi railway (5' 6" gauge)—*contd.*

Details of construction—

Permanent way.—The line is laid with the Indian Midland railway 80-lb. flat footed steel rails on Indian Midland railway cast-iron pot sleepers.

Ballast.—The line is fully ballasted throughout with broken stone.

Fencing.—The line is fenced throughout.

Curves.—There are no curves with a radius of less than 990 feet.

Gradients.—The ruling gradient is 1 in 200, except on the Ghat section, 11 miles, where it is 1 in 80.

Agreements and contract—

Agreement, dated the 16th September 1880, *between the Government of India and Her Highness the Begum of Bhopal*, as to the construction, management, maintenance and working, by the Government, of the Bhopal-Itarsi railway.

Agreement, dated the 30th June 1887, *between the Government of India and Her Highness the Begum of Bhopal*, supplemental to, and modifying, the agreement of 1880.

Agreement, dated the 2nd December 1890, *between the Government of India and Her Highness the Begum of Bhopal*, supplemental to, and further modifying, the agreement of 1880.

Contract, dated the 21st December 1900 (called the principal contract), *between the Secretary of State and the Great Indian Peninsula Railway Company*, as to the maintenance, management and working, by the Company, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.

Main provisions of agreements and contract—

(i) *Land.*—Land within the Bhopal State was provided free of cost by the Durbar; that within British territory by the Government at the cost of capital.

(ii) *Government aid.*—The Government paid for the portion of the line in British territory, and a moiety of the cost of the bridge over the Nerbudda river; in all about Rupees 13,96,000; the Begum of Bhopal contributed Rupees 50,00,000 for the portion of the line in her dominions.

All additional capital is to be provided by the Government, which undertook to construct, maintain, manage and work the line by State or other agency. At present the line is worked by the Great Indian Peninsula Railway Company as part of its undertaking.

(iii) *Terms of working.*—For working and stocking the Bhopal-Itarsi railway the Great Indian Peninsula Railway Company receives a sum which bears the same proportion to the total working expenses of the Company's undertaking, including the Bhopal-Itarsi railway, as the gross earnings of the Bhopal-Itarsi railway bear to the gross earnings of the undertaking.

(iv) *Distribution of profits.*—The net earnings are divided in perpetuity between the Government and the Ruler of Bhopal in proportion to the capital contributed by each. In the event of the railway being worked at a loss, such loss is borne by the two parties in the same proportion.

(v) *Rates and fares.*—

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof.—

As noted under the Great Indian Peninsula Railway.

(vii) *Power of the Government to determine contract.*—

(viii) *Power of the Company to surrender contract.*—

(ix) *Term of contract.*—

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*Bhopal-Itarsi railway (5' 6" gauge)—*contd.*

Statistics of working (Those for the periods prior to 1889 will be found in Appendix 38 to the Railway Administration Report for 1907).—

BHOPAL-ITARSI (BRITISH SECTION).										BHOPAL-ITARSI (NATIVE STATE SECTION).							
Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (13).	Earnings per mile per week.	Proportion of expenses to earnings.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
1889-1890.	Mileage open at end of each year.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.		Mileage open at end of each year.	Rs.	Rs.	Rs.	Rs.	Rs.		
1889-1890.	13-00	12,50,000	79,163	50,000	-55,422	117	108-85	44-11	43,40,846	2,67,388	-18,351	...	117	108-85	
1890-1891.	13-00	12,55,077	87,765	16,572	...	59,851	-86,923	130	118-85	44-11	50,00,000	2,97,049	-56,093	...	130	118-88	
1891-1892.	13-00	15,13,568	1,20,884	48,607	3-21	57,713	-9,106	200	62-50	44-11	50,00,000	1,60,433	1,73,151	3-46	199	62-50	
1892-1893.	13-00	17,16,294	1,53,090	50,597	3-23	69,131	-12,734	226	63-16	44-11	50,00,000	1,47,707	1,65,883	3-32	195	62-96	
1893-1894.	13-11	20,25,058	1,09,182	52,038	2-57	78,429	-26,391	248	60-17	44-00	50,00,000	1,24,236	1,30,925	2-63	185	59-17	
1894-1895.	13-11	21,71,196	1,41,638	81,453	2-63	89,509	-22,051	237	61-98	44-00	50,00,000	3,80,217	1,44,607	2-89	186	61-97	
1895-1896.	13-11	22,47,903	1,42,658	46,114	2-05	89,923	-43,249	209	67-68	44-28	50,00,000	3,18,074	1,02,821	2-06	188	67-67	
1896-1897.	13-11	22,71,577	1,83,088	62,744	2-76	90,107	-27,303	241	61-75	44-28	50,00,000	3,61,363	1,38,532	2-77	157	61-83	
1897-1898.	13-11	22,97,131	1,52,215	61,133	2-66	91,805	-30,670	223	59-84	44-28	50,00,000	3,31,379	1,33,096	2-66	144	59-84	
1898-1899.	13-11	23,24,365	1,83,574	79,183	3-42	92,477	-13,042	284	58-31	44-28	50,00,000	1,17,010	1,71,775	3-43	181	58-30	
1899-1900.	13-11	23,61,828	2,09,611	64,080	2-66	93,901	-9,223	307	59-88	44-28	50,00,000	1,47,245	1,79,144	3-50	184	59-88	
1900-1901.	13-11	23,87,330	2,35,124	1,27,332	3-33	95,294	-32,639	375	56-12	44-28	50,00,000	5,85,369	2,07,284	5-33	234	59-06	
1901-1902.	13-11	25,46,891	2,92,801	1,14,235	5-66	98,959	+15,246	430	56-75	44-28	50,00,000	5,85,152	2,58,838	5-78	251	50-64	
1902-1903.	13-11	26,02,540	3,46,103	1,71,296	6-11	1,00,632	+64,604	508	51-31	44-28	50,00,000	6,37,608	3,11,683	6-33	278	49-74	
1903-1904.	13-11	30,02,637	3,77,177	1,91,441	6-19	1,17,745	+74,156	533	49-46	44-28	50,00,000	6,31,911	3,21,326	6-43	276	48-54	
1904-1905.	13-11	31,52,987	3,95,794	1,98,668	6-28	1,20,127	+77,389	583	50-14	44-28	50,00,000	6,43,743	3,22,374	6-45	279	49-81	
1905-1906.	13-11	31,76,034	3,25,037	1,67,807	5-27	1,23,241	+44,061	477	48-57	44-28	50,00,000	5,21,610	2,67,359	5-36	227	48-63	
1906-1907.	13-11	31,57,841	3,60,294	1,78,701	5-40	1,25,079	+53,682	571	56-37	44-28	50,00,000	5,86,833	2,81,378	5-03	246	50-36	
1907-1908.	13-11	33,94,742	4,83,580	2,27,071	6-68	1,36,145	+1,23,982	710	53-04	44-28	50,00,000	7,32,284	3,14,438	6-08	318	52-36	
1908-1909.	13-11	35,84,132	4,29,276	1,82,305	5-29	1,19,624	+42,878	630	62-19	44-28	50,00,000	6,11,332	2,31,232	4-82	365	52-16	
1909-1910.	13-11	36,27,495	4,88,717	1,98,456	5-47	1,20,102	+78,354	686	57-66	44-28	50,00,000	6,50,553	2,75,516	5-51	288	57-65	
1910-1911.	13-11	37,52,043	5,70,100	2,47,693	6-81	1,23,711	+1,24,281	806	56-50	44-28	50,00,000	7,80,302	3,33,839	6-68	383	54-44	
1911-1912.	13-11	38,28,934	5,56,428	2,59,150	6-51	1,28,262	+1,88,508	887	55-90	44-40	50,00,000	7,34,374	3,29,072	6-58	317	55-19	
1912-1913.	13-11	39,14,773	7,02,010	3,18,387	8-13	1,32,749	+1,31,807	1,124	55-11	44-49	50,00,000	9,09,769	4,46,657	8-17	398	55-08	
1st qtr of 1913	12-13	39,41,321	2,12,430	98,800	2-46	33,398	+63,471	1,847	54-41	44-40	50,00,000	2,69,528	1,32,389	2-46	466	54-41	
1913-14	12-13	40,23,467	7,05,391	2,73,970	6-93	1,38,967	+1,40,000	1,119	60-49	44-40	50,00,000	8,99,535	3,48,636	6-97	381	60-50	
1914-15	12-13	40,69,706	5,38,408	2,01,763	4-08	1,41,598	+60,165	854	62-33	44-40	50,00,000	6,63,101	2,48,000	4-90	286	62-54	
1915-16	12-18	40,84,592	6,58,689	2,80,902	6-88	1,41,576	+1,38,730	1,044	57-45	44-40	50,00,000	8,06,864	3,43,332	6-87	349	57-45	
1916-17	12-02	40,94,551	7,87,007	3,65,281	8-92	1,84,805	+2,30,476	1,201	53-64	41-35	50,00,000	9,02,024	4,18,266	8-63	418	53-64	
1917-18	12-04	40,95,197	9,94,950	4,65,293	11-36	1,45,215	+3,13,076	1,511	53-23	44-16	50,00,000	12,15,033	5,68,227	11-36	524	53-23	

Bhopal-Ujjain railway (5' 6" gauge).—

Progress in opening.—

Section of railway.					Date of opening.	Miles.	Total.
1	2	3	4	5	6	7	8
Bhopal to Ujjain	11-11-95	113-28	113-23

Details of construction.—

Permanent way.—The permanent-way consists of 75-lb. flat-footed steel rails on transverse steel sleepers.*Ballast.*—The line is fully ballasted throughout with broken stone.*Fencing.*—The line is fenced only at, and in the vicinity of, stations, towns and important level crossings.*Curves.*—There are no curves with a radius of less than 970 feet.*Gradients.*—The ruling gradient is 1 in 150.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*

Bhopal-Ujjain railway (5' 6" gauge)—*contd.*

Agreements and contract—

- Agreement, dated the 4th August 1896 (called the principal contract), *between the Government of Her Highness the Begum of Bhopal and the Indian Midland Railway Company*, as to the maintenance, management and working, by the Company, of the Bhopal-Parbati section of the Bhopal-Ujjain railway as part of the Company's undertaking.
- Agreement, dated the 4th August 1896 (called the principal contract), *between the Government of His Highness the Maharaja Scindia of Gwalior and the Indian Midland Railway Company*, as to the maintenance, management and working, by the Company, of the Parbati-Ujjain section of the Bhopal-Ujjain railway as part of the Company's undertaking.
- Contract, dated the 21st December 1900, *between the Secretary of State and the Great Indian Peninsula Railway Company*, as to the maintenance, management and working, by the Company, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.
- Memorandum No. 2658-I. B., dated the 1st July 1902, *from the Government of India in the Foreign Department, to the Government of India in the Public Works Department*, intimating the acceptance by Her Highness the Begum of Bhopal of the provisions of clauses 28 and 29 of the contract of the 21st December 1900, *between the Secretary of State and the Great Indian Peninsula Railway Company*, in lieu of those of clause 15 of the agreement of the 4th August 1896, *between Her Highness' Government and the Indian Midland Railway Company*, as to the method of arriving at the working expenses of the Bhopal-Parbati section of the Bhopal-Ujjain railway.
- Agreement, dated the 31st January 1911 (supplemental to the agreement of 1896), *between the Secretary of State and the Government of Her Highness the Begum of Bhopal*, as to the substitution of "Secretary of State," for "Indian Midland Railway Company," as a party to the agreement of 1896.
- Agreement, dated the 20th March 1911 (supplemental to the agreement of 1896), *between the Secretary of State and the Government of His Highness the Maharaja Scindia of Gwalior*, as to the substitution of "Secretary of State," for "Indian Midland Railway Company," as a party to the agreement of 1896.

Main provisions of agreements and contract—

- (i) *Land*.—Provided free of cost by the Bhopal and Gwalior Durbars for the portions of the railway in their respective territories.
- (ii) *Government aid*.—The Bhopal-Parbati section is owned by the Bhopal Durbar, and the Parbati-Ujjain section by the Gwalior Durbar, each of which provides the funds for additional works, alterations in existing works not of the nature of repairs, and expenses other than those due to ordinary wear and tear incidental to the use and working of the railway and works and the conveyance of traffic thereon. The line is managed, maintained, stocked and worked by the Great Indian Peninsula Railway Company as part of the Indian Midland Railway system of the Company's undertaking.
- (iii) *Terms of working*.—For the Bhopal-Parbati section the charges against its gross receipts for working are as noted under Great Indian Peninsula railway (5' 8" gauge).
 For working the Parbati-Ujjain section the Great Indian Peninsula Railway Company retains 50 per cent of its gross receipts for each half-year. The gross earnings of the section are also charged with rent for the use of the station and accommodation provided by the Bombay, Baroda and Central India railway at Ujjain Junction station, and with rent for the telegraph lines and instruments when not the property of the section.
- (iv) *Distribution of profits*.—The net earnings of the Bhopal-Parbati section belong to the Bhopal Durbar; and those of the Parbati-Ujjain section, to the Gwalior Durbar.
- (v) *Rates and fares*.—
- (vi) *Special obligations as to the conveyance of*.—

(a) Mails, troops, police, high Government officials and Government stores.— (b) Government bullion and coin, and the persons in charge thereof.—	}	As noted under the Great Indian Peninsula railway.
--	---	--
- (vii) *Power of the Government to determine agreements and contract*.—
- (viii) *Powers of the Durbars to determine agreements*.—

from the dates of opening of the respective sections throughout for all kinds of public traffic, on 12 months' notice in writing given by either party to the other on the 30th June or 31st December in any year.	}	The agreements are terminable, on the expiry of ten years
--	---	---
- (ix) *Term of agreements and contract*.—Ten years, or as noted under the Great Indian Peninsula railway, whichever shall first fall in from the date of opening of the respective sections throughout for all kinds of public traffic.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Bhopal-Ujjain railway (5' 6" gauge)—concl'd.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	113.27	78,82,989	7,70,825	3,45,421	4.36	181	55.16
1909	113.27	78,72,638	8,23,957	3,82,437	4.86	143	59.88
1910	113.27	78,73,354	8,65,310	4,05,340	5.15	147	58.16
1911	113.27	78,77,088	9,59,356	4,55,954	5.79	163	58.47
1912	113.27	78,78,801	10,76,099	5,17,442	6.57	183	61.96
1st qtr. of 1913.	113.27	78,79,281	2,47,615	1,17,202	1.49	168	53.67
1913-14	113.27	78,82,524	11,10,615	5,13,648	6.50	189	53.84
1914-15	113.27	78,79,430	9,74,407	4,27,831	5.43	166	56.18
1915-16	113.27	78,83,465	10,77,534	5,04,090	6.89	183	59.22
1916-17	113.35	78,87,305	12,49,383	6,01,113	7.63	212	51.98
1917-18	113.28	79,00,130	8,92,619	4,26,880	5.40	152	62.17

Bina-Goonna-Baran railway (5' 6" gauge)—
Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
From a point 32 D at mile 608.457 at Bina to junction with Bina Goona Baran railway at mile 697.916.	...	1.46	...
From the joint boundary of the Midland section of the Great Indian Peninsula and Bina-Goonna-Baran railways, a point, 2.00 miles from the centre of Bina station, to Goona.	23-9-95	71.71	
From centre of Goona station (mile 216—3,402 feet) to end of Baran station (mile 290—2,859 feet).	15-5-99	73.99	
TOTAL	147.07

Details of construction—

Permanent-way.—The line is laid with 75-lb. flat-footed steel rails, 59.90 miles on double sleepers and 85.73 miles on transverse steel sleepers, State railway pattern and 1.44 miles are laid with 80-lb. track on Indian Midland railway cast iron pots.

Ballast.—The line is ballasted with broken stone and laterite.

Fencing.—The line from Bina to Goona is fenced. The Goona-Baran section is unfenced except at stations.

Curves.—There are no curves with a radius of less than 990 feet.

Gradients.—The ruling gradient is 1 in 125.

Agreements and contract—

Agreement, dated the 15th July 1896 (called the principal contract), between the Government of His Highness the Maharaja Scindia of Gwalior and the Indian Midland Railway Company, as to the maintenance, management and working, by the Company, of the Bina-Goonna section of the Bina-Goonna-Baran railway as part of the Company's undertaking (with clause 13 thereof modified as to maintenance of telegraphs under the authority of the letter from the Government of India to the Honourable the Agent to the Governor General for Central India, No. 596 R. T., dated the 20th June 1899).

Agreement, dated the 20th February 1899 (called the principal contract), between the Government of His Highness the Maharaja of Kotah and the Indian Midland Railway Company, as to the maintenance, management and working, by the Company, of the Chabra-Baran section of the Bina-Goonna-Baran railway as part of the Company's undertaking.

Agreement, dated the 27th February 1899 (called the principal contract), between the Government of His Highness the Nawab of Tonk and the Indian Midland Railway Company, as to the management, maintenance and working, by the Company, of the Dharnaoda-Chabra section of the Bina-Goonna-Baran railway as part of the Company's undertaking.

Agreement, dated the 12th May 1899 (called the principal contract), between the Government of His Highness the Maharaja Scindia of Gwalior and the Indian Midland Railway Company, as to the maintenance, management and working, by the Company, of the Goona-Dharnaoda section of the Bina-Goonna-Baran railway as part of the Company's undertaking.

Contract, dated the 21st December 1900, between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*

Bina-Goonna-Baran railway (5' 6" gauge)—*contd.*

Agreements and contract—*conold.*

Memorandum No. 3529 I. B., dated the 20th September 1901, from the Government of India in the Foreign Department, to the Government of India in the Public Works Department, intimating the acceptance by the Kotah and Tonk Durbars of the provisions of clauses 23 and 29 of the contract of the 21st December 1900, between the Secretary of State and the Great Indian Peninsula Railway Company, in lieu of those of the contracts of the 20th and 27th February 1899, between the Kotah and Tonk Durbars and the Indian Midland Railway Company, as to the method of arriving at the working expenses, respectively, of the Chabra-Baran and Dharnaoda-Chabra sections of the Bina-Goonna-Baran railway.

Agreements, dated the 17th April 1905, between the Government of His Highness the Maharaja Scindia

of Gwalior and the Government of His Highness the Nawab of Tonk, as to the purchase, by the former from the latter, of the Dharnaoda-Chabra section of the Bina-Goonna-Baran railway.

Agreement, dated the 12th January 1911, between the Secretary of State and the Government of His Highness the Maharaja of Kotah, supplemental to the agreement of the 30th February 1899, between the Kotah Durbar and the Indian Midland Railway Company, as to the substitution of "Secretary of State", for "Indian Midland Railway Company", as a party to the agreement of 1899.

Agreement, dated the 20th March 1911, between the Secretary of State and the Government of His Highness the Maharaja Scindia of Gwalior, supplemental to the agreement of the 15th July 1899, between the Gwalior Durbar and the Indian Midland Railway Company, as to the substitution of "Secretary of State", for "Indian Midland Railway Company", as a party to the agreement of July 1899.

Agreement, dated the 20th March 1911, between the Secretary of State and the Government of His Highness the Maharaja Scindia of Gwalior, supplemental to the agreement of the 12th May 1899 between the Gwalior Durbar and the Indian Midland Railway Company, as to the substitution of "Secretary of State", for "Indian Midland Railway Company", as a party to the agreement of 1899.

Agreement, dated the 20th March 1911, between the Secretary of State and the Government of His Highness the Maharaja Scindia of Gwalior, supplemental to the agreement of the 27th February 1899, between the Tonk Durbar and the Indian Midland Railway Company, as to the substitution of "Secretary of State", for "Indian Midland Railway Company", as a party to the agreement of 1899.

Memorandum No. 3002-I.B., dated the 30th August 1913, from the Government of India in the Foreign Department, to the Government of India in the Railway Department, intimating the acceptance by the Gwalior Durbar of the arrangement come to between the Tonk Durbar and the Great Indian Peninsula Railway Company in 1901, for the purpose of arriving at the working expenses of the Dharnaoda-Chabra section of the Bina-Goonna-Baran railway.

Corrigendum to the agreement of 20th February 1899, as to the method of calculating the working expenses of the Chabra-Baran section with effect from 1st October 1917.

Main provisions of agreements and contract—

(i) *Land*.—Provided free of cost by the several Native States for the portions of the railway in their respective territories.

(ii) *Government aid*.—The Bina-Goonna, Goonna-Dharnaoda, and Dharnaoda-Chabra sections are owned by the Gwalior Durbar, and the Chabra-Baran section by the Kotah Durbar, each of which provides funds for additional works, alterations in existing works not of the nature of repairs, and expenses other than those due to ordinary wear and tear and incidental to the use and working of the railway and works and the conveyance of traffic thereon. The railway is managed, maintained, stocked and worked by the Great Indian Peninsula Railway Company as part of the Indian Midland railway system of the Company's undertaking.

(iii) *Terms of working*.—For working the Bina-Goonna section, the Great Indian Peninsula Railway Company retains 50 per cent of its gross receipts for each half-year. The gross receipts of the section are also charged with rent for works, etc., in sole and joint use at Bina junction as laid down in clause 10 of the agreement of the 15th July 1899, and with rent for telegraph lines and instruments when not the property of the railway.

For working the Goonna-Dharnaoda section, the Great Indian Peninsula Railway Company retains out of its gross receipts a sum which bears the same proportion to the entire gross receipts of the section as the aggregate working expenses of the Indian Midland railway system as a whole (including the Goonna-Dharnaoda section) bear to the gross receipts of that system, for each half-year, subject to a limit of 50 per cent of the gross earnings of the section.

For the Dharnaoda-Chabra section the Railway Company charges the same percentage of the entire gross receipts of that section as the aggregate working expenses of the whole system of the Company bear to the gross receipts of that system.

For working the Chabra-Baran section the Great Indian Peninsula Railway Company retains out of its gross receipts a sum which bears the same proportion to the entire gross receipts of the section as the aggregate working expenses of the whole system of the Company bear to the gross receipts of that system, for each half year, subject to a limit of 50 per cent of the gross earnings of the section.

(iv) *Distribution of profits*.—The net receipts of each section are paid over to the Durbar to which each section belongs.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Bina-Goonah-Barah railway (5' 6" gauge)—concl'd.

Main provisions of agreements and contract.—concl'd.

(v) *Rates and fares.*—

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof—

As noted under
Great Indian
Peninsula rail-
way.

(vii) *Power of the Government to determine agreements.*—

(viii) *Power of the Durbar to determine agreements.*—

(ix) *Term of agreements.*—

As noted under Bhopal-Ujjain railway,
except in the case of Chabara-Baran
section where the Agreement, dated

the 20th February 1900, is terminable on the 31st March or 30th September in any year
on 12 months' notice being given in writing by either party to the other.

**Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Rail-
way Administration Report for 1907.)—**

Year.	Mileage open at end of each year.	Total capital outlay, including response, to and of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles	Rs.	Rs.	Rs.		Rs.	
1908	145.63	99,96,383	4,18,370	1,88,397	1.58	55	54.42
1909	145.63	1,00,08,750	2,79,897	1,27,060	1.28	37	54.28
1910	145.61	1,00,13,493	3,28,511	1,53,287	1.53	43	53.34
1911	145.61	1,00,32,562	3,87,038	1,81,172	1.61	51	53.11
1912	145.61	1,00,34,004	5,24,545	2,50,963	2.50	59	53.15
1st gr. of 1913	145.61	1,00,34,292	1,56,630	75,070	0.75	68	52.07
1913-14	145.61		6,18,716	2,35,378	2.84	81	53.50
1914-15	145.61	1,00,50,037	4,46,903	1,92,056	1.91	59	57.08
1915-16	146.61	1,00,52,443	5,41,654	2,51,780	2.50	72	56.32
1916-17	146.61	1,00,53,432	5,76,179	2,72,816	2.71	76	52.74
1917-18	147.07	1,00,53,795	4,62,312	2,20,970	2.20	67	52.29

Cawnpore-Banda railway (5' 6" gauge)—

This line was constructed and worked as a State line by the Oudh and Rohilkhand railway up to the 31st March 1915. Since then the maintenance, management and working of the line have been taken over by the Great Indian Peninsula Railway Company.

Progress in opening—

Sections of railway.	Date of opening	Miles.	Total.
1	2	3	4
Jauli to Hamirpur Road	21-4-13	32.87	
Hamirpur Road to Khirada	20-7-14	42.84	
TOTAL			75.71

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed British standard rails laid on steel trough sleepers.

Ballast.—The line is ballasted with sand. But stone or brick ballast has been provided at station yards and bridge approaches.

Fencing.—The line is fenced throughout.

Curves.—The sharpest curve has a radius of 2,292 feet.

Gradients.—The ruling gradient is 1 in 150.

Contracts—

Dated the 31st December 1900 (called the principal contract), between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, as one undertaking, of the railways known as the Great Indian Peninsula railway system and the Indian Midland railway system, and the subsidiary lines included therein.

Dated the 8th May 1914, between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance, management and working, by the Company, of the Cawnpore-Banda railway, with effect from the 1st April 1915, as part of the Indian Midland railway system of the Company's undertaking.

Main provisions of contracts—

As noted under Agra-Delhi C'bord railway, except that the rolling-stock for the Cawnpore-Banda railway will be supplied by the Great Indian Peninsula railway in return for a payment of 5 per cent of the gross earnings of the Cawnpore-Banda railway, over and above the percentage paid by the Secretary of State, for the maintenance and working of that line. (India office letter No. 26 Railway, dated the 30th April 1915).

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Cawnpore-Banda railway (5' 6" gauge)—concl'd.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	
1	2	3	4	5	6	7	8	9	10	
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.		
1813-14	33-87	69,34,118	Included with the Oudh and Rohilkhand railway.							
1814-15	78-27	72,34,564								
1915-16	75-71	75,91,573								
1816-17	75-71	75,21,177								
1917-18	75-71	75,69,027								
			4,05,258	1,60,136	2'03	2,72,928	-1,12,790	108	60-48	
			3,68,246	1,50,691	1-80	2,60,632	-1,09,941	94	59-08	
			3,08,939	1,20,184	1-42	2,76,281	-1,47,997	78	58-18	

Dhond-Baramati railway (2' 6" gauge)—

Date of registration of the Company.—1912.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Dhond to Baramati	20-5-14	27-26	27-26

Details of construction—

Permanent-way.—The permanent-way consists of 35-lb. flat-footed steel rails laid on pressed steel pea-pod sleepers.

Ballast.—The line is ballasted with stone and the banks with moorum.

Fencing.—Only the station yards are fenced.

Curves.—The sharpest curve is of 478-3 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

The line was constructed, and is being maintained and worked, by the Great Indian Peninsula Railway Company for the Dhond-Baramati Railway Company under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from (+) or share of surplus profits payable to, (—), the Great Indian Peninsula railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1914-15	27-26	11,81,373	50,293	27,698	2-84	+12,448	40,076	3-88	35	45-00
1915-16	27-26	11,61,931	69,389	37,539	3-23	+20,946	58,507	5-03	48	46-00
1916-17	27-26	11,60,314	75,248	43,035	3-71	+14,507	57,542	4-98	55	45-00
1917-18	27-26	11,61,368	95,019	53,177	4-50	—5,841	58,118	5-00	67	45-00

Ellichpur-Yeotmal railway (2' 6" gauge)—

Date of registration of the Company.—1910.

This line was constructed by the Great Indian Peninsula Railway Company for a Branch Line Company called the Central Provinces Railways Company.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—contd.

Ellichpur-Yeotmal railway (2' 6" gage)—contd. Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Ellichpur to Murtaajapur	1-12-13	47.65	
Murtaajapur to Karanja	1-11-14	19.88	
Karanja to Yeotmal	30-9-15	50.18	
TOTAL OPEN MILEAGE	117.66

Details of construction—

Permanent-way.—The permanent-way consists of 35-lb. flat-footed steel rails laid on pressed steel pear-shaped sleepers.

Ballast.—The line is chiefly ballasted with sand. Banks at places are ballasted with moorum.

Fencing.—Only the station yards are fenced.

Curves.—The sharpest curve is of 637 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Contracts —

Dated the 27th March 1916, between the Secretary of State and the Central Provinces Railways Company, as to the construction, maintenance and working of the Ellichpur-Yeotmal railway.

Dated the 15th December 1916, between the Secretary of State and the Great Indian Peninsula Railway Company, as to the maintenance and working of the Ellichpur-Yeotmal railway.

Dated the 3rd October 1917 (supplemental to the contract of 27th March 1916), between the Secretary of State and the Central Provinces Railways Company, as to the construction and working of the Pulgaon-Arvi railway as part of, and included, in the original undertaking.

Main provisions of contract—

- (i) *Land.*—Land in British territory provided free of cost.
- (ii) *Government aid.*—The Government shall allow to the Company, at the end of each year by way of rebate such a sum, not exceeding in any year the net earnings of the Great Indian Peninsula railway, from all traffic originating or terminating at stations of this railway, as shall together with the net earnings of the Company make up an amount equal to interest for the year at a rate of 5 per cent per annum on the paid up share capital of the Company. When the net earnings do not suffice to pay interest at 5 per cent, the Company shall be paid by the working agency out of the working expenses the sum of Rs. 15,000 for each year towards the office expenses and expenses of management and direction of the Company and also pay all such legal expenses as shall have been incurred by the Company and are debitable to Revenue.
- (iii) *Terms of working.*—The line is managed, maintained, worked and supplied with rolling-stock for 45 per cent of its gross earnings.
- (iv) *Distribution of profits.*—When the net earnings of the Company exceed the minimum amount sufficient to give a return of 5 per cent per annum such excess shall be applied towards the payment of office expenses, expenses of management and direction of the Company up to a limit of Rs. 21,000 and the balance, if any, shall be divided equally between Government and the Company.
- (v) *Rates and fares.*—The working agency shall charge such rates and fares for the carriage of goods and passengers, as shall be agreed upon between the Secretary of State and the working agency, and adopt such classification of goods as shall be in force on the Great Indian Peninsula railway.
- (vi) *Special obligations as to the conveyance of—*

<ol style="list-style-type: none"> (a) Mails, troops, police, high Government officials and Government stores.— (b) Government bullion and coin, and the persons in charge thereof— 	}	All business connected with the management and maintenance of the line and conducting the traffic thereon, including police and telegraphs and telegraphic appliances, shall in all respect, as far as practicable, be carried on in the same manner and subject to the same regulations and control by the Secretary of State as the like business on the Great Indian Peninsula railway.
---	---	--
- (vii) *Power of the Government to determine agreement.*—The Government may, by giving not less than twelve months' notice of purchase, determine the contract on the 31st March 1947 or on the 31st March in the last year of any subsequent period of ten years.
If the contract is determined by 'notice of purchase,' the Government shall pay to the Company 25 times the amount of the average yearly net earnings (excluding payments on account of rebate) derived by the Company during the three years immediately preceding the time at which the contract shall be determined, subject to a limit of 20 per cent. in excess of, but not less than, the total capital expenditure of the Company.
The Government may also, by giving twelve months' notice of special purchase, determine the contract at any time in the following cases:—
 - (a) when it is considered desirable that the gage of the railway should be altered;
 - (b) when it is considered desirable to convert the railway into a line of through communication and

GREAT INDIAN PENINSULA RAILWAY SYSTEM—*contd.*

Ellichpur-Yectmal railway (2' 6" gauge)—*concl'd.*

Main provisions of contract—*concl'd.*

(c) when it is considered desirable to extend the railway (without altering the gauge or making the line part of a through route), and the Company is unable or unwilling to supply the necessary capital for such extension.

If the contract be determined by 'notice of special purchase', the Government to pay to the Company 25 times the average yearly net earnings (excluding payments on account of rebate) of the Company during the last preceding three years, or 115 per cent of the total capital expenditure of the Company, whichever may be the greater.

(viii) *Power of the Company to surrender contracts.*—Nil.

(ix) *Term of contract [if not determined under (vii)].*—None specified.

Statistics of working (Including Pulgaon-Arvi railway from 1917-18.)—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from, (+) or share of surplus profits payable to (—), the Great Indian Peninsula railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1913-14	47.85	24,35,692	45,505	86,027	1.48	...	36,027	1.48	196	45.00
1914-15	67.48	32,43,018	2,80,101	1,47,250	2.52	...	1,57,856	2.52	82	45.00
1915-16	117.23	96,53,204	4,48,479	2,45,583	3.69	+ 4,409	2,49,993	3.76	73	45.00
1916-17	117.63	47,53,039	5,96,916	3,28,304	4.88	+ 16,630	3,44,934	5.10	93	45.00
1917-18	139.49	68,85,992	6,67,556	3,59,435	4.29	+ 32,115	3,91,550	4.67	92	44.15

* The increase of 115 percent is due to the expenditure incurred direct by the Company on account of loan of rolling-stock from the Pachora-Jamner railway.

Pulgaon-Arvi railway (2' 6" gauge)—

Date of registration of the Company.—1914.

Sanction to the construction of this line by the Great Indian Peninsula Railway Company, for the Central Provinces Railways Company, was conveyed in Railway Board's Notification No. 248, dated the 30th September 1914.

Progress in opening

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Pulgaon to Arvi	25-9-17	21.83	21.83

Details of construction—

Permanent-way.—The permanent-way consists of 35-lb. flat-footed rails laid partly on steel sleepers and partly on sal sleepers.

Ballast.—The line is ballasted with stone.

Fencing.—Only station platforms, B class level crossings and some cuttings alongside the Public Works Department road are fenced.

Curves.—The sharpest curve is of 537 feet radius.

Gradients.—The steepest gradient is 1 in 80.

Contracte—

{ As noted under Ellichpur-Yectmal railway.

Main provisions of contracts—

Statistics of working—Included with Ellichpur-Yectmal railway.

Matheran Light railway (2' 0" gauge)—

Date of registration of the Company.—16th September 1908.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Neral to Matheran	22-3-07	12.61	12.61

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rail laid on half-round teak and other wood sleepers.

Ballast.—Broken stone.

Fencing.—Not fenced.

Curves.—The sharpest curve is of 60 feet radius.

Gradients.—The gradient is 1 in 20 compensated.

GREAT INDIAN PENINSULA RAILWAY SYSTEM—concl'd.

Matheran Light railway (2' 0" gauge)—concl'd.

Local Government Order and agreement—

The Matheran Tramway order published under the Bombay Government, Public Works Department (Railway), Notification No. 34, dated the 28th July 1903, authorising the construction, maintenance and working of the line by the Promoter.

Further order published under the Bombay Government, Public Works Department (Railway), Notification No. 47, dated the 19th November 1907, and Letter No. 30, dated the 11th January 1908, from the Secretary to the Government of Bombay, Public Works Department (Railway Branch) to the Promoter, Matheran Light railway. } effecting certain amendments in the Matheran Tramway order of 1904.

Agreement, dated the 30th October 1909, between the Matheran Steam Light Tramway Company and the Great Indian Peninsula Railway Company, as to the control of traffic and working, by the latter, of the line.

N.B.—A revised agreement having retrospective effect from the 1st April 1915 was concluded after the 31st March 1918.

Main provisions of Local Government Order and Agreement—

- (i) *Land.*—Government land was provided free of cost. Private land to be acquired by the Government at the expense of the Tramway Company.
- (ii) *Government aid.*—The line is the property of the Matheran Steam Light Tramway Company, who provide all rolling-stock, locomotives, machinery and plant, and maintain the way and works; the working of traffic, train arrangements, and the keeping and auditing of the Revenue Accounts being under the control of the Great Indian Peninsula Railway Company.
- (iii) *Terms of working.*—The gross receipts are treated as those of the Great Indian Peninsula Railway Company, which retains thereout the actual expenditure incurred by it, including the cost of stores consumed on the Matheran Light railway in the Traffic and Audit Departments, and for station and running staff, printing, stationery and all other expenses connected therewith, plus 5 per cent per annum as rent on the actual cost of new structures, machinery, plant and furniture, and 7½ per cent per annum for ballast, permanent-way, etc., including maintenance and renewal, for the sole use of the light railway with a certain proportion (based on the weight of local and interchanged traffic) of the annual rent, at the rates above noted, for new joint works, etc.
- (iv) *Distribution of profits.*—The net receipts are to be paid over to the Light Railway Company.
- (v) *Rates and fares.*—To be within the maxima sanctioned in the Tramway Order, the rules, conditions, etc., in respect thereto being the same as obtain on the Great Indian Peninsula railway.
- (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high Government officials and Government stores.— } Not specified.
 - (b) Government bullion and coin, and the persons in charge thereof.— }
- (vii) *Power of the Railway Company to determine agreement.*— } The agreement is terminable on the
- (viii) *Power of the Tramway Company to determine agreement.*— } 31st March or 30th September in any year on six months' notice by either party to the other.
- (ix) *Term of agreement.*—

Government may purchase the line as a going concern on the 1st January 1940, or at the expiration of any subsequent period of five years, for a sum representing the aggregate of 25 times the average of its net earnings for the three calendar years immediately preceding the date of purchase.

Statistics of working (Those for 1907 will be found in Appendix 38 to the Railway Administration Report for 1907).

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	12.61	10,55,007	53,410	8,456	0.80	117	84.17
1909	12.61	11,12,071	64,873	27,612	2.48	144	57.44
1910	12.61	11,34,119	53,951	13,513	1.19	133	75.83
1911	12.61	11,36,593	74,382	39,483	3.47	158	46.90
1912	12.61	11,38,245	78,089	36,034	3.25	163	53.09
1st of 1913	12.61	11,38,720	19,401	3,843	0.34	118	80.19
1913-14	12.61	11,38,843	74,545	33,410	2.84	114	55.18
1914-15	12.61	11,38,848	81,325	27,538	2.42	129	67.89
1915-16	12.61	11,38,948	84,185	16,279	1.82	128	80.66
1916-17	12.61	11,41,805	86,684	28,405	2.32	132	69.43
1917-18	12.61	11,42,757	87,222	30,945	2.71	138	64.52

Pachora-Jamner railway (2' 6" gauge)—

Date of registration of the Company.—10th February 1915.

Sanction to the construction of this line by the Great Indian Peninsula Railway Administration, for the Pachora-Jamner Railway Company, was conveyed in Railway Board's Notification No. 64, dated the 17th March 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Pachora to Jamner (sanctioned on 17th March 1915)	...	84.02	84.03

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM.

Chairman.—Colonel W. V. Constable, R.E.

Acting Secretary.—Percy A. Cory, Esq.

Offices.—25 Buckingham Palace Road, Westminster, S.W.

Date of registration of the former guaranteed Company.—1853.

The former Madras Guaranteed Railway Company's contract having expired on the 31st December 1907 the lines owned by that Company were purchased by the Secretary of State for India, and on the 1st January 1908 the then existing Madras railway (with the exception of the Jalarpet-Mangalore section), together with the 3' 3½" gauge sections of the South Indian railway from Katpadi to Gudur and Pakala to Dharmavaram, was made over to the Southern Mahratta Railway Company for working, the enlarged Company being styled the Madras and Southern Mahratta Railway Company.

Lines comprised in the system.—The Madras and Southern Mahratta railway system is made up of—

	Open line, Miles.	Under construction or sanctioned for construction, Miles.	Total. Miles.
(a) Madras and Southern Mahratta railway (5' 6" gauge)	1,031.73	...	1,031.73
(b) Kolar Gold-fields railway (5' 6" gauge)	9.88	...	9.88
(c) Tenali-Ropallic railway (5' 6" gauge)	21.50	...	21.50
(d) Madras and Southern Mahratta railway (3' 3½" gauge)	1,518.13	...	1,518.13
(e) Bezawada-Masulipatnam railway (3' 3½" gauge)	51.80	...	51.80
(f) Birur-Shimoga railway (3' 3½" gauge)	37.92	...	37.92
(g) Dhone-Kurnool railway (3' 3½" gauge)	32.00	...	32.00
(h) Hindupur (Yesvantpur-Mysore Frontier) railway (3' 3½" gauge)	51.35	...	51.35
(i) Kolhapur State railway (3' 3½" gauge)	29.27	...	29.27
(j) Mysore-Nanjangud railway (3' 3½" gauge)	15.80	...	15.80
(k) Mysore section (Madras and Southern Mahratta) (3' 3½" gauge)	206.23	...	206.23
(l) Sangli State railway (3' 3½" gauge)	4.99	...	4.99
(m) West of India Portuguese railway (3' 3½" gauge)	51.10	...	51.10
(n) Alinavar Dandeli (3' 3½" gauge)	...	19.12	19.12
Total	3,151.06	19.12	3,170.78

Running powers—

Foreign lines over home line—

Bengal-Nagpur railway, Waltair to Vizagapatnam (including the wharf and swamp lines)	4.97
Nizam's Guaranteed State railway, outer signal at Bezawada to Bezawada station	0.89
South Indian railway, over whole or any part of the Madras-Bangalore section	219.00
Bangalore-Chik Ballapur Light railway, Yesvantpur to Yesilanka, with the help of a 2nd rail	8.85
Total	233.71

Madras and Southern Mahratta railway (5' 6" gauge)—

The Madras and Southern Mahratta 5' 6" gauge railway is defined to be the former Madras railway (with the exception of the Jalarpet-Mangalore section), and the southern section of the former East Coast railway (called the North-East line of the former Madras railway).

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
SOUTH-WEST LINE—					
<i>Main line—</i>					
Madras to Veyasarpady	7-4-73	2.16			
Veyasarpady to Walajah Road (Aroot)	1-7-56	63.22			
Walajah Road (Aroot) to Katpadi	7-5-57	14.96			
Katpadi to Gudiyattam	19-5-58	15.36			
Gudiyattam to Ambur	10-1-60	17.01			
Ambur to Vaniambadi	1-2-60	9.98			
Vaniambadi to Jalarpet.	23-5-60	9.86			
			182.55		
<i>Branches—</i>					
<i>Bayapuram branch—</i>					
Veyasarpady to Bayapuram	1-7-56	2.18			
Bayapuram to Beach	22-1-60	1.03			
Washermenpet to Basin bridge	15-5-07	1.05			
<i>Ranipet branch—</i>					
Walajah Road (Aroot) to Ranipet	17-4-09	4.17	1.24		
<i>Bangalore branch—</i>					
Jalarpet Junction to Bangalore Cantonment	1-8-64	84.37	4.17		
Bangalore Cantonment to Bangalore City	1-7-82	3.95			
			67.12		
Carried over	228.88	

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Madras and Southern Mahratta railway (5' 6" gauge)—*contd.*

Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
NORTH-WEST LINE—				228'38	
Brought forward					
<i>Main line—</i>					
Arkonam to Nagari.	4-3-61	17-27			
Nagari to Pattur	8-12-61	9-29			
Pattur to Renigunta	15-9-62	14-46			
Renigunta to Reddipalle	1-10-64	38-02			
Reddipalle to Cuddapah	1-9-65	36-59			
Cuddapah to Muddanura	1-8-66	34-31			
Muddanura to Tadipatri	1-9-64	82-07			
Tadipatri to Gooty	1-8-69	29-72			
Gooty to the Tungabhadra river	12-12-70	73-33			
Tungabhadra to Raichur	15-3-71	17-93			
			308-28		
NORTH-EAST LINE—				308-28	
Basin bridge to Korakkupettai	15-3-97	0-65			
Washernonpet to Ennur	22-2-98	8-25			
Kannur to Gudur	25-2-99	75-25			
Gudur to Nellore	*1-11-88	23-75			
Nellore to Kistna Canal	20-12-06	135-00			
Kistna Canal to Bezawada	15-7-97	3-06			
Bezawada to Kovur	20-9-99	38-24			
Kovur to Rajahmundry	6-8-00	4-69			
Rajahmundry to the Junction point near Waltair	15-7-93	119-80			
Singhanam Junction point near Waltair station to Waltair.	15-7-93	4-25			
			483-14		
<i>Branches—</i>					
Sungalkot Junction to Coonnada port branch	15-7-93	9-74			
Waltair to end of branch near Vizagapatam station	15-7-93	2-18			
			11-93	495-07	
TOTAL OPEN MILEAGE				1,031-75	
DOUBLE LINE—					
Washernonpet to Basin bridge	15-3-97	1-05			
Washernonpet to Veyasarpandy	14-9-01	1-04			
Madras to Veyasarpandy Junction	7-4-73	2-16			
Veyasarpandy Junction to Perambur	7-5-74	1-39			
Perambur to Avadi	1-5-77	97-4			
Avadi to Tiruvallur	20-7-77	12-89			
Tiruvallur to Arkonam	28-8-77	16-52			
Bongal-Nagpur railway north outer signal to north facing point at Waltair		0-46			
TOTAL DOUBLE LINE			44-94		

Details of construction—

Permanent-way.—The South-West down line, from Madras to mile 42½ and from mile 59½ to mile 134½, and up line, from Madras to mile 12 are laid with 75-lb. bull-headed steel rails on cast iron pots. The remainder of the South-West line, i.e., from mile 42½ to mile 59½ and from mile 134½ to Bangalore, and portion of up line, from mile 12 to mile 29½, the North-East line, from Basin bridge to mile 4½, and the North-West line, from Arkonam to mile 231'34, are laid with 80-lb. bull-headed steel rails on cast iron pots, except 2 miles, from mile 96 to mile 98, on the North-West line which is laid with 70-lb. bull-headed rails. The South-West up line, from mile 29½ to Arkonam, and the North-West line, from mile 231'34 to Raichur, are laid with 75-lb. double-headed steel rails on cast iron pots. The remainder of the North-East line, from mile 4½ to mile 266½, is laid with 75-lb. flat-footed steel rail on timber sleepers, except a portion, between miles 207 and 221, which is laid on pot sleepers. From mile 266½ to mile 355½ the line is laid with 75-lb. flat-footed steel rail on pot sleepers, except between miles 336½ and 343 which is laid on timber sleepers. The line between miles 355½ and 483 is laid with 75-lb. flat-footed steel rail on timber and steel trough sleepers. The timber sleepers are being gradually renewed by steel trough sleepers.

The Walajah Road-Ranipet branch is laid with 75-lb. double-headed steel rails on cast iron pots, except for a short length where it is laid with 65-lb. double-headed iron rails on timber sleepers.

The Coconada, and Vizagapatam branches are laid with 75-lb. flat-footed steel rail on timber sleepers.

Ballast.—The line is ballasted with stone and sand, chiefly the latter.

Fencing.—The North-West and South-West lines are fenced throughout and the North-East line only in the vicinity of towns, stations and level crossings.

Curves.—The sharpest curve is of 700 feet radius.

Gradients.—The ruling gradient between Madras and Jalarpet is 1 in 159; between Jalarpet and Bangalore, 1 in 80 (except at Kuppam Ghat where it is 1 in 68 and between Bangalore cantonment and Bangalore city there is a gradient of 1 in 78); between Walajah Road and Ranipet, 1 in 150; between Arkonam and Raichur, 1 in 80 (except at Ballapalli Ghat where it is 1 in 60) between Madras and Bezawada, 1 in 200; and between Bezawada and Waltair, 1 in 150.

Contracts—

Dated the 1st June 1882 (called the original contract), between the Secretary of State and the former Southern Mahratta Railway Company, as to the construction and working of a system of railways in the South Mahratta country to be called the Southern Mahratta railway.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—contd.**Madras and Southern Mahratta railway (5' 6" gauge)—contd.****Contracts—contd.**

- Dated the 28th October 1885 (supplemental to that of 1882), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the construction and working of the West Deccan railway.
- Dated the 31st August 1887 (supplemental to those of 1882 and 1885), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the construction and working of a line from Rambennur to Harihar and a line from Bellary to Guntakal.
- Dated the 31st August 1887 (supplemental to those of 1882, 1885 and 1887), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the construction, maintenance and working of the Mysore State railway.
- Dated the 27th February 1889 (supplemental to those of 1882, 1885 and 1887), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the completion and working of the Bellary-Kistna railway.
- Dated the 21st August 1898 (supplemental to those of 1882, 1885, 1887 and 1889), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the working of the British section of the Guntakal-Yesvantpur railway.
- Dated the 8th April 1903 (supplemental to those of 1882, 1885, the secondly mentioned contract of 1887, and that of 1889), *between the Secretary of State and the former Southern Mahratta Railway Company*, as to the adoption of 1s. 4d. as the "prescribed" rate of exchange.
- Dated the 26th June 1908 (called the principal contract), *between the Secretary of State and the Madras and Southern Mahratta Railway Company*, as to the continuance of the existing contracts subject to the variations and modifications thereof as therein set forth.
- Dated the 16th March 1911, *between the Secretary of State and the Madras and Southern Mahratta Railway Company*, supplemental to, and in amendment of certain particulars in, that of 1908.
- Despatch from the Secretary of State, No. 66 Railway, dated the 9th August 1912, in regard to the issue of further capital by the Company.
- Dated the 11th February 1914 (supplemental to that of 1908), *between the Secretary of State and the Madras and Southern Mahratta Railway Company*, in regard to the issue of debentures and debenture stock.
- Dated the 20th May 1914 (supplemental to the contracts of 1882, 1885, 1887, 1889, 1908, 1903, 1908 and 1911), *between the Secretary of State and the Madras and Southern Mahratta Railway Company*, as to the adoption of the Government financial year for the preparation of accounts.
- Dated the 12th August 1914 (supplemental to the contracts of 1882, 1885, 1887, 1889, 1908, 1903, 1908, 1911 and 20th May 1914), *between the Secretary of State and the Madras and Southern Mahratta Railway Company*, as to the construction, maintenance and working of the Guntur-Tenali section of the Guntur-Repalle railway as part of the undertaking of the Company.

Main provisions of contracts—

- (i) *Land*.—Provided by the Government at the cost of capital.
- (ii) *Government aid*.—(a) Interest in sterling is guaranteed at 3½ per cent per annum on the nominal amount of capital stock, for the time being, of the Company, and is payable half-yearly by the Secretary of State, the Government being entitled to retain out of the Company's share of surplus profits for the year the rupee-equivalent of this interest. If the Company's share for the year be less than the guaranteed interest, the deficiency is not to be made good out of the Company's share of a subsequent year.
- (b) Moneys for capital expenditure are provided at the Secretary of State's option, either by advances made by him, or by the issue of debentures or debenture stock or further capital stock of the Company: such issues can only be made with the Secretary of State's approval.
- (c) Debentures falling due are discharged by advances made by the Secretary of State.
- [NOTE.—The advances made by the Secretary of State under (b) and (c) above are, until repaid, treated as further capital contributed by him. All moneys raised by the Company on debentures or debenture stock or capital stock are applied, in the first place, to the repayment of these advances.]
- (d) Interest due on debentures or debenture stock is paid in sterling by the Secretary of State.
- [NOTE.—The rupee-equivalent of this interest is repaid to the Secretary of State out of the net earnings of each half-year.]
- (iii) *Distribution of profits*.—After deducting, from the gross earnings of the Company's and State lines for the half-year, the working expenses (which include the contributions made under the rules to the Provident Fund and the haulage payable to the South Indian railway), the net earnings are applied:—
 - (a) in payment of rebate to the South Indian railway and to the Bezawada-Masulipatam railway, if any [see parenthetical note under (c) below];
 - (b) in repayment to the Secretary of State of the interest paid on debentures [see (ii) (d) above]. But the undertaking is to be credited half-yearly with a sum equal to the guaranteed interest paid on the average amount, if any, held by the Secretary of State during the half-year, of the unexpended balances of issues of capital made for the purposes of the undertaking; and,
 - (c) the surplus is divided between the Secretary of State and the Company in proportion to the respective shares in which the capital, for the time being, (excluding debenture capital) has been contributed by them. The Secretary of State's capital is taken at a sum of £ 11½ millions, to which is added the amount up to date of his advances; and the Company's capital at £ 5 millions, the amount for the time being of their share capital.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*Madras and Southern Mahratta railway (5' 6" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*

[NOTE.—25 per cent of the gross earnings derived by the Madras-Bangalore section from traffic carried over that section in South Indian railway trains is payable as haulage to the South Indian railway. In addition, the South Indian railway receives a rebate of 25 per cent of the gross earnings derived by the Madras-Bangalore section from the traffic interchanged between that section and the Jalarpet-Mangalore section, *vis* Jalarpet.

The terms of the rebate payable to the Bezawada-Masulipatam railway are given under Bezawada-Masulipatam railway (3' 3½" gauge).]

(iv) *Rates and fares.*—Maxima and minima for each class and description of passengers and goods are fixed by the Government, who also prescribe the several classes and descriptions. If the Government require the Company to reduce the rates for salt below those in force on the 28th June 1903, the Company are to be compensated for any loss ensuing.

(v) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials } To be conveyed on the same general conditions and at the rates in force on State railways of similar gauge.
(b) Government bullion and coin, and the persons in } charge thereof.—

(vi) *Power of the Government to determine contract.*—The railway and all its appurtenances are absolutely the property of the Government, which may determine the contract on the 31st December 1937, or on the 31st December in any succeeding fifth year reckoning from that date, by giving to the Company in London not less than twelve months' previous notice. Upon the termination of the contract the Company are to give the Government the possession of the railway; and the Government are to pay the Company a sum equal to the nominal amount of its share capital, *viz.*, £5,000,000, and of any additional paid up capital stock that may have been issued for the purpose of the Company's and State lines.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract.*—The contract is determinable only as noted under (vi) above.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (a) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1904	1,031.73	16,69,79,257	1,84,22,663	44,96,942	2.69	306	72.62
1905	1,031.73	17,06,81,729	1,78,08,355	72,97,215	4.28	334	59.31
1910	1,031.73	17,37,06,666	1,86,19,005	89,93,571	4.68	351	56.96
1911	1,031.73	17,73,67,663	1,96,36,910	89,15,849	5.03	366	54.60
1912	1,031.73	17,80,88,139	2,16,88,463	1,03,95,264	5.81	404	52.07
1st qr. of 1913	1,031.73	17,97,20,709	59,13,814	32,63,211	1.82	441	44.74
1913-14	1,031.73	18,26,82,243	2,35,70,849	1,04,37,713	5.71	423	53.09
1914-15	1,031.73	18,59,61,863	2,33,73,105	1,10,09,466	5.94	436	52.84
1915-16	1,047.81	18,64,35,872	2,58,28,354	1,26,37,710	6.78	481	51.07
1916-17	1,047.81	18,80,59,305	2,98,17,094	1,90,86,389	8.02	547	49.40
1917-18	*1,031.73	18,95,62,451	3,33,04,402	1,83,63,419	9.69	616	41.86

* The decrease is due to the dismantlement of the Guntur-Tonali branch as a temporary war measure.

Kolar Gold-fields railway (5' 6" gauge)—

The railway was constructed by the Mysore Durbar in order to provide facilities for the gold-fields.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Bowingpet to Marikuppam	1-6-94	9.88	9.88

Details of construction—

Permanent-way.—The line is laid with 76-lb. bull-headed steel rails on cast iron pot sleepers.

Ballast.—The line is ballasted with stone and sand, chiefly the former.

Fencing.—The line is fenced throughout.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradients.—The ruling gradient is 1 in 66.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—contd.

Kolar Gold-fields railway (5' 6" gauge)—concl'd.

Agreement and contract—

Agreement, dated the 1st July 1902, between the Mysore Government and the former Madras Railway Company, as to working and maintenance with effect from 1st January 1901.

Contract, dated the 28th June 1903 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement subject to the variations and modifications thereof as therein set forth.

Main provisions of agreement and contract.

- (i) *Laid.*—Provided by the Mysore Durhar at the cost of capital.
- (ii) *Government aid.*—The line (which is the property of the Mysore Durhar) is maintained, stocked and worked by the Madras and Southern Mahratta Railway Company in all respects (except only as to capital expenditure which is provided by the Durhar) as part of their own undertaking.
- (iii) *Terms of working.*—Maintenance and working expenses are calculated at the same proportion
- (iv) *Distribution of profits.*—

(i) of the gross earnings of the Branch as obtains on the Company's system, as a whole, including the Branch. But in the case of accident or damage caused by extraordinary casualty, e.g., by floods, each party bears its own cost of repairs, such cost being eliminated from the Company's revenue account before the percentage of working expenses referred to above is arrived at. The Company works the Branch for the maintenance and working expenses as above, plus cost of new minor works and 5 per cent. of the gross earnings of the Branch for the use of rolling-stock, plus the amount due by the Branch for use of the joint station at Bowringpet. In addition the Company receives 1/4th of the balance which remains after payment of interest on the capital expenditure of the Branch incurred after the 31st December 1907. Besides the "ordinary" contribution to the Provident Fund, the Branch is liable, when it earns more than 4 per cent on its capital outlay, for a further contribution amounting to the difference between the "ordinary" contribution and 1 per cent of its net receipts.	}	The same as from time to time obtain on the Company's lines.
--	---	--
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.— (b) Bullion and coin.—	}	The same as from time to time obtain on the Company's lines.
--	---	--
- (vii) *Power of the Government to determine agreement.*—Nil.
- (viii) *Power of the Government to determine contract.*—As in the case of Madras and Southern Mahratta railway (5' 6" gauge).
- (ix) *Power of the Durhar to determine agreement.*—Subject to six months' notice expiring only on the 30th June or the 31st December of any year.
- (x) *Power of the Durhar to determine contract.*—Nil.
- (xi) *Power of the Company to determine agreement.*—Subject to six months' notice expiring only on the 30th June or the 31st December in any year; and also to withdraw from the agreement if sanction be accorded to the construction of a competing line to the gold-fields.
- (xii) *Power of the Company to surrender contract.*—Nil.
- (xiii) *Term of agreement.*—Not specified.
- (xiv) *Term of contract.*—As in the case of Madras and Southern Mahratta railway (5' 6" gauge).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908 . . .	9'88	12,07,930	1,98,191	51,095	4'28	386	74'21
1909 . . .	9'88	12,09,189	1,59,004	52,789	4'28	399	68'28
1910 . . .	9'88	12,06,384	1,55,747	54,733	4'51	393	64'96
1911 . . .	9'88	12,06,678	1,74,398	63,927	5'30	389	61'24
1912 . . .	9'88	12,06,635	1,53,341	58,791	4'87	396	61'96
1st gr. of 1913	9'88	12,06,635	45,990	20,664	1'71	358	55'07
1913-14 . . .	9'88	12,08,556	1,73,840	65,189	5'39	388	68'50
1914-15 . . .	9'88	12,09,532	1,77,599	66,006	5'46	346	68'28
1915-16 . . .	9'88	12,09,192	1,71,611	70,145	5'80	334	56'17
1916-17 . . .	9'88	12,09,193	1,69,802	71,833	5'94	331	57'70
1917-18 . . .	9'88	12,12,706	1,71,628	79,971	6'50	334	53'40

Tenali-Rapalle railway (5' 6" gauge)—

The construction of this line by the Madras and Southern Mahratta Railway Company, at the cost of the District Board of Cuntur, was sanctioned in Railway Board's Notification No. 110, dated the 9th April 1918.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tenali to Rapalle	8-3-16	11'50	11'50

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Tenali-Repalle railway (5' 6" gauge)—*contd.*

Details of construction—

Permanent-way.—The line is laid with 75-lb. flat-footed British Standard steel rails on timber sleepers.

Ballast.—The line is ballasted with sand.

Fencing.—Only the station yards are fenced.

Curves.—The sharpest curve has a radius of 1,432 feet.

Gradients.—The ruling gradient is 1 in 150.

Contract—

Main provisions of contract—

Statistics of working—

The line is being worked under the terms of a contract which is under consideration.

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.	%	Rs.	
1915-16	21.09	12,14,651	3,169	1,585	0.13	75	50.00
1916-17	21.59	14,24,966	1,06,811	53,465	3.75	98	50.00
1917-18	21.59	14,95,815	1,09,583	54,792	3.69	98	50.00

Madras and Southern Mahratta railway (3' 3½" gauge)—

The Madras and Southern Mahratta 3' 3½" gauge railway is the former Southern Mahratta railway in amalgamation with the sections (Pakala to Dharmavaram and Katpadi to Gudur) of the South Indian railway taken over, and the lines formerly known as the Bellary-Rayadrug, Hospet-Kottur and Guntakal-Mysore Frontier railways.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Frontier to Castle Rock	3-2-88	3.63			
Castle Rock to Deuli	18-6-87	2.75			
Deuli to Dharwar	24-1-87	36.00			
Dharwar to Hospet	1-7-85	101.25			
Hospet to Bellary	24-3-84	40.51			
Bellary to Guntakal	15-8-87	29.99			
Guntakal to Nandyal	11-7-87	90.25			
Nandyal to Cumbum	15-5-90	68.18			
Cumbum to Tadepalli	3-10-89	122.41			
Tadepalli to Bezvada	...	2.97			
			512.94		
Branches—					
Harihara branch—					
Hubli to Harihara	18-10-86	81.00			
			61.00		
Bijapur branch—					
Gadag to Hotgi	1-8-84	173.08			
			175.08		
Poona branch—					
Londa to Belgaum	21-3-87	31.80			
Belgaum to Miraj	23-12-87	85.88			
Miraj to Koregaon	8-5-87	76.00			
Koregaon to Ghorpuri	18-11-86	83.07			
Ghorpuri to Poona	4-10-90	0.91			
			277.66		
Guntakal-Mysore Frontier branch—					
Guntakal to Dharmavaram	1-3-92	62.95			
Dharmavaram to Hindupur	23-4-93	49.28			
Hindupur to Mysore Frontier	17-7-98	7.27			
			119.50		
Bellary-Rayadrug branch—					
Bellary to Rayadrug	1-7-05	83.35			
			33.35		
Hospet-Kottur branch—					
Hospet to Kottur	1-4-05	43.05			
Rayadrug to Nagalpuram	1-12-06	3.59			
Nagalpuram to Fortwall	24-5-09	2.84			
Fortwall to Kanivihalli	1-10-10	6.79			
			56.19		
Katpadi-Dharmavaram branch—					
Katpadi to Pakala	15-3-91	30.48			
Pakala to Vayalpad	1-1-92	46.69			
Vayalpad to Dharmavaram	20-3-92	94.14			
			180.31		
Pakala-Gudur branch—					
Pakala to Tirupati West	18-3-91	25.05			
Tirupati West to Gudur	15-9-87	59.05			
			84.10		
GRAND TOTAL				1,519.13	

* This section, which was opened throughout in 1871 as a 5' 6" gauge branch of the former Madras railway, was made over to the former Southern Mahratta Railway Company on 1st February 1907 and converted to 3' 3½" gauge on the 16th May 1887.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—contd.

Madras and Southern Mahratta railway (3' 3½" gauge)—*contd.*

Details of construction—

Permanent-way.—The rails in use are of 4½-lb., 50-lb., 60-lb., and 62-lb., flat-footed steel. The sleepers are teak, sal, jamba, pine and Australian eucalypts and steel trough.

Ballast.—The line is ballasted with stone, gravel, sand and moorum.

Fencing.—The lines from Hospet to Kottur and Bellary to Rayadrug are unfenced, those from Pakala to Dharmavaram and Kaspadi to Gudar are fenced only at stations, and the rest are partially fenced.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—The ruling gradient is 1 in 100, except on the Braganza Ghats (between miles 0 and 3 on the main line) and between Ramandrug and Kanivihalli, where the gradient is 1 in 40, and on the sections between Hospet and Kottur and Bellary and Rayadrug, where it is 1 in 60.

Contracts—

This line forms part of the Madras and Southern Mahratta projected railway within the meaning of the original contract of the 1st June 1882, as supplemented by the principal contract of the 26th June 1903, the main provisions of which are stated under Madras and Southern Mahratta railway (5' 6" gauge).

Statistics of working—

INCLUDES THE MADRAS AND SOUTHERN MAHRATTA RAILWAY (3' 6" GAUGE).

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Annually.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Percentage of Company's share of net earnings (surplus profits plus guaranteed interest on share capital) on Company's capital.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11	12	13
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.		Rs.	Rs.	
1868	2,612.86	26,65,72,872	2,82,50,470	97,06,140	3.30	85,17,070	36,81,010	8,24,312	4.76	-32,86,955	214	66.32
1869	2,640.74	30,21,68,713	2,97,72,171	1,18,36,060	3.95	91,15,914	73,25,715	5,26,308	4.24	-51,01,474	226	60.91
1870	2,552.53	30,63,87,064	3,11,30,143	1,30,92,185	4.27	92,69,791	73,25,715	8,10,124	4.50	-42,22,475	235	57.94
1901	2,552.53	31,14,03,239	3,28,19,064	1,41,67,381	4.53	94,01,802	73,25,715	17,05,276	4.97	-37,15,527	247	56.48
1912	2,552.53	31,27,38,270	3,53,32,019	1,47,26,469	5.16	96,17,634	73,25,715	16,41,270	5.09	-24,00,850	260	54.96
1st yr. of												
1913	2,552.53	31,67,83,052	3,65,56,644	1,49,01,725	5.17	96,13,007	73,25,715	16,31,475	5.02	-24,00,850	260	54.96
1913-14	2,552.53	32,04,96,830	3,72,78,171	1,64,35,252	5.13	1,00,91,877	73,25,715	17,40,261	5.08	-24,00,850	261	54.91
1914-15	2,551.35	32,38,94,364	3,79,07,039	1,68,30,824	5.04	1,18,13,624	73,25,715	16,72,607	4.73	-44,93,022	281	56.23
1915-16	2,567.19	32,41,57,072	4,15,37,815	1,96,60,001	4.98	1,10,67,730	73,25,715	20,80,603	7.09	-13,83,468	318	60.67
1916-17	2,567.21	32,61,15,887	4,61,06,076	2,27,72,156	4.90	1,08,72,580	73,25,715	35,72,962	8.26	-16,01,178	348	60.93
1917-18	2,567.96	32,75,42,561	5,12,54,050	2,74,66,953	4.89	1,12,14,959	73,25,715	18,07,108	10.94	-19,55,874	369	57.82

* The decrease is due to the dismantling of the Ootter-Tenali branch.

† This sum represents the Company's share of surplus net earnings for the year 1917-18 minus the guaranteed interest for the year on the Company's stock capital of 25,000,000. The surplus net earnings for the year 1917-18 were divided between Government and the Company in the proportion of 111,550,000 to 25,000,000 which works out to a ratio of 9 : 1.

Bezwada-Masulipatam railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Bezwada to Masulipatam	4-2-08	49.47	
Masulipatam to Masulipatam Port (Tidal Lock)	1-1-09	2.33	
TOTAL		51.80	

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on tenk sleepers.

Ballast.—The line is ballasted 41 miles with stone and the remainder with sand.

Fencing.—The station yards only are fenced.

Curves.—The radius of the sharpest curve is 717 feet between Masulipatam and Tidal Lock.

Gradients.—The ruling gradient is 1 in 200.

Agreement and contract—

Agreement, dated the 4th February 1908, between the District Board of Kistna and the Madras and Southern Mahratta Railway Company, as to maintenance and working, having effect from the 4th February 1908, the date of opening of the Branch.

Contract, dated the 28th June 1903 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement subject to the variations and modifications thereof as therein set forth.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Bezawada-Masulipatam railway (3' 3½" gauge)—*concl'd.*

Main provisions of agreement and contract—

- (i) *Land.*—Provided by the Government free of cost.
 - (ii) *Government aid.*—
 - (iii) *Terms of working.*—
 - (iv) *Distribution of profits.*—
- } The line (which is the property of the District Board of Kistna) is maintained and worked as an integral part of the Company's system by the Madras and Southern Mahratta Railway Company, who provides the rolling-stock and other appliances, etc., necessary thereunto.
- For these services the Company is to receive half-yearly 45 per cent of the gross earnings of the Branch the balance, after meeting the cost of new minor works, being handed over to the District Board.
- By way of rebate the Company is to pay to the District Board, in respect of and at the end of each year, such a sum not exceeding in any year 10 per cent of the share attributable to the Company's system of the gross earnings from traffic (except stores) interchanged between the Company's system and the Branch railway as shall, together with the net earnings of the Branch for such year, make up an amount equal to interest for the year at the rate of 3½ per cent on the actual expenditure charged in its capital account.
- (v) *Rates and fares.*—
 - (vi) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin.—
- } The same as from time to time obtain on the Madras and Southern Mahratta railway.
- (vii) *Power of the Government to determine agreement.*—The Government may purchase the Branch line at the expiry of 30 years, or at subsequent periods of 10 years, on twelve months' notice given, at a price 25 times the yearly average net earnings (excluding rebate payments) of three years preceding the purchase, subject to a maximum price of 129 and a minimum of 100 per cent of cost price on a rupee basis.
 - (viii) *Power of the Government to determine contract.*—As in the case of Madras and Southern Mahratta railway (5' 6" gauge).
 - (ix) *Power of the Kistna District Board to determine agreement.*—
 - (x) *Power of the Kistna District Board to determine contract.*—
 - (xi) *Power of the Company to determine agreement.*—
 - (xii) *Power of the Company to surrender contract.*—
 - (xiii) *Term of agreement [if not determined under (vii)].*—Not specified.
 - (xiv) *Term of contract [if not determined under (viii)].*—As noted under Madras and Southern Mahratta railway (5' 6" gauge).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	49.47	20,02,818	2,72,333	1,49,753	7.48	117	45.00
1909	51.80	21,24,465	3,29,527	1,80,804	8.51	122	45.13
1910	51.80	21,58,745	3,07,417	1,60,821	7.73	114	45.78
1911	51.80	21,82,661	2,59,551	1,37,954	7.24	107	45.45
1912	51.80	21,98,743	3,51,337	1,81,732	8.27	123	45.14
1st yr. of 1913	51.80	21,99,308	94,771	52,124	2.37	141	45.00
1913-14	51.80	22,04,371	5,55,514	1,94,187	8.81	131	45.07
1914-15	51.80	22,03,555	4,06,330	2,23,174	10.13	131	45.08
1915-16	51.80	22,06,193	6,18,706	2,29,699	10.40	135	45.15
1916-17	51.80	22,15,370	3,82,727	2,09,320	9.45	143	45.31
1917-18	51.80	22,26,919	3,71,789	2,03,920	9.15	138	45.13

Birur-Shimoga railway (3' 3½" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Birur to Shimoga	1-12-99	37.92	37.92

Details of construction.

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on Mysore teak sleepers.

The Bhadrā bridge is laid with 50-lb. flat-footed steel rails.

Ballast.—The line is ballasted throughout with stone and sand.

Fencing.—The line is unfenced except for a very short length.

Curves.—The sharpest curve is of 1,500 feet radius.

Gradients.—The ruling gradient is 1 in 89.

Agreement and contract—

Agreement, dated the 2nd December 1899, between the Government of His Highness the Maharaja of Mysore and the former Southern Mahratta Railway Company, as to maintenance and working the Shimoga railway, with effect from 1st December 1899, supplementary to the provisions of the (Mysore) contract of the 31st August 1887, between the Secretary of State and the former Southern Mahratta Railway Company.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Birur-Shimoga railway (3' 3½" gauge)—*concl'd.*

Agreement and contract—*concl'd.*

Contract, dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement subject to the variations and modifications thereof as therein set forth.

Main provisions of agreement and contract—

- (i) *Land*.—Provided by the Mysore Durbar at the cost of capital.
- (ii) *Government aid*.—The line (which is the property of the Mysore Durbar) is maintained, stocked and worked by the Madras and Southern Mahratta Railway Company in all respects (except only as to capital expenditure which is provided by the Durbar) as part of its own undertaking.
- (iii) *Terms of working*.— } Maintenance and working expenses are calculated at the same proportion of the gross earnings of the Shimoga railway as (excluding the cost of new minor works attributable to the Mysore State lines and debitable direct to each of those railways to which the works pertain) obtains on the Company's system as a whole, plus 5 per cent of the gross earnings of the Shimoga railway for the use of the Company's rolling-stock with effect from 1st July 1908, plus the cost of new minor works, in each half-year. And in addition thereto the Company is, as from the 1st July 1908, entitled to ¼th of the surplus of the net earnings of the Shimoga railway, after payment thereof of the interest payable on any capital expenditure incurred in respect of that line after the 31st December 1907. The residue is to be paid by the Company to the Durbar.
- (iv) *Distribution of profits*.— }
- (v) *Rates and fares*.— }
- (vi) *Special obligations as to the conveyance of*— } The same rates as from time to time obtain on the Madras and Southern Mahratta railway. Except when specially sanctioned by the Government, no terminal charge is to exceed 3 pies per maund leviable only at stations of origin and destination.
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin.—
- (vii) *Power of the Government to determine agreement*.—If not determined by the Durbar or the Company sooner, *vide* (ix) and (xi), then the agreement terminates simultaneously with the principal contract between the Secretary of State and the Company, dated the 26th June 1908.
- (viii) *Power of the Government to determine contract*.—As in the case of the Madras and Southern Mahratta railway (3' 6" gauge).
- (ix) *Power of the Durbar to determine agreement*.—The Durbar may determine the agreement on the 1st January or 1st July in any year after the year 1904 on 12 months' notice given.
- (x) *Power of the Durbar to determine contract*.—Nil.
- (xi) *Power of the Company to determine agreement*.—As noted under (ix).
- (xii) *Power of the Company to determine contract*.—As in the case of the Madras and Southern Mahratta railway (3' 6" gauge).
- (xiii) *Term of agreement*.—As noted under (vii).
- (xiv) *Term of contract*.—As noted under the Madras and Southern Mahratta railway (3' 6" gauge).

Statistics of working.—

Included with the Mysore section (Madras and Southern Mahratta; 3' 3½" gauge).

Dhone-Kurnool railway (3' 3½" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	To
1	2	3	4
Dhoneballam to Kurnool	1-1-00	33-00	12-00

Details of construction—

Permanent-way.—The permanent-way consists of 11½ lb. second-hand flat-footed steel rails and old pattern second-hand steel sleepers.

Ballast.—The ballast consists of sand throughout.

Fencing.—The station yards only have been fenced.

Curves.—The sharpest curve is of 1,146 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

Dated the 15th September 1911, between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to maintenance and working with effect from 1st January 1909.

Main provisions of agreement—

- (i) *Land*.—Provided by the Government at the cost of capital.
- (ii) *Government aid*.— } The line was constructed by the agency of the Madras and Southern Mahratta Railway Company from funds supplied by the Government, whose property it absolutely is and who will provide any land and all moneys that may, at any time, be required for the purposes of capital expenditure on the Dhone-Kurnool railway. Subject to the general control of Government in every respect, the line is maintained, stocked and worked by the Company, for and on behalf of the State, on the following terms and conditions :—

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Dhone-Kurnool railway (3' 3½" gauge)—*contd.*

Main provisions of agreement—*contd.*

The gross receipts of the Dhone-Kurnool railway are charged with—

- (a) the actual cost of maintenance of way and works (including revenue new minor works mentioned in clause 18), other than general supervision usually chargeable to Abstract A of the Standard form of Revenue Account prescribed for use on the Company's railway;
 - (b) a share of the other half-yearly working expenses of the Company's railway system (excluding the cost of Government supervision and control for which no such charge will be levied against the Company in respect of the working of the Branch, but including the cost of general supervision usually chargeable to Abstract A), calculated at the same proportion of the gross receipts of the Branch as obtains on the Company's system, including the Branch, as a whole;
 - (c) 5 per cent of the gross receipts of the Branch for the use of the Company's rolling-stock;
 - (d) Rent and maintenance of works, buildings and premises within the limits of Drouachellam Junction station as indicated in clause 12.
- (iv) *Distribution of profits.*—After deducting from the gross receipts of the Branch railway the working expenses above mentioned, the balance belongs to the Government.
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*—
- (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullock and cow.—
- (vii) *Power of the Government to determine agreement.*—
- (viii) *Power of the Company to determine agreement.*—
- (ix) *Term of agreement.*—Not specified.

Subject to the same maxima and minima, rules, conditions and arrangements as from time to time obtain on the Madras and Southern Mahratta Railway Company's railways.

Determinable by either party on the 30th June or 31st December of any year on six months' notice given.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State per mile running each year.	Earnings per mile per week.	Proportion of expenses to earnings.
		Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1909	32.00	9,24,342	1,29,788	17,124	5.09	28,539	+16,869	78	63.63
1910	32.00	9,50,923	1,29,241	33,653	3.54	31,918	+1,733	60	86.99
1911	32.00	9,74,171	1,10,927	29,677	2.98	32,650	-3,573	67	73.79
1912	32.00	10,05,423	1,18,005	39,279	3.91	34,147	+5,132	71	66.71
1st yr. of									
1913	32.00	10,06,875	34,179	18,696	1.36	8,554	+5,142	82	59.92
1913-14	32.00	10,08,750	1,23,739	44,872	4.45	31,914	+9,858	74	88.74
1914-15	32.00	10,07,689	1,12,693	46,775	4.06	32,399	+5,455	68	63.82
1915-16	32.00	10,08,669	1,31,628	53,435	5.30	35,009	+18,426	79	59.22
1916-17	32.00	10,16,509	1,49,909	55,218	5.43	33,381	+21,837	84	60.56
1917-18	32.00	10,18,344	1,20,216	46,894	4.60	35,396	+11,558	72	60.99

Hindupur (Yesvantpur-Mysore Frontier) railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Yesvantpur to Dodballapur.	15-12-92	* 17.93		
Dodballapur to Mysore Frontier.	17-9-93	31.42		
TOTAL.			51.35	*Of this 6.83 miles, between Yesvantpur and Yelahanka, are on a mixed (3' 3½" and 2' 6") gauge.

Details of construction—

Permanent way.—The rails on the ghāt section are 50-lb. flat-footed steel, State railway type, and 4½-lb. flat-footed steel on the remainder of the line. The sleepers are Mysore teak throughout.

Ballast.—The line is ballasted throughout with stone.

Fencing.—The line is fenced throughout.

Curves.—The sharpest curve has a radius of 660 feet.

Gradients.—The ruling gradient is 1 in 100 with a 1 in 89 gradient on the ghāt section.

Agreement and contract—

Agreement, dated the 2nd December 1899, between the Government of His Highness the Maharaja of Mysore and the former Southern Mahratta Railway Company, having effect from 17th September 1893, supplementary to the provisions of the (Mysore) contract of the 31st August 1887, between the Secretary of State and the former Southern Mahratta Railway Company, noted under Madras and Southern Mahratta railway (5' 6" gauge).

Contract, dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement subject to the variations and modifications thereof as therein set forth.

Main provisions of agreement and contract—

As noted under the Birur-Shimoga railway.

Statistics of working—

Included with the Mysore Section (Madras and Southern Mahratta).

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

Kolhapur State railway (3' 3½" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Kolhapur to Miraj	21-4-91	29-27	29-27

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on steel trough sleepers.

Ballast.—The line is ballasted throughout with gravel and sand.

Fencing.—The line is unfenced except for a very short length.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradient.—The ruling gradient is 1 in 100.

Agreement and contract—

Agreement, dated the 17th July 1891, between the Kolhapur Durbar and the old Southern Mahratta Railway Company, as to maintenance and working, having effect from 21st April 1891.

Contract, dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement, subject to the variations and modifications thereof as therein set forth.

Main provisions of agreement and contract—

(i) *Land.*—Provided by the Kolhapur Durbar at the cost of capital.

(ii) *Government aid.*—The line is the property of, and was constructed by, the Kolhapur Durbar, who supply funds for any necessary additions thereto. It is maintained, stocked and worked by the Madras and Southern Mahratta Railway Company.

(iii) *Terms of working.*— } From the total expenses of maintaining and working the Company's
(iv) *Distribution of pro-* } system, including the Kolhapur State railway, as a whole, are deducted
fits,— } charges for new minor works and Government supervision debitable
direct to each of the railways concerned, and the balance is divided between the two railways in the ratio of the gross earnings of each.

From the gross earnings of the Kolhapur State railway are then deducted the charges for new minor works and the proportion of working expenses attributable to that line as noted above, and the remainder, representing its net earnings, is paid half-yearly to the Durbar.

(v) *Rates and fares.*—

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government bullion and coin.—

The same as, for the time being, are in force on the Madras and Southern Mahratta railway.

(vii) *Power of the Government to determine agreement.*—Not specified.

(viii) *Power of the Durbar to determine agreement.*—

(ix) *Power of the Company to determine agreement.*— } The agreement is terminable upon 6 months' notice from either party to the agreement.

(x) *Power of the Government to determine contract.*— } As in the case of the Madras and Southern

(xi) *Power of the Company to determine contract.*— } Mahratta railway (5' 6" gauge).

(xii) *Power of the Durbar to determine contract.*—Nil.

(xiii) *Term of agreement.*—As against (viii) and (ix).

(xiv) *Term of contract.*—As noted under the Madras and Southern Mahratta railway (5' 6" gauge).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay including suspense, to end of each year, i.e., outlay on (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	29-27	23,26,251	2,32,350	8,154	3-79	146	66-54
1909	29-27	23,26,251	2,26,772	9,612	8-91	149	59-60
1910	29-27	23,26,251	2,33,956	1,10,030	4-73	167	54-66
1911	29-27	23,26,251	2,73,662	1,23,893	5-30	184	53-25
1912	29-27	23,26,251	3,17,433	1,47,372	6-33	200	50-11
1st qr. of 1913	29-27	23,26,251	1,04,973	54,828	2-35	276	57-96
1913-14	29-27	23,26,251	3,41,236	1,53,841	6-61	224	54-32
1914-15	29-27	23,26,251	3,19,589	1,38,449	5-55	204	56-42
1915-16	29-27	23,26,251	3,34,182	1,60,223	6-72	213	51-79
1916-17	29-27	23,26,251	3,27,117	1,63,122	6-97	215	50-44
1917-18	29-27	23,26,251	3,64,304	1,96,042	5-43	239	49-19

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd*

Mysore-Nanjangud railway (3' 3 $\frac{3}{4}$ " gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mysore to Nanjangud	1-12-91	15.94	
Nanjangud to Nanjangud town	12-7-99	0.76	
TOTAL.	16.80

Details of construction—

Permanent-way.—The permanent-way consists of 41 $\frac{1}{2}$ -lb. flat-footed steel rails, mostly on Mysore teak with a mixture of jamba sleepers.

Ballast.—The line is ballasted throughout with stone and sand.

Fencing.—The line is partially fenced.

Curves.—The sharpest curve has a radius of 700 feet.

Gradients.—The ruling gradient is 1 in 82.

Agreement and contract—

Agreement, dated the 14th December 1899, between the Government of His Highness the Maharaja of Mysore and the former Southern Mahratta Railway Company, as to the maintenance and working of the Nanjangud railway, having effect from the 1st December 1891, supplementary to the provisions of the (Mysore) contract of the 31st August 1887, between the Secretary of State and the former Southern Mahratta Railway Company.

Contract, dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreement subject to the variations and modifications thereof as therein set forth.

Main provisions of agreement and contract—

As noted under the Birur-Shimoga railway (3' 3 $\frac{3}{4}$ " gauge), with the following exception, *viz.*—

Power of the Durbar to determine agreement.—On the 1st January or 1st July in any year on 6 months' notice being given.

Statistics of working—

Included with the Mysore Section (Madras and Southern Mahratta).

Mysore Section (Madras and Southern Mahratta) (3' 3 $\frac{3}{4}$ " gauge.)

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mysore to Mandya	22-2-88	27.07	
Mandya to Channarayana	20-3-81	23.81	
Channarayana to Bangalore	1-2-81	34.75	
Bangalore to Tumkur	11-5-84	43.00	
Tumkur to Bahli	26-12-84	11.00	
Bahli to Birur	12-8-89	76.57	
Birur to Harihar	21-2-89	79.68	
TOTAL.	296.28

Details of construction—

Permanent-way.—The permanent-way consists of 41 $\frac{1}{2}$ -lb. and 60-lb. flat-footed steel rails, with the exception of about 2.75 miles which are laid with iron rails. The rails are laid on Mysore teak sleepers with a small proportion of jamba and steel trough sleepers.

Ballast.—The line is ballasted throughout with stone and sand.

Fencing.—The line is only partially fenced.

Curves.—The sharpest curve has a radius of 660 feet.

Gradients.—The ruling gradient is 1 in 100 between Harihar and Bangalore, and 1 in 70 between Bangalore and Mysore.

Contracts—

Dated the 31st August 1887, between the Secretary of State and the former Southern Mahratta Railway Company, as to the construction, maintenance and working of the Mysore State railway.

Dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing contract subject to the variations and modifications thereof as therein set forth.

Main provisions of contracts—

(i) *Land.*—Provided by the Government on behalf of the Mysore Durbar at the cost of capital.

(ii) *Government aid.*—The railway, which (as between the Government and the Company, and without prejudice to any arrangements between the former and the Mysore Durbar) is declared to be absolutely the property of the Government, was constructed and equipped with rolling-stock and all other appliances necessary thereunto, and is maintained and worked by the Madras and Southern Mahratta Railway Company, on behalf of the Government. All funds for capital expenditure are provided by the Durbar, under capital expenditure being included the cost of stores.

Government guarantee interest in sterling, payable half-yearly on the 1st April and 1st October, at the rate of 4 per cent per annum on the sum of £1,200,000, the nominal amount of debenture stock issued by the Company.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—contd.

Mysore section (Madras and Southern Mahratta) (3' 3½" gauge)—concl'd.

Main provisions of contracts—concl'd.

(iii) Terms of working.—

(iv) Distribution of profits.— } From the joint working expenses of the entire system are first deducted certain "direct" charges, *etc.*, on account of new minor works, and for use of joint stations; these "direct" charges being payable in their entirety by the railway, incurring them. The balance of the joint working expenses is then divided as between the whole system and the Mysore section in proportion to gross earnings of each. The share of the Mysore section thus arrived at, added to the "direct" charges incurred on that section, form the working expenses of the Mysore section.

The gross receipts attributable to the Mysore section are applied—

(a) in discharge of the working expenses arrived at as above, and

(b) in payment of interest at 4 per cent on capital expenditure incurred on the section since 31st December 1907;

(c) the surplus being divided between the Government (on behalf of the Durbar) and the Company in the proportion of 19/20 and 1/20, respectively.

(v) Rates and fares.—

(vi) Special obligations as to the conveyance of—

(a) Mails, troops, police, high Government officials and Government stores—

(b) Government bullion and coin—

(vii) Power of the Government to determine contract.—

(viii) Power of the Company to determine contract.—

(ix) Term of contract.—

As in the case of the Madras and Southern Mahratta railway (5' 6" gauge).

Statistics of working (Those for the periods prior to 1887 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Includes the Birur-Shimoga, Hindupur (Vesvantpur-Mysore Frontier) and Mysore-Nanjangud railways from 1908.

Year.	Miles open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly wholly under construction.	Gross earnings.	Net earnings.	Percentage of each year, on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1887	188.75	81,36,138	5,13,239	1,49,723	1.54	670,984	35,018	-5,65,159	71	72.38
1888	190.75	1,25,76,602	5,70,657	1,54,031	1.67	694,210	33,697	-5,53,786	79	76.51
1889	190.00	1,45,24,693	8,96,273	2,19,413	1.52	7,07,560	44,991	-5,42,678	72	75.47
1890	286.00	1,47,11,610	11,56,718	2,69,084	1.76	6,48,733	61,772	-1,54,421	77	78.16
1891	296.00	1,50,76,285	13,31,325	4,39,380	2.91	6,54,850	1,69,760	-3,25,730	80	66.83
1892	296.00	1,46,36,305	13,90,483	4,48,427	3.91	7,29,624	1,10,863	-3,97,460	91	68.31
1893	286.00	1,46,82,217	16,83,263	6,74,562	4.61	7,70,429	1,68,171	-2,64,048	90	59.92
1894	206.00	1,47,60,283	14,45,412	1,77,149	3.23	8,38,535	1,19,030	-4,89,415	94	66.99
1895	296.00	1,49,22,452	15,76,281	6,29,885	4.22	8,70,947	1,56,031	-3,98,493	108	60.14
1896	296.00	1,51,08,257	15,81,981	6,76,976	4.48	8,21,588	1,69,189	-7,13,801	103	57.29
1897	296.00	1,51,09,757	18,80,019	7,98,285	5.25	7,75,708	2,00,031	-1,77,454	122	57.52
1898	296.00	1,55,07,319	13,62,851	4,13,421	2.67	7,38,461	1,62,680	-1,27,720	80	70.34
1899	296.00	1,56,75,416	10,60,469	3,29,083	2.10	7,21,117	82,076	-4,74,160	69	68.97
1900	296.00	1,58,70,510	13,76,391	4,71,301	2.07	7,18,200	1,18,888	-3,65,667	89	65.77
1901	296.26	1,60,14,879	14,33,240	4,07,791	2.55	7,22,244	1,61,800	-1,16,313	93	71.55
1902	296.22	1,60,76,000	15,37,046	5,58,082	3.47	7,21,062	1,30,538	-3,02,518	104	65.06
1903	296.22	1,62,34,903	15,35,270	5,82,298	3.50	7,30,000	1,46,012	-2,38,714	100	62.07
1904	296.22	1,62,38,794	15,85,324	5,63,667	3.47	7,20,000	1,40,940	-2,37,273	103	64.44
1905	296.22	1,64,76,951	17,30,401	6,86,051	4.24	7,20,000	1,73,883	-1,53,882	116	61.02
1906	296.22	1,85,50,502	18,48,932	7,18,072	4.34	7,20,000	1,79,500	-1,80,428	120	61.10
1907	296.22	1,70,31,835	21,57,636	8,44,427	4.96	7,20,000	2,11,472	-77,045	140	66.86
1908	401.29	2,29,76,758	30,71,949	11,60,633	3.08	8,54,949	1,51,036	-1,50,878	157	62.03
1909	401.29	2,38,36,445	28,71,013	10,67,326	4.39	10,43,568	1,89,889	-31,456	128	66.04
1910	401.29	2,38,17,180	28,00,898	11,28,684	4.80	10,48,897	57,763	+22,094	184	59.70
1911	401.29	2,36,85,896	28,55,654	12,07,863	5.10	10,60,848	61,457	+85,653	187	57.70
1912	401.29	2,37,50,303	33,53,991	14,98,768	6.28	10,63,291	75,303	+3,55,303	161	55.46
1st yr. of 1913.	401.29	2,40,08,067	9,40,540	4,75,274	1.98	2,67,455	24,132	+1,83,687	180	46.47
1913-14	401.95	2,43,70,038	36,51,923	15,89,726	6.52	10,75,557	78,836	+4,34,333	175	56.47
1914-15	401.95	2,42,44,480	34,77,698	14,82,638	6.18	10,83,776	73,981	+3,25,061	167	57.67
1915-16	401.95	2,43,49,685	35,84,730	16,67,478	8.85	10,88,838	83,338	+4,97,254	172	53.61
1916-17	401.33	2,44,88,478	38,16,213	18,37,236	7.48	10,88,546	90,018	+6,48,672	188	52.12
1917-18	401.35	2,47,22,416	39,75,988	20,76,203	8.40	10,97,276	1,04,091	+8,74,236	181	47.78

Sangli State railway (3' 3½" gauge)—
Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
	1	2	3
Miraj Junction to Sangli	1-4-07	4.90	4.90

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—contd.

Sangli State railway (3' 3½" gauge)—concl'd.

Details of construction—

Permanent-way.—The permanent-way consists of second-hand 4½-lb. flat-footed steel rails on teak sleepers.

Ballast.—Ballast is chiefly mogrum.

Fencing.—The line is not fully fenced, but only where necessary.

Curves.—The sharpest curve has a radius of 1,011 feet.

Gradients.—The ruling gradient is 1 in 80.

Agreements and contract—

Agreement, dated the 17th July 1907, between the Sangli Durbar and the former Southern Mahratta Railway Company, as to the construction of the Sangli State railway.

Agreement, dated the 17th July 1907, between the Sangli Durbar and the former Southern Mahratta Railway Company, as to the maintenance and working of the Sangli State railway.

Contract, dated the 26th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing agreements subject to the variations and modifications thereof as therein set forth.

Main provisions of agreements and contract—

(i) **Land.**—Provided by the Sangli Durbar free of cost.

(ii) **Government aid.**—The Sangli State railway was constructed by the former Southern Mahratta Railway Company from funds supplied by the Durbar, whose property it is and who will provide all further funds that may be necessary for new works chargeable to Capital. The Branch is maintained, stocked and worked by the Company.

(iii) **Terms of working.**— } From the total expenses of maintaining and working the Company's
(iv) **Distribution of profits.**— } system, including the Sangli State railway, as a whole, are deducted charges for new minor works and Government supervision debitabie direct to each of the railways concerned, and the balance is divided between the two railways in the ratio of the gross earnings of each.

From the gross earnings of the Sangli State railway are then deducted the charges for new minor works and the proportion of working expenses attributable to the Branch as noted above, and the remainder, representing its net earnings, is paid half yearly to the Durbar.

(v) **Rates and fares.**—

(vi) **Special obligations as to the conveyance of—**

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government bullion and coin.—

(vii) **Power of the Government to determine agreement.**—Not specified.

(viii) **Power of the Durbar to determine agreement.**—

(ix) **Power of the Company to determine agreement.**— } The agreement is terminable at the end of any year upon 6 months' notice from either party to the agreement.

(x) **Term of agreement.**—As against (viii) and (ix).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908 . . .	490	1,68,332	33,921	13,402	8.05	181	59.78
1909 . . .	490	1,69,803	40,733	16,712	9.25	160	61.43
1910 . . .	490	1,75,091	43,136	18,176	10.83	189	57.66
1911 . . .	490	1,77,354	41,863	19,276	10.67	179	56.95
1912 . . .	490	1,77,787	39,197	18,124	10.19	154	53.74
1st yr. of 1913 .	490	1,77,787	19,915	5,680	3.19	171	47.96
1913-14 . . .	490	1,77,787	39,560	17,959	10.10	156	54.93
1914-15 . . .	490	1,77,787	38,396	16,931	9.53	151	53.86
1915-16 . . .	490	1,77,787	42,285	20,879	11.46	166	55.78
1916-17 . . .	490	1,77,787	44,877	22,012	12.94	178	59.95
1917-18 . . .	490	1,82,649	49,381	23,019	13.70	193	49.16

West of India Portuguese railway (3' 3½" gauge)—

Chairman.—Ernest E. Sawyer, Esq., M.A.

Secretary.—George K. Wesley, Esq.

Offices.—4, Coleman Street, London, E.C.

The line was constructed with the object of connecting the British and Portuguese territories and affording the Southern Mahratta country a harbour on the West Coast. The Southern Mahratta railway took over the working of the line as from the 1st July 1902.

Progress in opening—

Sections of railway.	Date of opening	Miles.	Total.
1	2	3	4
Mormugao Harbour to Sonaulim	17-1-87	41.00	
Sonaulim to the Portuguese frontier	3-2-88	10.10	
TOTAL	51.10

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.*

West of India Portuguese railway (3' 3½" gauge)—*contd.*

Details of construction—

Permanent-way.—The permanent-way consists of 60-lb. and 62-lb. flat-footed steel rails on creosoted pine, sál, teak and jamba sleepers.

Ballast.—The line is ballasted throughout with laterite and blue stone.

Fencing.—The line is partially fenced.

Curves.—The sharpest curve is of 720 feet radius.

Gradients.—The ruling gradient is 1 in 100 with a 1 in 40 on the Ghat section.

Contracts and agreement—

Contract, dated the 18th April 1881, between the Portuguese Government and the West of India Portuguese Railway Company, as to the construction of a harbour at the Port of Mormugao and a railway from Mormugao to the Portuguese Frontier.

Contract, dated the 19th December 1892, between the Portuguese Government and the West of India Portuguese Railway Company, providing for the guarantee of interest on the Company's capital in consequence of the cessation of the annual subsidy of Rs. 4,00,000, which was formerly paid by the British to the Portuguese Government and hypothecated by the latter to the Company.

Agreement, dated the 21st August 1902, between the former Southern Mahratta Railway Company and the West of India Portuguese Railway Company, as to the maintenance and working of the railway from Mormugao to the Portuguese Frontier and the harbour at the Port of Mormugao.

Contract, dated the 28th June 1908 (called the principal contract), between the Secretary of State and the Madras and Southern Mahratta Railway Company, as to the continuance of the existing contracts and agreement, subject to the variations and modifications thereof as therein set forth.

Main provisions of contracts and agreement—

(i) **Land.**—Provided by the Portuguese Government free of cost to the West of India Portuguese Railway Company.

(ii) **Government aid.**—Guarantee by the Portuguese Government of interest in sterling at 5 per cent per annum on £800,000, and at 6 per cent per annum on any additional capital. The interest is secured (a) on any annual subsidy payable by the British or the British Indian Government to the Portuguese Government, and (b) on the Ahkari (excise) duties levied in Goa. Any deficiency is, however, to be made up by the Portuguese Government from other sources.

The line, which is the property of the West of India Portuguese Railway Company, is maintained and worked by the Madras and Southern Mahratta Railway Company as part of the latter's undertaking, except as to further capital expenditure which is provided by the Portuguese Government.

(iii) **Terms of working.**—

(iv) **Distribution of profits.**— } *As between the Madras and Southern Mahratta and West of India Portuguese Railway Companies.*—Railway revenue expenses are in the first instance paid by the Madras and Southern Mahratta Railway Company. Separate half-yearly accounts are kept of the gross earnings respectively of the Madras and Southern Mahratta railway and the West of India Portuguese railway. The gross working expenses of the combined railways (excluding revenue expenditure on new minor works which is borne entirely by the railway—whether the Madras and Southern Mahratta or the West of India Portuguese—incurring it and is in either or both cases excluded from the joint working expenses, and interest payable by the Madras and Southern Mahratta Railway Company on the capital cost of telegraph lines equipped and owned by the Government of India) are borne by the two Companies in the proportion of their respective gross earnings for each half-year.

As to Harbour receipts and expense, a separate account is kept of all sources of revenue at the Port of Mormugao. The amount chargeable by the Madras and Southern Mahratta Railway Company for maintenance and working is actuals, plus 10 per cent thereon for superior supervision, subject to the proviso that if in the aggregate they (without the sanction of the West of India Portuguese railway) exceed the mean of the figures which represent the relation of such expenditure to receipts during the years 1895, 1896 and 1899, any such excess is to be annulled, or reduced as much as possible by a corresponding diminution in the charge for supervision.

The profits arising from the West of India Portuguese railway, being the excess of earnings over working expenses so calculated, are to be paid half-yearly by the Madras and Southern Mahratta Railway Company to the West of India Portuguese railway.

NOTE.—At the desire of the Board of the West of India Portuguese Railway the Secretary of State has agreed to 80 per cent of the net earnings of each month being paid to the Joint Representative in India as soon as the accounts of each month are completed. (India Office letter No. P.W.-2962, dated the 27th December 1912).

(v) **Distribution of profits as between the Portuguese Government and the West of India Portuguese Railway Company.**—The surplus profits in any year, after payment of the guaranteed interest for that year, are to be divided equally between the Portuguese Government and the West of India Portuguese Railway Company.

(vi) **Rates and fares.**—The maximum rates and fares to be fixed with the consent of the Portuguese Government, and not to exceed the maxima on the Great Indian Peninsula railway; they are also subject to the maxima and minima prescribed in the contracts between the Secretary of State for India and the Madras and Southern Mahratta Railway Company.

(vii) **Special obligations as to the conveyance of—**

(a) **Mails, both British and Portuguese.**—To be conveyed on the West of India Portuguese railway upon the terms of the Treaty of 1878.

(b) **Portuguese Government troops, officials, and Government stores.**—To be conveyed on the West of India Portuguese railway on the same conditions as on Indian State railways.

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*contd.***West of India Portuguese railway (3' 3½" gauge)—*consid.*****Main provisions of contracts and agreement—*consid.***

(viii) *Power of the Portuguese Government to determine contract.*—The Portuguese Government may purchase the railway and all other works—

(a) at any time by giving six months' notice;

(b) at any time after the expiration of the first 30 years from the date of opening of the railway or any section thereof, by giving two years' notice.

In the first case the Portuguese Government must pay to the Company in London a sum in sterling not less than the amount actually expended by the Company on the railway and other works, with 10 per cent added, and the value of the rolling-stock, machinery, station appliances and stores.

In the second case the price to be paid by the Portuguese Government is a sum in sterling equal to the amount of the value of all the shares, debentures and stock of the Company calculated according to the mean market value in London during the three years immediately preceding the expiration of the two years' notice (such sum not to be less than the amount actually expended by the Company on the railway and other works), plus the value of the rolling-stock, machinery, station appliances and stores.

At the expiration of the term of the contract [99 years, see (xii)] the line becomes the property of the Portuguese Government, but the rolling-stock, machinery, station appliances and stores, and any other movable property or plant, have to be paid for at their fair value.

(ix) *Power of the West of India Portuguese Railway Company to surrender contract.*—The West of India Portuguese Railway Company may make over the railway and works to the Portuguese Government—

(a) in the event of failure on the part of the Portuguese Government to pay the guaranteed interest in full, by giving six months' notice;

(b) at any time after the expiration of the first 30 years from the date of opening of any section of the line without renewal of the Treaty of 1878, by giving two years' notice.

In the first case the West of India Portuguese Railway Company would be entitled to receive from the Portuguese Government, in sterling, the amount actually expended on the railway and works, with 10 per cent added, and the value of the rolling-stock, machinery, station appliances and stores; in the second case, the same amount, less the additional 10 per cent on the expenditure on the railway and works.

(x) *Power of the Madras and Southern Mahratta Railway Company to determine agreement.*—

(xi) *Power of the West of India Portuguese Railway Company to determine agreement.*— } Determinable by either party at the end of two years from the 1st July 1902 (the date on which it came into force) on 6 months' notice given, reckoned either from the 30th June or the 31st December next after the delivery of such notice.

Upon the determination of the agreement the Madras and Southern Mahratta Railway Company to surrender to the West of India Portuguese Railway Company the railway and harbour and their equipment, etc., and to pay to the latter all money held on account of the railway.

(xii) *Term of contract [if not determined under (ix), (x) or (xi)].*—99 years from the date of opening of the line.

(xiii) *Term of agreement [if not determined under (x), or (xi)].*—The term of agreement is 5 years, unless extended* with the consent of both parties, when the West of India Portuguese Railway Company have the right to resume the working of their line and harbour.

* Since extended to 30th June 1922, vide Despatch from the Secretary of State No. 17 Railway, dated the 4th May 1917.

Statistics of working (Those for this period prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Includes the Harbour works.

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908 . . .	51.10	1,70,71,439	10,64,504	3,92,394	2.30	401	63.15
1909 . . .	51.10	1,75,93,056	9,60,235	3,75,092	2.13	361	60.93
1910 . . .	51.10	1,76,70,672	12,64,030	5,42,326	3.07	476	57.10
1911 . . .	51.10	1,77,41,327	12,30,715	5,33,069	3.00	459	56.35
1912 . . .	51.10	1,83,24,390	9,91,479	4,12,857	2.15	374	58.08
1st gr. of 1913.	51.10	1,84,16,306	2,93,648	1,20,147	0.65	442	59.06
1913-14 . .	51.10	1,67,62,134	11,76,901	5,24,123	2.84	443	55.47
1914-15 . .	51.10	1,90,86,222	8,51,382	3,47,839	1.82	321	59.14
1915-16 . .	51.10	1,93,40,101	7,94,406	3,23,935	1.69	299	59.50
1916-17 . .	51.10	1,94,72,673	9,34,105	2,95,456	1.51	310	64.15
1917-18 . .	51.10	1,94,46,771	7,71,769	2,88,314	1.48	290	66.64

* Original capital up to 31st December 1901, £1,249,058-9-5 @ 1s. 8d. per rupee =

Expenditure by Portuguese Government on Improvements of line and harbour up to 31st March 1915.

Rs.	
1,51,58,097	
32,68,074	
Total	1,94,46,771

MADRAS AND SOUTHERN MAHRATTA RAILWAY SYSTEM—*consolid.***Alnavar-Dandeli railway (3' 3½" gauge)—**

The construction of this line by the Madras and Southern Mahratta Railway Company from funds provided by the State was sanctioned in Railway Board's Notification No 825 P-16, dated the 31st January 1918.

Progress in opening.—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Alnavar to Dandeli (sanctioned on 31st January 1918)	...	19.12	19.12

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM.—

Chairman—Charles Albert Winter, Esq.

Secretary—M. T. Walker, Esq.

Offices—Winchester House, 50, Old Broad Street, London, E.C.

Date of registration of the Company—24th December 1883.

Lines comprised in the system.—The Nizam's Guaranteed State railways system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Nizam's Guaranteed State railway (5' 6" gauge)	320'13	...	320'13
(b) Bezawada Extension railway (5' 6" gauge)	21'47	...	21'47
(c) Hingoli Branch railway (3' 3½" gauge)	50'81	...	50'81
(d) Hyderabad-Godavari Valley railway (3' 3½" gauge)	321'13	...	321'13
(e) Secunderabad-Gadwal railway (3' 3½" gauge)	103'30	13'45	116'75
Total	896'34	13'45	909'79

Nizam's Guaranteed State railway (5' 6" gauge)—

Up to the end of 1878 the line was worked by the Great Indian Peninsula Railway Company with its own rolling-stock. From January 1879 to the 31st December 1884 it was worked by State Railway agency, and from January 1885 by the Nizam's Guaranteed State Railways Company.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Wadi junction to Secunderabad	9-10-74	115'45*			* Of this 5' 86 miles, Secunderabad to Hyderabad, are of mixed (5' 6" and 3' 3½") gauge.
Secunderabad to Warangal	8-4-86 ✓	86'66			
Warangal to Dornakal	1-1-89 ✓	52'66			
Dornakal to Bona Kulu	5-8-88	31'09			
Bona Kulu to the British frontier	10-2-89	23'54	310'39		
Branches—					
Hyderabad branch—					
Hussain Sagar to Hyderabad	9-10-74	3'57	3'57		
Mineral branch—					
Dornakal to Singareni Coal-fields	1-1-88 ✓	16'26	16'26		
TOTAL	830'18	

Details of construction—

Permanent way.—The first 47 miles from Wadi are laid with 75-lb. hull-headed steel rails, 42 miles being on cast iron pot sleepers and the remaining 5 miles on cast iron chairs and jarrah sleepers. The next 9 miles are laid with 85-lb. flat-footed steel rails on steel sleepers and the following 56 miles with 85-lb. flat-footed rails on jarrah sleepers. The section between Begampet and mile 260-9½ is laid with 85-lb. flat-footed steel rails on steel sleepers, with the exception of the mixed (5' 6" and 3' 3½") gauge line, from Secunderabad to Hyderabad, which has wooden sleepers under the same section of rail. Miles 260-9½ to 306 are laid with 66½ lbs. rails and steel peaked sleepers, and miles 306 to the British frontier, with jarrah sleepers under the same section of rail.

Ballast.—The line is ballasted throughout with stone and sand.

Fencing.—The line is fenced from Wadi to Secunderabad, but from Secunderabad to the frontier only the station yards are fenced.

Curves.—The sharpest curve is of 1,300 feet radius.

Gradients.—The ruling gradient is 1 in 100 on the Hyderabad-British Frontier section and 1 in 150 on the Wadi-Hussain Sagar section.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—*contd.*

Nizam's Guaranteed State railway (5' 6" gauge)—*contd.*

Contract and agreement—

Contract, dated the 27th December 1883, between the Government of His Exalted Highness the Nizam of Hyderabad and the Nizam's Guaranteed State Railways Company, Limited, as to the acquisition, management, maintenance and working of the line from Wadi to Hyderabad and Secunderabad, the construction, etc., of certain 5' 6" gauge extensions and the preferential right to construct all new railways in His Exalted Highness the Nizam's territories.

Agreement, dated the 16th March 1897, (supplemental to the contract of 1883), between the Government of His Exalted Highness the Nizam of Hyderabad and the Nizam's Guaranteed State Railways Company, Limited, as to the construction, management, maintenance and working, by the Company, of the Hyderabad-Godavari Valley railway.

Letter No. 257, dated the 7th March 1903, from the Government of His Exalted Highness to the address of the Railways Company as to rates and fares.

Main provisions of contract and agreement—

[**NOTE.**—Under this head, the expression "Government" means the Government of His Exalted Highness the Nizam of Hyderabad, except where otherwise stated.]

- (i) **Land.**—Provided by the Government free of cost to the Company.
- (ii) **Government aid.**—Guarantee of interest in sterling, at 5 per cent per annum on the Company's share (£2,000,000) and debenture (£1,500,000) capital for 20 years, from the date on which such capital is paid up. The guarantee in the case of the share capital ceased on the 25th June 1904, but the guarantee in respect of debenture capital, ceased or ceases, on various dates ranging from 30th June 1904 to 31st January 1928. The Government has accorded sanction to the issues of further debentures, amounting in all to £1,000,000 without any guarantee. Up to date the Government has agreed to take £700,000 of these debentures, of which £500,000 have been issued and loan received against issue of a further £200,000.
- (iii) **Distribution of profits.**—During the period of the guarantee the repayment of the guaranteed interest for each half-year, and thereafter interest for each year, at the rate of 5 per cent on the share and debenture capital, is to be the first charge against the net earnings of such half-year or year. Of any residue, either before or after the cessation of the guarantee, one half is to be applied in payment of guaranteed interest not previously recouped and any other sums owing by the Company to the Government, and the other half is to be retained by the Company. When the Government has been reimbursed all sums paid under the guarantee, together with simple interest thereon at 5 per cent per annum, the Company is to be entitled to the whole of the net earnings.
- (iv) **Rates and fares.**—Not to exceed those from time to time prevailing on the Great Indian Peninsula railway, unless otherwise agreed between the Government and the Company. [By letter No. 257, dated the 7th March 1903, from the Secretary to the Government in the Financial Department to the Agent and Manager the provisions in this respect of the agreement of 1883 have been modified so as to permit the Company to levy such rates and fares as are not in excess of those which obtained on the Great Indian Peninsula railway at the date of that agreement.]
- (v) **Special obligations as to the conveyance of.**—
 - (a) Mails and Post Office servants of the Government of His Exalted Highness and the Government of India.—To be conveyed free of charge.
 - (b) Troops, officials, and Government stores.—Troops and officials of the Government of His Exalted Highness and the Government of India to be conveyed at special rates; and stores at the lowest rates ordinarily chargeable.
 - (c) Bullion and coin.—At special rates.
- (vi) **Power of the Government to determine agreement.**—In the event of any breach by the Company of any of the provisions of the agreement, the Government may give the Company in London six months' notice of its intention to determine the agreement; and unless the breach shall be remedied within the 6 months, the Government may determine the agreement and assume possession of the railway, paying to the Company in sterling so much of the capital as shall be unredeemed.

The Government may also terminate the agreement and purchase the railway, rolling-stock, etc., on the 1st January 1934, or 1st January 1954, by giving 12 months' notice. If the railway is thus acquired the Government is to pay to the Company, in sterling the amount of the unredeemed capital, plus a bonus of 25 per cent.

At the end of the full term of 99 years, if the agreement continues so long, the land in the possession of the Company, with the railway, buildings, works, and fixed machinery, will revert to the Government free from all debts and charges, but the rolling-stock, plant, movable machinery and stores must be purchased by the Government at their fair value.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—contd.

Nizam's Guaranteed State railway (5' 6" gauge)—*concl'd.*

Main provisions of contract and agreement—*concl'd.*

(vii) *Power of the Company to surrender agreement.*—Nil.

(viii) *Term of agreement [if not determined under (vi) or (vii)].*—29 years from the date on which the extension from Hyderabad towards Bezwada was opened throughout, *viz.*, 10th February 1889.

Statistics of working (Those for the periods prior to 1885 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1885 . . .	117.10	2,47,70,828	11,13,950	4,87,024	1.97	178	56.27
1886 . . .	205.37	2,60,19,499	13,61,077	6,94,524	2.40	143	49.71
1887 . . .	205.37	3,27,45,397	15,48,891	5,32,905	1.69	143	64.30
1888 . . .	305.71	3,54,59,073	17,76,075	7,57,467	2.13	115	57.35
1889 . . .	329.90	3,30,99,620	22,57,461	7,99,208	2.14	129	65.98
1890 . . .	329.90	3,78,96,721	25,07,268	10,38,560	2.76	145	58.84
1891 . . .	329.90	3,94,81,732	27,76,437	12,57,860	3.19	151	54.76
1892 . . .	329.90	3,93,18,395	27,80,642	13,24,959	3.35	161	52.35
1893 . . .	330.13	4,01,96,909	30,61,605	14,36,451	3.57	177	58.06
1894 . . .	330.13	4,02,33,826	32,56,585	16,22,022	4.03	185	50.90
1895 . . .	330.18	4,06,43,819	32,15,541	15,77,140	3.86	185	59.65
1896 . . .	330.18	4,08,24,737	33,03,523	17,28,156	4.23	191	47.09
1897 . . .	330.13	4,09,40,044	36,16,351	19,38,708	4.73	208	46.30
1898 . . .	330.13	4,10,54,444	39,07,012	22,74,560	5.54	225	41.79
1899 . . .	330.18	4,15,68,731	41,10,261	25,01,046	6.02	237	39.15
1900 . . .	330.13	4,17,68,124	43,12,056	28,41,285	6.81	283	42.14
1901 . . .	330.13	4,24,90,543	46,77,927	26,48,120	6.24	286	35.06
1902 . . .	330.13	4,28,98,527	44,06,494	26,82,533	6.25	254	39.12
1903 . . .	330.13	4,30,13,068	43,15,630	25,85,386	5.99	250	41.22
1904 . . .	330.13	4,32,96,412	45,32,440	27,90,690	6.45	250	35.59
1905 . . .	330.13	4,35,86,043	42,78,161	28,49,703	6.54	247	33.39
1906 . . .	330.13	4,38,45,097	44,64,195	27,06,897	6.41	259	37.58
1907 . . .	330.13	4,49,31,824	49,85,081	33,12,905	7.35	288	33.74
1908 . . .	330.13	4,56,07,608	46,09,230	31,15,029	6.61	255	38.96
1909 . . .	330.13	4,65,02,100	46,92,067	26,43,417	5.67	273	43.66
1910 . . .	330.13	4,72,19,094	53,14,905	28,46,520	6.08	309	46.44
1911 . . .	330.18	4,63,37,516	57,07,861	27,13,285	5.86	312	52.46
1912 . . .	330.13	4,64,06,944	57,06,066	31,96,185	6.59	337	44.67
1st qtr. of 1913	330.13	4,67,78,182	16,53,727	7,42,224	1.52	396	55.25
1913-14 . . .	330.18	5,09,58,527	66,79,010	33,03,994	6.48	389	59.94
1914-15 . . .	330.13	5,17,23,846	59,68,725	30,17,975	5.83	342	48.59
1915-16 . . .	330.18	5,30,63,329	64,77,470	30,06,409	5.65	377	58.64
1916-17 . . .	330.13	5,36,31,296	66,06,721	28,19,720	7.20	385	48.17
1917-18 . . .	330.13	5,34,23,918	72,22,071	33,59,012	6.29	420	53.51

ewwada Extension railway (5' 6" gauge)—

This line, which extends from the frontier of His Exalted Highness the Nizam's dominions to Bezwada was constructed for the Government of India, by the Nizam's Guaranteed State Railways Company and is being worked as a part of its own system.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	
Hyderabad frontier to Bezwada . . .	10-2-89	21.47	*21.47	*Of this 1.22 miles, Bezwada Joint station to the outer signal, are maintained by the Madras and Southern Mahratt. Railway.

Details of construction—

Permanent-way.—The line is laid with 66½-lb. flat-footed steel rails on jurras sleepers.

Ballast.—The line is ballasted throughout with stone and sand.

Fencing.—The line is fenced at stations only.

Curves.—There are no curves with a radius of less than 1,900 feet.

Gradients.—The ruling gradient is 1 in 100.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—*contd.*

Bezwa Extension railway (5' 6" gauge)—*contd.*

Agreements—

Dated the 6th April 1909, between the Railway Board, acting on behalf of the Secretary of State and the Nizam's Guaranteed State Railways Company, as to the maintenance, management and working, by the Company, of the Bezwa Extension railway.

Dated the 14th October 1915, (supplemental to the agreement of 1909), between the Secretary of State and the Nizam's Guaranteed State Railways Company, modifying the agreement of 1909 as regards dates for making up Accounts.

Main provisions of agreement—

- (i) *Land*.—Provided by the Government at the cost of capital.
- (ii) *Government aid*.—The line is the property of the Government, who provide all further funds chargeable to the capital account, and it is managed, maintained, stocked and worked by the Company as if it were part of the Company's 5' 6" gauge system.
- (iii) *Terms of working*.—The line is managed, maintained, stocked and worked by the Nizam's Guaranteed State Railways Company for the same percentage of its gross earnings as that of the working expenses of the Company's 5' 6" gauge system to its gross earnings, as published in the Company's Revenue Accounts for the same half-year, plus 5 per cent. of the gross earnings of the Bezwa Extension railway for the use of rolling-stock. But in addition thereto, any extraordinary maintenance charges due to causes other than ordinary wear and tear shall be charged, with the approval of the Railway Board, to the Bezwa Extension railway. Such extraordinary charges shall be excluded in working out the percentage of ordinary maintenance charges payable by the Bezwa Extension railway. The balance is paid over to the Government of India as the net earnings of the Bezwa Extension railway.
- (v) *Rates and fares*.—To be the same as from time to time obtain on the Company's 5' 6" gauge system.
- (vi) *Special obligations as to the conveyance of*.—
 - (a) Mails, troops, police, high Government officials and Government stores.—5' 6" gauge system.
 - (b) Government hullion and coin, and the persons in charge thereof.—
- (vii) *Power of the Government to determine agreement*.—Terminable on the 1st January or the 1st July in any year, on 6 months' notice given by either party to the other. Any breach of the terms of the contract may lead, *ipso facto*, to its determination.
- (viii) *Power of the Company to surrender agreement*.—
- (ix) *Term of agreement*.—Until terminated under (vii) and (viii).

Statistics of working (Those for the periods prior to 1901 will be found in Appendix 38 to the Railway Administration Report for 1907) —

Year.	Mileage open at end of each year.	Total capital outlay, including expense to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1901	20.58	11,51,678	2,77,177	1,56,929	13.63	35,509	+ 1,21,420	248	43.88
1902	20.58	11,60,425	2,89,663	1,40,329	12.09	46,875	+ 93,954	259	51.55
1903	20.58	11,77,047	8,07,113	1,51,222	18.10	46,817	+ 1,07,606	275	49.78
1904	20.58	11,75,731	3,59,858	1,78,935	15.22	40,806	+ 1,52,957	287	44.19
1905	20.58	11,75,015	3,47,430	2,04,359	17.23	47,946	+ 1,57,193	311	41.22
1906	20.58	11,81,020	3,49,206	1,91,787	16.23	47,182	+ 1,44,555	313	43.09
1907	20.58	11,81,952	3,15,376	1,83,833	15.66	35,631	+ 1,46,192	284	41.69
1908	20.58	11,83,796	3,55,923	1,91,624	16.19	40,377	+ 1,51,347	316	49.41
1909	20.58	12,05,026	3,12,154	1,52,574	12.65	33,584	+ 1,12,670	280	51.38
1910	20.58	12,91,940	3,42,514	1,58,354	18.17	40,182	+ 1,18,072	320	58.81
1911	20.58	12,19,123	3,54,265	1,40,815	11.55	41,560	+ 99,255	331	60.25
1912	20.58	12,33,363	3,84,244	1,61,285	15.07	41,771	+ 1,42,494	359	52.04
1st. qr. of 1913.	20.58	12,31,370	1,05,502	89,771	3.23	10,432	+ 29,839	194	62.90
1913-14	20.58	12,38,843	4,10,398	1,75,986	14.10	48,158	+ 1,39,948	383	57.59
1914-15	20.58	12,44,759	4,51,983	2,00,734	16.15	48,351	+ 1,87,408	429	55.59
1915-16	20.58	12,47,768	4,77,091	1,89,111	18.17	48,395	+ 1,45,856	446	60.56
1916-17	20.58	12,43,073	4,89,445	2,49,856	20.00	41,137	+ 2,08,719	437	48.91
1917-18	21.47	12,40,143	4,22,945	3,01,319	28.88	48,882	+ 2,58,187	495	42.94

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—cont.

Hingoli Brahch railway (3' 3½" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Purna to Hingoli	15-5-13	50.31	50.31

Details of construction—

Permanent-way.—The permanent-way consists of second-hand 66½ lb. flat-footed steel rails taken out of the 5' 6" gauge system and new steel trough sleepers.

Ballast.—The ballast used is moorum, except in some cuttings where stone ballast has been laid.

Fencing.—Fencing is provided only round station yards and a small length on either side of second class level crossings.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 133.

Agreement—

Dated the 1st March 1910, between the Government of His Exalted Highness the Nizam of Hyderabad and the Nizam's Guaranteed State Railways Company, Limited, as to the maintenance, management and working of the Hingoli branch, by the Company, as part of the Hyderabad-Godavari Valley railway.

Main provisions of agreement—

[*NOTE.*—Under this head the expression "Government" means the Government of His Exalted Highness the Nizam of Hyderabad.]

(i) *Land.*—Provided by the Government free of cost.

(ii) *Government aid.*—The line is the property of the Government who provide all funds chargeable to the capital account.

(iii) *Terms of working.*—

(iv) *Distribution of profits.*— } The Nizam's Guaranteed State Railways Company works the Branch railway for the same proportion of its gross earnings as the aggregate working expenses of the 3' 3½" gauge system shall bear to the aggregate gross earnings of that system, plus 5 per cent of the gross earnings of the Branch for use of rolling-stock. The balance of the gross earnings of the Branch after making the said deduction is paid to the Government as the net earnings of the Branch. In the case of accident or damage caused by extraordinary casualty, e.g., by floods, storms, etc., charges for repairs are made to the Branch railway, such charges being eliminated from the aggregate working expenses before the percentage of working expenses referred to above is arrived at.

[A revised agreement is under consideration, under the terms of which the Branch will be worked for actual cost plus 10 per cent. of the gross earnings for hire of rolling-stock, until Branch is equipped with its own rolling-stock.]

(v) *Rates and fares.*—The same rates and fares as are in force on the Hyderabad-Godavari Valley railway.

(vi) *Special obligations as to the conveyance of.—*

(a) Mails.—

(b) Troops, police, and high Government officials.—

} Services for these are performed on the same conditions and at the same rates as may be in force on the Hyderabad-Godavari Valley railway.

(vii) *Power of the Government to determine agreement.*—

(viii) *Power of the Company to determine agreement.*— } The agreement is terminable by either party on the 30th June or the 31st December in any year after the line is opened throughout on 12 months' previous notice in writing.

(ix) *Power of the Company to surrender agreement.*—Nil.

(x) *Term of agreement.*—Nil.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—*contd.*

Hingoli Branch railway (3' 3½" gauge)—*opened.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including response to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1912	50'31	30,18,783	61,738	25,722	0'85	52	50'28
1st qr. of 1913	50'31	30,43,772	28,529	9,993	0'33	44	04'77
1913-14	50'31	31,28,108	1,42,387	64,511	2'07	54	54'00
1914-15	50'31	31,66,278	1,17,823	46,104	1'44	45	50'87
1915-16	50'31	31,92,238	1,33,243	58,929	1'82	51	56'45
1916-17	50'31	31,99,924	1,21,594	58,676	1'84	46	51'75
1917-18	50'31	32,06,292	1,86,635	15,029	0'49	52	58'06

Hyderabad-Godavari Valley railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Mamud to Jalna	21-10-09	109'28		
Jalna to Salin	7-12-09	44'79		
Salin to Purbhani	25-4-00	25'40		
Purbhani to Nanded	9-10-00	52'50		
Nanded to Sivangaon	25-6-00	17'61		
Sivangaon to Secunderabad	25-4-00	150'39		
Secunderabad to Hyderabad	16-5-01	25'86		
TOTAL	391'13	*Laid on a mixed (5' 6" and 3' 3½") gauge.
DOUBLE LINE— Purna Junction station yard	15-5-12	0'38	0'38	

Details of construction—

Permanent-way.—The permanent-way consists of 50-lb. flat-footed steel rails on steel pea-pod sleepers between miles 0 and 1²⁷/₈, 2²⁷/₈ and 331'27, except within station limits where wooden sleepers are used, and also on second-hand 5' 6" gauge steel sleepers converted into 3' 3½" gauge, between miles 2²⁷/₈ and 2²⁷/₈, and wooden sleepers for the remainder.

Ballast.—The line is ballasted throughout with stone, sand and moorum.

Fencing.—The line is fenced from mile 377½ to 331 and between miles 249 and 250, and at all stations.

Curves.—The sharpest curve is of 1,433 feet radius.

Gradients.—The ruling gradient is 1 in 133'3.

Agreement—

Dated the 16th March 1897 (supplemental to the contract of 1883) between the Government of His Exalted Highness the Nizam of Hyderabad and the Nizam's Guaranteed State Railways Company, Limited, as to the construction, management, maintenance and working, by the Company, of the Hyderabad-Godavari Valley railway.

Main provisions of agreement—

(i) **Land.**—Provided by the Government of His Exalted Highness free of cost to the Company.

(ii) **Government aid.**—Guarantee in sterling, for 20 years from the date on which the line was completed and opened for traffic throughout (8th October 1900), of the interest payable on the debenture capital (not exceeding £2,500,000) raised for the purposes of the contract, together with an additional one per cent for a Sinking Fund. (The amount of capital raised to the present time is £2,150,000, and the rate of interest payable on it is 3½ per cent.) The guarantee terminates on 8th October 1920.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—*contd.*

Hyderabad-Godavari Valley railway (3' 3½" gauge)—*concl'd.*

Main provisions of agreement—*concl'd.*

- (iii) *Distribution of profits.*—During the period of the guarantee the repayment of the guaranteed interest for each half-year, and thereafter the interest payable on the debenture capital for each year, is to be the first charge against the net earnings for such half-year or year. Any surplus either before or after the cessation of the guarantee, is to be divided equally between the Government of His Exalted Highness, and the Company.
- (iv) *Rates and fares.*—Not to be in excess of those prevailing on the Nizam's Guaranteed State railway unless otherwise agreed.
- (v) *Special obligations as to the conveyance of.*—
 (a) Mails.—
 (b) Troops, officials and Government stores.—
 (c) Bullion and coin.—
- } As noted under the Nizam's Guaranteed State railway.
- (vi) *Power of the Government of His Exalted Highness to determine agreement.*—As noted under the Nizam's Guaranteed State railway, with the exception that, in the event of the line being purchased in 1934 or 1954, the price to be paid is to be the amount of the unredeemed capital only, without the bonus of 25 per cent in addition.
- (vii) *Power of the Company to surrender agreement.*—Nil.
- (viii) *Term of agreement [if not determined under (vi) or (vii)].*—The remainder of the term of the contract relating to the Nizam's Guaranteed State railway which was unexpired at the date of the present contract.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1899	154.23	8,00,21,971	83,881	56,577	0.18	43	41.62
1900	185.23	2,31,54,517	10,98,028	4,20,536	1.81	70	60.41
1901	391.43	2,46,59,951	20,10,033	9,23,300	3.74	99	54.07
1902	391.43	2,57,75,220	22,86,043	6,87,892	3.76	112	57.70
1903	391.42	2,62,07,841	25,14,752	8,86,501	3.38	109	50.98
1904	391.13	2,54,85,056	22,11,791	7,74,804	2.93	100	64.97
1905	391.13	2,69,15,949	29,64,122	10,20,009	4.96	146	55.16
1906	391.13	3,69,36,746	30,32,503	14,21,747	5.29	149	53.12
1907	391.13	3,71,85,909	32,55,067	17,74,128	5.38	160	45.60
1908	391.13	3,75,97,547	32,41,828	15,91,740	5.70	139	51.62
1909	391.19	3,75,50,080	32,54,724	14,02,120	5.09	180	50.83
1910	391.13	2,79,39,419	96,55,833	19,05,891	6.46	180	50.92
1911	391.13	2,91,98,053	94,97,808	13,12,510	4.50	172	92.48
1912	391.13	2,96,15,624	43,60,567	20,29,595	6.86	214	53.52
lat up of 1913	391.19	3,06,32,587	12,79,010	4,57,877	1.64	223	91.06
1913-14	391.13	8,04,91,295	48,08,163	20,88,400	6.85	212	51.63
1914-15	391.13	91,93,063	41,16,168	17,40,623	5.43	202	57.71
1915-16	391.13	3,19,95,539	44,51,233	20,96,635	5.55	220	59.21
1916-17	391.13	3,32,54,005	33,93,276	18,75,441	5.81	193	52.27
1917-18	391.13	8,22,46,491	39,71,902	15,63,991	4.85	195	60.92

Secunderabad-Gadwal railway (3' 3½" gauge)—

The construction of this line, from funds to be provided by His Exalted Highness the Nizam's Government was sanctioned by the Secretary of State in his Despatch No. 26 Railway, dated the 27th February 1914.

NIZAM'S GUARANTEED STATE RAILWAYS SYSTEM—*concl'd.*Secunderabad-Gadwal railway (3' 3½" gauge)—*concl'd.*

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total
1	2	3	4	5
Secunderabad to Timmapur ..	1-2-16	27.52		
Timmapur to Chatanpalli ..	26-2-16	9.19		
Chatanpalli to Balanagar ..	6-3-16	8.39		
Balanagar to Gullapalli ..	1-4-16	2.45		
Gullapalli to Jadoharia ..	20-4-16	4.08		
Jadoharia to Mahbubnagar ..	15-5-16	10.97		
Mahbubnagar to Daverkudra ..	15-11-16	13.17		
Daverkudra to Kurnumuri ..	1-1-17	9.74		
Kurnumuri to Wanaparti Road ..	15-2-17	8.19		
TOTAL OPEN MILEAGE ..			103.30	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Wanaparti Road to Gadwal (sanctioned on 27th February 1919) ..		18.45	18.45	
GRAND TOTAL ..				116.75

Details of construction—

Permanent-way.—The permanent-way consists of 66½-lb. flat-footed rails laid on steel sleepers.

Ballast.—Cuttings are being fully ballasted and banks are being moorumed throughout.

Fencing.—The line is being fenced in the vicinity of the principal towns and most important stations.

Curves.—The sharpest curve is of 1,432.5 feet radius.

Gradients.—The ruling gradient is 1 in 138.3.

Agreement—

Main provisions of agreement—

The line has been constructed, and is being worked by the Nizam's Guaranteed State Railways Company under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1915-16 ..	46.00	67,56,000	Information	not available.
1916-17 ..	103.30	64,42,687	98,860	—11,348	...	27	111.54
1917-18 ..	108.70	92,98,479	3,80,572	52,601	0.57	71	88.18

NORTH WESTERN RAILWAY SYSTEM.

Lines comprised in the system.—The North Western railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) North Western railway (5' 6" gauge)	3,890.27	...	3,890.27
(b) Amritsar-Patti railway (5' 6" gauge)	54.26	...	54.26
(c) Hoshiarpur Doab Branch railways (5' 6" gauge)—			
Jullundur-Mukorian section	44.81	...	44.81
Phagwara-Rahon section	15.21	...	15.21
(d) Jammu and Kashmir (Najire State section) (5' 6" gauge)	16.01	...	16.01
(e) Khanpur-Chachran railway (5' 6" gauge)	23.02	...	23.02
(f) Ludhiana-Dhuri-Jakhal railway (5' 6" gauge)	78.65	...	78.65
(g) Mandra-Bhaun railway (5' 6" gauge)	48.38	...	48.38
(h) Rajpura-Bhatinda railway (5' 6" gauge)	108.04	...	108.04
(i) Sialkot-Narowal railway (5' 6" gauge)	38.16	...	38.16
(j) Southern Punjab railway (Main line) (5' 6" gauge)	435.92	...	435.92
(k) Southern Punjab railway (Jullundur Doab Extension) (5' 6" gauge)	130.10	...	130.10
(l) Southern Punjab railway (Ludhiana Extension) (5' 6" gauge)	132.04	...	132.04
(m) Southern Punjab railway (Sutlej Valley Extension) (5' 6" gauge) (discontinued)
(n) Jacobabad-Kashmoo railway (2' 6" gauge)	76.70	...	76.70
(o) Kalka-Simla railway (2' 6" gauge)	59.92	...	59.92
(p) Kohat-Thal railway (2' 6" gauge)	61.75	...	61.75
(q) Nowshera-Durgoi railway (2' 6" gauge)	40.40	...	40.40
(r) Train Indus (Kulabagh-Banum) railway 2' 0" gauge	135.38	...	135.38
(s) Larkhana-Jacobabad (Sind) Light railway (2' 0" gauge)	75.45	75.45
Total	5,220.11	75.45	5,301.56

Running powers—

Home line over foreign line—

Ghazibad to Delhi, East Indian railway, for passenger and goods trains 13.00

Foreign line over home line—

Omhal and Rohilkhand railway, Meerut City to Meerut Cantonment, for passenger trains only 2.75

East Indian railway, Jind City to Jind Junction, for passenger and goods trains 2.95

Total 5.70

North Western railway (5' 6" gauge)—

The line owned and worked by the old Sind, Punjab and Delhi Guaranteed Railway Company was taken over by the State from the 1st January 1896, and amalgamated with the Punjab Northern, the Indus Valley, the Eastern section Sind-Sagar, and the Southern section Sind-Pishin State railways, to be worked as an undertaking under the name of the North Western railway.

Date of registration of the old Guaranteed Company—1855.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
COMMERCIAL SECTION—					
<i>Main line—</i>					
Ghazibad to Meerut City	18-4-67	27.33			
Meerut City to Ambala Cantonment	1-1-69	121.55			
Ambala Cantonment to Ludhiana	12-10-69	70.66			
Ludhiana to Phillaur	14-10-70	8.23			
Phillaur to Jullundur Cantonment	1-4-70	26.12			
Jullundur Cantonment to Boes	15-11-69	25.53			
Boes to Amritsar	1-11-67	26.70			
Amritsar to Lahore	10-4-62	3.33			
Lahore to Jhelum	6-20-78	109.12			
Jhelum to Rawalpindi	†	76.38			
Rawalpindi to mile 569.63 (between Law rangepur and Chandiappar Cantonment)	1-1-81	45.38			
Mile 569.63 to Rawan	1-4-79	11.50			
Rawan to Attock Bridge	5.25			
Attock Bridge to Khairabad	31-5-83	2.38			
Khairabad to Peshawar City	1-5-82	41.25			
Peshawar City to Peshawar Cantonment	1-1-81	2.65			
Lahore to Khunewal	2-4-65	177.25			
Khunewal to Ludhiana	1-4-09	56.42			
Ludhiana to Nara Canal Bridge	1-7-78	224.58			
Nara Canal Bridge to Rohri	0-0-89	1.00			
Rohri to Rahoki	15-1-93	178.69			
Rahoki to Hyderabad	26-3-16	6.25			
Hyderabad to Kotri	25-5-60	5.29			
Kotri to Karachi City	23-5-61	105.04			
Karachi City to Kiamari, including Napier Mile	16-6-89	3.67			
			1,882.90		
<i>Branches—</i>					
<i>Harleian branch—</i>					
Sarai Kala to Harleian	7-11-13	34.64			
<i>Tawi branch (British section)—</i>					
Wazirabad to Sialkot	1-1-84	26.40		34.64	
Sialkot to the frontier of Kashmir State	15-3-90	9.08			
			35.48		
Carried over	1,453.02		

*This length was constructed on the 3' 3" gauge previous to September 1873 but was converted to the 5' 6" gauge on the 6th October 1878.

† The line was opened by sections on the 5' 6" gauge, using temporary diversions near Domeli—thus Jhelum to Ratial, 1st January 1880 (15 miles) and Ratial to Rawalpindi, 1st October 1880 (56 miles). The diversions were abolished on 8th May 1882; and the complete 1.30 graded through line between Jhelum and Rawalpindi (70.50 miles) was established. But again in 1888, and in subsequent years up to date, various alignments in connection with the improvements of grades to 1/100 have been opened and the present length of line on the 31st March 1897 is—Jhelum to Rawalpindi 76.38 miles.

NORTH WESTERN RAILWAY SYSTEM—contd.

North Western railway (5' 8" gauge)—contd.

Progress in opening—contd.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	1,438.02		
Wazirabad-Khanewal branch—					
Wazirabad to Hafizabad	15-8-85	37.87			
Hafizabad to Sangla Hill	1-1-80	81.45			
Sangla Hill to Lyallpur	15-2-85	27.21			
Lyallpur to Toba Tek Singh	22-4-89	49.00			
Toba Tek Singh to Khanewal	19-4-00	55.53			
			208.56		
Phulji branch—					
Phulji to Purnandora	1-6-82	2.57			
Phulji branch extension	31-3-02	0.34			
			2.91		
Sukkur Branch branch—					
Sukkur Main to Sukkur Bandar	1-10-78	1.52			
			1.52		
Kotri-Rohri (via Rak) branch—					
Rohri to Sukkur	27-3-89	2.61			
Sukkur to Badhan via Rak	1-10-78	79.31			
Badhan to Laki	27-10-78	70.57			
Laki to Kotri	8-10-78	75.48			
			228.00		
Racwind-Bhatinda branch—					
Racwind to Kasur	15-4-83	16.70			
Kasur to Ganda Singhiwala	10-6-83	7.00			
Ganda Singhiwala to Hussainiwala	15-12-83	2.75			
Hussainiwala to Ferozepore City	8-5-87	3.75			
Ferozepore City to Ferozepore Cantonment	1-10-83	2.00			
Ferozepore Cantonment to Bhatinda	1-10-88	3.00			
	15-6-99	55.23			
Pathankot branch—					
Amritsar to Dinanagar	1-1-84	51.23			
Dinanagar to Pathankot	8-6-84	15.48			
			66.70		
Hoshiarpur branch—					
Jullundur City to Hoshiarpur	16-6-18	23.28			
			23.28		
Jech Doab line—					
Malakwal to Sargolha	1-4-03	46.25			
Sargolha to Shorkot Road	11-5-09	102.56			
			148.81		
Shahdara-Sangla branch—					
Shahdara to Sangla	10-4-07	54.76			
			54.76		
Lodhiana-Khanewal chod (via Sher Shah)—					
Khanewal to Multan Cantonment	24-4-67	30.50			
Multan Cantonment to Muzaffarabad	21-8-70	6.89			
Muzaffarabad to Lodhiana	1-7-78	47.61			
			85.00		
Shorkot Road-Chichoki Mallian section—					
Shorkot Road to Jaranwala	2-5-11	87.70			
Jaranwala to Chichoki Mallian	18-11-09	48.19			
			135.89		
Jakhal Hissar branch—					
Jakhal to Hissar	1-11-13	50.22			
			50.22		
TOTAL OPEN MILEAGE (COMMERCIAL SECTION)	2,559.01	
FRONTIER SECTION (MILITARY)—					
Sind-Sagar line—					
Main line—					
Lala Musa to Baba-ud-din	†1-1-80	29.61			†Date of opening of the original 2' 6" gauge line, subsequently converted to, and opened on, the 5' 6" gauge, Lala Musa to Malakwal, on 10-2-86.
Baba-ud-din to Hariah	†1-2-80	10.52			
Hariah to Malakwal	†10-4-80	5.99			
Malakwal to Bhakkar (via Kunhian)	15-6-87	172.20			
Bhakkar to Chenab West Bank	22-1-87	119.71			
Chenab West Bank to Chenab East Bank	1-1-80	2.49			
Chenab East Bank to Sher Shah	1-1-89	2.39			
			312.91		
Branches and sections—					
Goins-Basal section—					
Goins Junction to Basal Junction	1-1-81	46.75			
			46.75		
Kohat section—					
Jand to Khushnagarh	16-4-81	7.00			
Khushnagarh to Kohat	†25-6-01	32.46			
			39.46		
Bhera branch—					
Malakwal to Misai	§10-4-80	8.69			§This is the date of opening of the original 2' 6" gauge line which was subsequently converted to, and opened on, the 5' 6" gauge, on 5-1-03.
Misai to Bhera	§2-2-82	9.11			
			17.80		
Bhaganwala branch—					
Haripur to Bhaganwala	31-8-95	10.64			
			10.64		
Waracha quarry branch—					
Ganjyal to Waracha	22-12-17	8.32			
			8.32		
Carried over	488.08	2,589.01	

NORTH WESTERN RAILWAY SYSTEM—contd.

North Western railway (5' 6" gauge)—contd.
Progress in opening—contd.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	466.08	2,539.01	
FRONTIER SECTION (MILITARY)—contd.					
<i>Dandot branch—</i>					
Chalisa Junction to Khewra salt mines	*1-1-83	6.36			*Date of opening of the original 3' 3½" gauge line, subsequently converted to, and opened on, the 5' 6" gauge, Chalisa Junction to Khewra salt mines, on 15-5-87 and Khewra to Dandot on 1-8-88.
Khewra to Dandot		2.15			
<i>Kundian-Campbellpur section—</i>					
Kundian to Daud Khel	15-3-92	30.34			
Daud Khel to Jand	1-4-99	54.85			
Jand to Basal	18-4-81	18.41			
Basal to Campbellpur	1-4-80	18.45			
<i>Mari branch—</i>					
Daud Khel to Mari	15-3-92	6.25			
<i>Ghasi Ghat branch—</i>					
Mahmad Kot to Ghasi Ghat	1-4-87	10.55			†These are the dates of opening of the old alignment which, owing to frequent breaches by floods, was dismantled and realigned in certain parts of its length on 15th April 1897.
<i>Peshawar-Jamrud branch—</i>					
Peshawar to Jamrud	1-1-01	11.04			
<i>Sind-Pishin section—</i>					
<i>Main line—</i>					
Link to Sibi	2-5-80	182.97			
Sibi to Sharigh	20-3-87	74.80			
Sharigh to Bostan	21-8-87	61.18			
Base of Bostan triangle loop	...	0.31			
Bostan to Kila Abdulla	25-1-88	38.14			
Kila Abdulla to Chaman	1-1-82	29.40			
<i>Loop line—</i>					
Sibi to Quetta	1-5-82	87.04			†These are the dates of opening of the old alignment which, owing to frequent breaches by floods, was dismantled and realigned in certain parts of its length on 15th April 1897.
Quetta to Bostan	†20-8-87	20.57			
Bostan chord	21-8-87	1.34			
	1-1-96				
<i>Quetta-Nushki extension—</i>					
Spezand Junction to Nushki	15-11-05	88.28			
TOTAL OPEN MILEAGE FRONTIER SECTION (MILITARY)	83.28	1,151.26	
GRAND TOTAL OPEN MILEAGE (COMMERCIAL AND MILITARY)	3,690.27	
DOUBLE LINE (COMMERCIAL AND MILITARY SECTIONS)—					
Kiamari to Karachi City	30-6-97	3.07			
Karachi City to Karachi Cantonment	13-5-61	2.30			
Karachi Cantonment to Pipri	20-6-07	21.45			
Pipri to Kotri	3-5-88	81.89			
Olden to Hyderabad	1-4-13	3.56			
Onjolan to Channan	†20-9-92	37.88			
Ah-i-Gum to Kolpur		22.78			
Lodhran to Samasata	1-4-09	14.80			
Samasata to Khanpur	2-4-07	76.49			
Khanpur to Rati	8-4-07	62.00			
Rati to Rohri	1-6-07	70.05			
Rohri to Janvari	21-6-12	8.70			
Janvari to Begmanji	20-5-14	4.11			
Khararo to Chahi	20-5-14	6.74			
Amritsar to Lahore	15-1-06	32.38			
Lahore to Badami Bagh	18-10-09	1.54			
Badami Bagh to Shahdara	9-1-10	2.98			
Amritsar to Jandiala	23-3-10	11.28			
Jandiala to Botari	19-7-10	7.80			
Botari to Basa	10-12-10	6.85			
Basa to Dhillwan	28-3-14	1.49			
Dhillwan to Hamira	12-9-11	6.83			
Hamira to Jullundur Cantonment	18-3-10	18.95			
Jullundur Cantonment to Phagwara	20-4-11	10.22			
Phagwara to Ludhiana	1-6-11	24.20			
Ludhiana to Doraha	10-1-11	14.71			
Doraha to Gobindgarh	16-12-10	17.75			
Gobindgarh to Sirhind	10-1-11	3.00			
Sirhind to Rajpura	15-12-10	15.75			
Rajpura to Ambala	2-12-10	17.25			
Ambala to Kalanour	15-11-16	36.31			
Kalanour to Saharsapur	18-5-18	14.03			
Lahore to Rawwind	16-7-12	28.94			
Byderabad to Shahdarpur	1-7-15	45.80			
TOTAL DOUBLE LINE	722.38		

NORTH WESTERN RAILWAY SYSTEM—*contd.*North Western railway (5' 6" gauge)—*contd.*

Details of construction—

Permanent-way.—The permanent way is of various types. On the single line, of iron rails there are 60-lb. flat-footed; and 68-lb. double-headed; of steel rails there are 60-lb., 61-lb., 62-lb., 70-lb., 75-lb., 90-lb., and 100-lb. flat-footed; 64-lb., 68-lb., and 75-lb. double-headed; 68-lb., 73-lb., 77-lb., 84-lb., and 85-lb. bull-headed and 60-lb., 75-lb., and 90-lb. British standard section. On the double line the steel rails are 68-lb. double-headed, 77-lb. bull-headed and 75-lb., 87-lb., 90-lb. and 100-lb. flat-footed. The sleepers used are chiefly of wood, but cast-iron plates, (oval or round) pots and steel transverse sleepers are also extensively used.

Ballast.—The line is ballasted throughout with sand, broke and broken stone.

Fencing.—The line is fenced from Karachi to Lahore and from Lala Muea to Ghaziabad, also from Bnk to Jhatpat. The line between Lala Muea and Peshawar is partially fenced.

Curves.—The sharpest curve is of 455 feet radius.

Gradients.—The ruling gradient of the greater part of the railway is about 1 in 350 with the following important exceptions: between Karachi and Kotri 1 in 190; between Luki and Schwan 1 in 150; between Lalamusa and Peshawar 1 in 100; beyond Sibi 1 in 40 with 1 in 25 banking sections; between Jullundur and Hoshiarpur 1 in 200; between Sialkot and Jammu and Gurdaspur and Pathankote 1 in 70; between Seraikela and Haripur 1 in 105; between Haripur and Havelian 1 in 50; between Daudkhal and Campbellpur 1 in 83; between Rawalpindi and Kohat 1 in 70, except between Khushalgarh and Jand which is 1 in 59; and between Peshawar and Jamrud 1 in 50.

Contract—

Nil.—The line is owned and worked by the State.

Rates and fares.—Certain maxima and minima have been fixed by the Government, between the limits of which the Railway Administration can vary the rates and fares quoted for goods and coaching traffic.

Statistics of working (Those for the periods prior to 1886 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Includes the Kohat-Thal, Nowshera-Dargal and Trans Indus (Kahbach-Bannu) railway from date of opening, and the Kalka-Simla railway from 1907, the year in which it became an integral part of the North Western railway system.

Year.	Mileage open at end of each year.	Total capital expended on the line, including expenses, to end of each year, less only on line property, or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital expended on the line.	Government share of surplus profits less payments made on account of rebate.	Total income (column 6 + column 7).	Percentage of total income on total capital expended on the line.	Interest.	Amort.	Gain or loss to the State (column 11 minus column 12).	Commercial section.	Military section.	Entire line.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1886	1,800	76,00,00,000	2,83,00,000	1,19,02,830	3.32	...	1,19,02,830	3.32	1,15,07,148	53,00,735	-47,16,642
1887	2,300	78,00,00,000	2,10,00,000	57,77,586	1.61	...	57,77,586	1.61	1,01,60,726	80,30,322	-1,04,00,616
1888	2,441	79,00,00,000	2,57,70,300	80,60,596	2.11	...	80,60,596	2.11	1,09,18,938	53,45,716	-1,04,00,096
1889	2,441	80,00,00,000	2,85,00,000	1,02,54,741	2.61	...	1,02,54,741	2.61	1,15,70,116	88,08,786	-94,04,545
1890	2,405	81,00,00,000	2,73,90,000	1,02,87,001	2.45	...	1,02,87,001	2.45	1,10,09,056	74,54,283	-85,65,307
1891	2,405	82,00,00,000	2,58,36,101	1,21,32,321	2.84	...	1,21,32,321	2.84	1,20,07,442	80,05,200	-79,40,346
1892	2,538	83,00,00,000	2,64,35,000	1,24,00,000	3.08	...	1,24,00,000	3.08	1,24,00,000	80,04,000	-1,10,50,111
1893	2,673	84,00,00,000	2,82,94,732	1,27,07,043	3.23	...	1,27,07,043	3.23	1,27,07,043	80,08,544	-1,30,22,594
1894	2,824	85,00,00,000	2,73,14,007	1,29,25,181	2.95	...	1,29,25,181	2.95	1,24,03,270	103,00,247	-90,37,343
1895	2,876	86,00,00,000	2,62,16,380	1,29,40,800	3.08	...	1,29,40,800	3.08	1,25,01,109	103,00,247	-90,37,343
1896	2,913	87,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1897	2,913	88,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1898	2,913	89,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1899	2,913	90,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1900	2,913	91,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1901	2,913	92,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1902	2,913	93,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1903	2,913	94,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1904	2,913	95,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1905	2,913	96,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1906	2,913	97,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1907	2,913	98,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1908	2,913	99,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1909	2,913	100,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1910	2,913	101,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1911	2,913	102,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1912	2,913	103,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1913	2,913	104,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1914	2,913	105,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1915	2,913	106,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1916	2,913	107,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1917	2,913	108,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343
1918	2,913	109,00,00,000	2,84,41,740	1,28,86,400	2.47	...	1,28,86,400	2.47	1,25,01,109	103,00,247	-90,37,343

The decrease in net earnings in 1906 was due chiefly to extraordinary charges incurred in the repairs of flood damages, accentuated by a fall in the gross earnings consequent upon the failure of the wheat export trade from Karachi and the diminution of traffic generally owing to famine and extensive breaches of the line caused by floods.

The decrease is in the ad-Badin section.

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Amritsar-Patti railway (5' 6" gauge)—

Date of registration of the Company.—12th April 1905.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1.	2	3	4
Amritsar to Tarn Taran	21-9-06	18'00	
Tarn Taran to Patti	30-12-06	12'05	
Patti to Kasur	4-4-10	27'21	
TOTAL			54'26

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed British standard steel rails laid on deodar, jarrah, chir and douglas fir sleepers.

Ballast.—The line is ballasted throughout with broken stone.

Fencing.—Station yards only are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Agreements and Contracts—

Agreement, dated the 21st March 1905, between the Secretary of State and Messrs. Killick, Nixon and Company of Bombay, as to the formation and establishment of the Amritsar-Patti Railway Company.

Contract, dated the 22nd May 1905, between the Secretary of State and the Amritsar-Patti Railway Company, as to the construction, maintenance, management and working of the Amritsar-Patti railway.

Agreement, dated the 17th March 1909, between the Secretary of State and the Amritsar-Patti Railway Company, as to the raising of capital and execution of contract in connection with the construction of the Patti-Kasur extension.

Agreement, dated the 7th May 1909, between the Secretary of State and the Amritsar-Patti Railway Company, as to the reduction of the capital amount.

Contract, dated the 7th May 1909, between the Secretary of State and the Amritsar-Patti Railway Company, as to the construction, maintenance, management and working of the Patti-Kasur extension as an integral part of the Amritsar-Patti railway.

Railway Board's letter No. 92-90-L-1, dated the 26th March 1915, sanctioning an additional (nominal Debenture) capital of 10 lakhs.

Contract, dated the 28th October 1915 (supplemental to the contract of 1905 and 1909), between the Secretary of State and the Amritsar-Patti Railway Company, as to the adoption of the Government financial year for the preparation of accounts, etc.

Main provisions of agreements and contracts—

(i) *Land.*—Provided by the Government free of cost to the Company, except for quarrying ballast brickfields, other kindred purposes and temporary works.

(ii) *Government aid.*—The Government constructed the line (from funds supplied by the Company whose property it is), and manage, maintain, stock and work it, through the agency of the North Western railway.

By way of rebate the Government allow the Company, in respect of each year, such a sum, up to 45 per cent of the gross earnings from traffic (excluding those derived from the carriage of stores) interchanged between the North Western railway and the Amritsar-Patti railway, as shall, together with the net earnings of the Company, make up an amount equal to an interest for the year at a rate of 5 per cent per annum on the paid-up share capital and at 4½ per cent on the amount of debentures, as also, up to the same limit, Rupees 7,200 on account of office expenses and expenses of management and direction. They also allow all such legal expenses as may be properly incurred by the Company and approved by the Secretary of State or the Government of India and as are debitable to Revenue.

(iii) *Terms of working.*— } For management, maintenance, working and provision of rolling-stock.

(iv) *Distribution of profits.*— } the Government retain 45 per cent of the gross earnings in each half-year of the Amritsar-Patti railway; the remainder, constituting the net earnings, is paid to the Company.

But should the net earnings of the Company in any year exceed the minimum amount sufficient to pay a dividend of 5 per cent per annum, on the paid-up share capital and 4½ per cent on the amount of debentures, such excess is to be applied towards the payment of office expenses and expenses of management and direction [referred to under (ii)] up to a limit of Rs. 15,000, the balance being divided equally between the Government and the Company.

(v) *Rates and fares.*—To be arranged between the Government and the working agency within the maximum and minimum in force on, and the classification of goods to be in conformity with that of the North Western railway.

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof.—

To be conveyed at the same rates and under the same arrangements as apply to State railways.

(vii) *Power of the Government to determine contract.*—The Government may, by giving twelve months' previous notice of purchase, determine the contract either on the 31st December 1935 or on the 31st December in the last year of any subsequent period of 10 years, by paying to the Company in rupees 25 times the average yearly net earnings of the Company during the three years immediately preceding the date of determination, subject to a limit of 20 per cent in excess of, but not less than, the total capital expenditure of the Company.

(viii) *Power of the Company to surrender contract.*—Nil.

(ix) *Term of contract (if not determined under (vii)).*—None specified.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Amritsar-Patti railway (5' 6" gauge)—*contd.*

Statement of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Government share of surplus profits.	Total income [column 6 + column 7].	Percentage of total income on total capital outlay per week, in column (8).	Earnings per mile.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1936	27.49	11,99,964	15,928	8,432	0.71	...	8,432	0.71	69	45.00
1937	27.49	14,19,465	1,61,280	88,704	6.45	3,736	84,978	5.90	113	45.00
1938	27.49	14,87,400	1,79,451	99,708	8.81	4,852	98,851	6.24	126	45.00
1939	27.60	17,88,129	2,15,869	1,20,103	6.73	15,957	1,04,146	5.82	152	45.00
1940	54.26	36,67,169	3,64,322	2,00,378	7.61	30,922	1,39,456	6.35	146	45.00
1941	54.26	26,63,432	4,76,792	2,58,836	9.62	49,275	2,61,061	7.81	187	45.00
1942	54.26	26,70,826	5,24,419	2,58,431	10.63	61,317	2,27,114	7.91	186	45.00
let gr. of 1913.	54.26	26,85,820	1,48,642	81,753	2.83	...	81,753	2.83	210	45.00
1913-14	54.26	29,55,892	7,41,801	4,07,765	13.79	78,965	3,28,800	11.12	268	45.00
1914-15	54.26	32,49,992	7,02,331	3,86,610	11.99	119,964	2,66,845	8.19	240	45.00
1915-16	54.26	84,04,792	6,79,838	3,73,630	10.37	1,49,118	2,36,512	6.59	220	45.00
1916-17	54.26	83,96,696	6,89,598	3,68,278	10.84	67,722	2,80,556	8.26	237	45.00
1917-18	54.26	84,05,991	4,96,812	2,74,071	8.05	40,982	2,39,689	6.84	177	45.00

Hoshiarpur Doab Branch railways (Jullundur-Mukerian and Phagwara-Rahon railways) (5' 6" gauge)—

Date of registration of the Company.—27th February 1914.

The construction of the Jullundur-Mukerian and Phagwara-Rahon railways by the Hoshiarpur Doab Branch Railways Company was authorised by the Railway Board in their letter No. 337-N.R.C., dated the 13th March 1914.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	
JULLUNDUR-MUKERIAN RAILWAY—			
Jullundur City to Tauda Umar.	1-1-15	25.27	
Tauda Umar to Dasuya.	1-2-15	9.45	
Dasuya to Mukerian.	1-3-15	10.09	
TOTAL JULLUNDUR-MUKERIAN RAILWAY	44.81
PHAGWARA-RAHON RAILWAY—			
<i>Main line—</i>			
Phagwara to Karish.	1-4-15	17.84	
Karish to Rahon.	27-5-15	7.95	
			25.79
<i>Jajion extension—</i>			
Navashahr to Jajion.	9-5-17	19.42	
TOTAL PHAGWARA-RAHON RAILWAY	45.21

Details of construction—

Permanent way.—The permanent way on the two railways consists of 58½-lb. and 60-lb. flat-footed steel rails on wooden sleepers. The 58½-lb. rails are in all respects, except in the width of foot, similar to the 60-lb. rails which are of British Standard section.

Ballast.—Both the railways are ballasted with stone. The facing points, crossings, passenger platforms, level crossings, bridge approaches and sharper curves on the Phagwara-Rahon railway are ballasted with brick.

Fencing.—Fencing has been provided only at first class level crossings for a short distance on each side of the gates.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient on the Jullundur-Mukerian railway is 1 in 300 and on the Phagwara-Rahon railway, 1 in 500 on the main line and 6 in 100 on the Jajion extension.

Contract—

Dated the 21st February 1917, between the Secretary of State and the Hoshiarpur Doab Branch Railways Company, as to the construction, maintenance, management and working of the Hoshiarpur Doab Branch railways (Jullundur-Mukerian and Phagwara-Rahon railways.)

Railway Board's letter No. 20-P., dated the 22nd January 1916, authorising to increase the nominal capital of the Company from Rs. 50 lakhs to Rs. 65 lakhs and sanctioning an additional allowance of Rs. 2,000 per annum for administrative charges of the Company in respect of the Jajion extension.

[Note.—A supplemental contract extending the terms of the contract of 21st February 1917 to the Jajion extension is under consideration.]

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Hoshiarpur Doab Branch railways (Jullundur-Mukerian and Phagwara-Rahon railways) (5' 6" gauge)—*concl.*

Main provisions of contract—

- (i) *Land*.—Land in British territory provided by Government free of cost to the Company.
- (ii) *Government aid*.—By way of rebate Government allow to the Company, in respect of each year, such a sum, not exceeding the net earnings of the North Western railway derived from all traffic, except stores for maintenance and working, interchanged between the North Western railway and the said railways, as shall, together with the net earnings of the Company, be equal to the interest for the year at a rate of 5 per cent per annum on the share capital of the Company for the time being paid up. They also allow, subject to the conditions mentioned in clause 6, Schedule II of the agreement, Rs. 12,000 and such other actual expenses for or towards the office expenses and expenses of management, and direction of the Company as are specified in that clause, as also all such legal expenses as may be properly incurred by the Company and approved by the Secretary of State or the Government of India and as are under the provisions of the agreement debitable to Revenue.
- (iii) *Terms of working*.—For management, maintenance, working and use of rolling-stock, Government retain 50 per cent of the gross earnings of these railways in each half-year, the remainder constituting the net earnings is paid to the Company.
- (iv) *Distribution of profits*.—Should the net earnings of the Company in any year exceed the minimum amount sufficient to pay a dividend of 5 per cent per annum, such excess is to be applied towards the payment of the office expenses and expenses of management and direction of the Company stated under (ii), the balance, if any, being divided equally between the Government and the Company, provided that if the surplus profits are insufficient to meet the administration charges, the difference will be paid to the Company by the working agency out of the stipulated amount retained by the latter as working expenses.
- (v) *Rates and fares*.—To be sanctioned by the Secretary of State within the maximum and minimum in force on, and the classification of goods to be in conformity with that of, the North Western railway.
- (vi) *Special obligations as to the conveyance of*.—
 (a) Mails, troops, police, high Government officials and Government stores.—To be conveyed in all respects as far as practicable in the same manner and subject to the same regulations and control by the Secretary of State as the same are conveyed on the North Western railway.
 (b) Government bullion and coin, and the persons in charge thereof.—
- (vii) *Power of the Government to determine contract*.—Government may, on giving 12 months' previous notice of probate in writing, determine the contract on the 31st March 1946 or on the 31st March in the last year of any subsequent period of 10 years by paying to the Company in rupees, 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years, immediately preceding the date of determination, subject to a limit of 20 per cent in excess of, but not less than, the total capital expenditure of the Company.
- The Government may also, by giving 12 months' previous notice of "special purchase" determine the contract at any time in the following cases, by paying in rupees currency to the Company 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years preceding the date of determination or 45 per cent of the total capital expenditure of the company whichever may be the greater.—
 (a) when it is considered desirable to alter the gauge of the railways,
 (b) when it is considered desirable to convert the railways into a line of through communication,
 (c) when it is considered desirable to extend the said railways and the Company fails to raise additional capital for such extension within 6 months from date of receipt of the formal requisition from Government.
- (viii) *Power of the Company to surrender contract*.—Nil.
- (ix) *Term of the contract*.—From 21st February 1917 to 31st March 1946 and thereafter as noted under (vii).

Statistics of working—

Year.	Mileage opened at end of each year.		Total capital outlay, including expense, at end of each year.		Gross earnings.		Net earnings.		Percentage of net earnings on total capital outlay given in column 4 and 5.		Rebate and Administration charges from North Western railway (+), or share of surplus profits payable to Government (—).	Total income.	Percentage of total income on total capital outlay given in column 4 and 5.	Earnings per mile per week.		Proportion of expenses to earnings.
	J. M. Ry.	P. R. Ry.	J. M. Ry.	P. R. Ry.	J. M. Ry.	P. R. Ry.	J. M. Ry.	P. R. Ry.	J. M. Ry.	P. R. Ry.				J. M. Ry.	P. R. Ry.	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1914-15	42'40		19,25,457		3,708		1,397	—	0.07	—	—	1,397	0.07	5	—	80.00
1915-16	44'80	35'84	31,78,124	12,07,446	1,40,130	1,85,643	73,550	63,321	2.28	4.87	—	1,33,840	3.03	49	94	59.00
1916-17	44'81	35'73	31,47,801	13,25,847	2,11,697	1,94,491	1,08,790	94,941	3.36	4.08	+24,060	3,23,000	4.11	91	140	50.00
1917-18	44'81	40'31	35,39,127	15,78,086	3,04,671	1,60,373	1,05,353	96,086	3.94	3.75	+25,420	2,91,451	5.33	88	85	80.00

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Jammu and Kashmir (Native State section) (5' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Frontier of the Kashmir State to the left bank of the Tawi river near Jammu.	15-3-90	1601	1601

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed steel rails laid on transverse sleepers of deodar.

Ballast.—The line is ballasted throughout with broken stone.

Fencing.—The line is unfenced except at Sialkot station.

Curves.—The sharpest curve is of 2,865 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Agreements—

Dated the 19th April 1913, having effect from 1st June 1912, between the Government of India and the Kashmir Durbar, as to construction and working.

Corrigendum, dated 14th September 1915, between the Government of India and the Kashmir Durbar, modifying the agreement of 19th April 1913.

Main provisions of agreement—

- (i) *Land.*—Provided free of cost by the Durbar and the Government in their respective territories.
- (ii) *Government aid.*—The section was constructed (from funds supplied by the Kashmir Durbar, whose property it is), and is managed, maintained, stocked and worked by the North Western railway.
By way of rebate the Government allow to the Durbar a payment on traffic interchanged with the North Western railway to such extent, as, together with the share of net earnings attributable to the section, will afford a total dividend of 8½ per cent per annum on the actual capital expenditure to end of each half-year, subject to the proviso that such rebate in no case exceeds the North Western railway's net earnings from traffic interchanged with the section.
- (iii) *Terms of working.*— } For management, maintenance, use of rolling-stock and work
- (iv) *Distribution of profits.*— } ing, the North Western railway retains 55·50 per cent of the gross earnings of the section, the remaining 44·50 per cent together with rebate being credited to the Durbar.
- (v) *Rates and fares.*—To be such as are from time to time in force on the main line of the North Western railway.
- (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high Government officials } To be conveyed on the same general
 - (b) Government bullion and coin, and the persons in } conditions as those in force on the main
 - charge thereof. } line of the North Western railway.
 - (c) Services to the Durbar.—As in clauses 15, 16 and 17 of the agreement.
- (vii) *Power of the Government to determine agreement.*— } The agreement is terminable on six months' notice by either party.
- (viii) *Power of the Durbar to surrender agreement.*— }
- (ix) *Term of agreement.*— }

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, s. e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from North Western railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles	Rs.	Ra.	Ra.	...	Ra.	Ra.	...	Ra.	Ra.
1908	15·97	9,36,605	95,300	37,000	3·82	...	37,000	3·82	103	55·50
1909	15·98	10,01,019	83,927	37,347	3·70	...	37,347	3·70	101	55·50
1910	15·79	10,10,234	96,918	38,679	3·82	...	38,679	3·82	106	55·50
1911	15·79	10,14,330	98,323	43,977	4·33	...	43,977	4·33	120	55·50
1912	15·79	10,27,339	81,400	36,325	3·50	...	36,223	3·50	99	55·50
1st yr. of 1913.	15·79	10,28,739	20,998	9,077	0·89	...	9,077	0·89	99	55·50
1913-14	16·01	10,28,843	1,15,668	51,470	5·00	...	51,470	5·00	140	55·50
1914-15	16·01	10,30,861	1,04,032	46,394	4·41	...	46,294	4·41	125	55·50
1915-16	16·01	10,32,682	1,38,208	60,611	5·76	...	60,611	5·70	163	55·50
1916-17	16·01	10,54,077	1,21,000	54,112	5·13	...	54,112	5·18	146	55·50
1917-18	16·01	10,80,116	1,11,523	49,628	4·68	...	49,628	4·68	134	55·50

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Khanpur-Chachran railway (5' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Khanpur to Chachran	3-7-11	22-02	22-02

Details of construction—

Permanent-way.—The permanent-way consists of 60-lb. flat-footed steel rails laid on jarrah sleepers.

Ballast.—The line is ballasted with brick and stone.

Fencing.—The line is not fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 500.

Agreement—

Dated the 21st August 1912 (having effect from the 1st January 1911), between the Secretary of State and the Bahawalpur Durbar, as to the construction, maintenance and working of the Khanpur-Chachran railway by the North Western railway.

Corrigendum (having effect from 1st April 1913) to the agreement of 21st August 1912, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of agreement—

- (i) *Land.*—To be provided free of cost by the Bahawalpur Durbar, both during and after construction.
 (ii) *Government aid.*—The line was constructed by the Government (from funds supplied by the Bahawalpur Durbar, whose property it is), and is managed, maintained, stocked and worked, through the agency of the North Western railway as if it were part of its system.

By way of rebate Government allow to the Durbar a sum not exceeding in any year the net earnings of the North Western railway from traffic interchanged with the Khanpur-Chachran branch railway, excluding the net earnings from carriage of railway stores, as shall, together with the net earnings of the branch, make up an amount equal to interest at 3 per cent per annum on the actual expenditure charged in the capital account of the branch.

- (iii) *Terms of working.*— } For management, maintenance, use of rolling-stock and working of the North Western railway retains 50 per cent of the gross earnings of the branch, the balance being paid to the Durbar.
 (iv) *Distribution of profits.*— }

- (v) *Rules and fares.*—To be the same as may, from time to time, be in force on the North Western railway.

- (vi) *Special obligations as to the conveyance of.*—

- (a) Mails, troops, police, high officials and stores } To be carried on the same general conditions and at the same rates as may for of both the Government and the Durbar. } the time being he in force on the North
 (b) Government and Durbar bullion and coin, and } Western railway.
 the persons in charge thereof — }

- (vii) *Power of the Government to determine agreement.*— } The agreement is terminable on the 1st January or 1st July in any year after 1935, on six months' previous notice given by either party to the other. The Government may also determine the agreement at any time, on six months' notice, should either the North Western railway or the Bahawalpur Durbar fail to observe their respective obligations.
 (viii) *Power of the Durbar to surrender agreement.*— }

Upon the determination of the agreement the North Western railway shall give to the Bahawalpur Durbar possession of the Khanpur-Chachran railway, together with all its belongings and moneys then payable to it, after which the Bahawalpur Durbar shall indemnify the North Western railway against all debts and liabilities as may have been incurred and then be subsisting on behalf of the Khanpur-Chachran railway.

- (ix) *Term of contract.*—From the 1st January 1911 until 1935, and thereafter as noted under (viii).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from North Western railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1911	23-02	13,95,947	12,861	6,431	0-16		6,431	0-46	22	50-00
1912	22-02	13,81,071	28,554	14,428	1-01	13,721	28,147	2-03	25	50-00
1st qr. of 1913	22-02	18,25,029	6,730	3,360	0-24	18,567	16,927	1-21	23	50-00
1913-14	22-02	14,79,557	56,873	18,137	1-31	17,937	36,754	2-60	32	50-00
1914-15	22-02	14,00,238	36,516	18,257	1-30	24,179	42,436	3-03	32	56-00
1915-16	22-02	1,55,93-7	72,815	16,107	1-17	87,794	51,201	3-67	29	50-00
1916-17	2-02	1,10,000	39,729	12,865	1-42	22,154	41,896	3-60	35	50-00
1917-18	22-02	14,64,03	33,250	16,620	1-19	25,370	42,000	3-00	29	50-00

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Ludhiana-Dhuri-Jakkhal railway (5' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Ludhiana via Dhuri to Jakkhal	10-4-01	78.65	78.65

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed steel rails laid on transverse sleepers of deodar.

Ballast.—The line is ballasted throughout with brick, stone and kunkur.

Fencing.—Only station yards and about 100 feet on each side of level crossings are fenced.

Curves.—The sharpest curve is of 1,364 feet radius.

Gradients.—The ruling gradient is 1 in 400.

Agreement—

Dated the 6th September 1899, between the Secretary of State and the Maler Kotla and Jhind Durbars as to the construction, maintenance and working.

Main provisions of agreement—

- (i) *Land.*—Provided free of cost by the Government in the case of British territory and by the Durbars concerned in the case of Native States' territory up to the date of the agreement of 1899; thereafter all land provided by the Maler Kotla and Jhind Durbars is debited to capital.
- (ii) *Government aid.*—The Government constructed the line (from funds supplied in the ratio of $\frac{4}{10}$ th, and $\frac{6}{10}$ th, respectively, by the Jhind and Maler Kotla Durbars, whose property it is), and manage, maintain, stock and work it, through the agency of the North Western railway, as part of its system.
- (iii) *Terms of working.*— } For management, maintenance, provision of rolling-stock and working
- (iv) *Distribution of profits.*— } the North Western railway retain 55 per cent, which has, with effect from the 1st January 1913, in pursuance of Railway Board's letter No 192-B.T., dated the 29th January 1913, been reduced to 52 per cent, of the gross earnings; and the balance is paid to the Jhind and Maler Kotla Durbars to be divided between them in the ratio of $\frac{4}{10}$ th to the former and $\frac{6}{10}$ th to the latter.
- (v) *Rates and fares.*—To be the same as may, from time to time, be in force on the North Western railway.
- (vi) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high officials and stores, } To be carried on the same general conditions and at the same rates as may for the time being be in force on the North Western railway.
 - (b) Bullion and coin of Government and the Durbars, and the persons in charge thereof. }
- (vii) *Power of the Government to determine agreement.*—
- (viii) *Power of the Durbars to surrender agreement.*— } Either party may determine the agreement
- (ix) *Term of contract.*— } on the 1st January or 1st July in any year, by giving six months' previous notice to the other. The Government may also determine the contract at any time on six months' notice in writing should either the North Western railway or the Durbars fail to observe their respective obligations. Upon the determination of the agreement the North Western railway will give to the Maler Kotla and Jhind Durbars possession of the railway, all its belongings and moneys then payable to them, after which the Durbars will indemnify the North Western railway against all debts and liabilities as may have been incurred and then be subsisting on behalf of the Ludhiana-Dhuri-Jakkhal railway.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (1) lines open, and (2) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	78.65	41,86,647	6,24,503	2,81,067	6.71	153	55.00
1909	78.65	41,49,158	6,13,420	2,76,070	6.59	150	53.00
1910	78.65	41,88,289	8,29,707	3,75,818	8.92	203	55.00
1911	78.65	41,92,181	6,55,093	2,94,792	7.03	160	55.00
1912	78.65	41,91,985	7,18,119	3,24,353	7.68	175	55.00
1st qr. of 1913	78.65	41,90,109	2,90,611	90,275	3.15	166	55.00
1913-14	78.65	42,19,376	8,92,734	4,31,531	10.20	218	51.83
1914-15	78.65	42,37,467	7,49,354	3,30,630	8.49	183	53.00
1915-16	78.65	42,53,978	9,04,935	4,34,913	10.26	221	52.00
1916-17	78.65	42,48,185	8,56,408	4,12,035	9.61	209	52.00
1917-18	78.65	43,17,459	7,62,930	3,65,718	8.47	180	52.00

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Mandra-Bhaun railway (5' 6" gauge)—

Date of registration of the Company.—18th November 1913.

The construction of this line by the North Western railway for the Mandra-Bhaun Railway Company was sanctioned under Railway Board's Notification No. 355, dated the 3rd December 1913.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mandra to Dhudial	1-5-15	27.25	
Dhudial to Chak Naurang	1-6-15	4.25	
Chak Naurang to Chakwal	1-9-15	7.86	
Chakwal to Bhaun	15-1-16	7.62	
TOTAL	46.98

Details of construction—

Permanent-way.—The permanent-way consists of second-hand 60-lb. flat-footed steel rails laid on creopine, Douglas fir and second-hand steel trough sleepers.

Ballast.—The line is ballasted with stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 100 compensated.

Contract—

Dated the 15th October 1914, between the Secretary of State and the Mandra-Bhaun Railway Company, as to the construction, maintenance, management and working of the Mandra-Bhaun railway.

Main provisions of contract—

(i) *Land*—Provided by the Government free of cost to the Company.

(ii) *Government aid*—The line was constructed by the Government (from funds supplied by the Mandra-Bhaun Railway Company whose property it is), and is managed, maintained, stocked and worked through the agency of the North Western railway as if it were part of its system.

By way of rebate the Government allow to the Company, in respect of each year, such a sum, not exceeding the net earnings of the North Western railway derived from all traffic (except stores) interchanged between the North Western railway and the said railway as shall, together with the net earnings of the Company, be equal to the interest for the year at a rate of 5 per cent per annum on the share capital of the Company for the time being paid up. They also allow, subject to the conditions mentioned in clause 7, schedule II, of the agreement, Rs. 7,200 and such other actual expenses, for or towards the office expenses, expenses of management and direction of this Company, as are specified in that clause as also all such.

Legal expenses as may be properly incurred by the Company and approved by the Secretary of State or the Government of India and as are debitable to revenue.

(iii) *Terms of working.*— } For management, maintenance, working and use of rolling-stock,

(iv) *Distribution of profits.*— } the Government retain 50 per cent of the gross earnings in each half-year of the Mandra-Bhaun railway; the remainder, constituting the net earnings, is paid to the Company.

But should the net earnings of the Company in any year exceed the minimum amount sufficient to pay a dividend of 5 per cent per annum, such excess is to be applied towards the payment of office expenses and expenses of management and direction of the Company for the year referred to under (ii), the balance, if any, being divided equally between the Government and the Company. Provided that if the surplus profits are insufficient to meet the administration charges, the balance will be paid to the Company by the Working Agency out of the stipulated amount retained by the Working Agency as working expenses.

(v) *Rates and fares.*—To be sanctioned by the Secretary of State within the maximum and minimum in force on, and the classification of goods to be in conformity with that of, the North Western railway.

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—

(b) Government hullion and coin, and the persons in charge thereof.—

To be conveyed in all respects as far as practicable in the same manner and subject to the same regulations and control by the Secretary of State as the same are conveyed over the North Western railway.

(vii) *Power of the Government to determine contract.*—The Government may, by giving 12 months' previous notice in writing of purchase, determine this contract either on the 31st day of March 1917 or on the 31st day of March of the last year of any subsequent period of 10

NORTH WESTERN RAILWAY SYSTEM—*contd.*Mandra-Bhaun railway (5' 6" gauge)—*concl.*Main provisions of contract—*concl.*

years, by paying to the Company in rupees 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years immediately preceding the date of determination, subject to a limit of 20 per cent in excess of, but not less than, the total capital expenditure of the Company.

The Government may also, by giving 12 months' previous 'notice of special purchase', determine the contract at any time in the following cases:—

- (a) when it is considered desirable to alter the gauge of the railway;
- (b) when it is considered desirable to convert the railway into a line of through communication; and
- (c) when it is considered desirable to extend the railway and the Company fails to raise additional capital for such extension within 6 months from receipt of the formal requisition from the Government.

If the contract be determined 'by notice of special purchase' the Government will pay to the Company in rupees 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years preceding the date of determination or 115 per cent. of the total capital expenditure, whichever may be the greater.

(viii) *Power of the Company to surrender contract.*—Nil.

(ix) *Term of contract.*—From 15th October 1914 to 30th March 1917 and thereafter as noted under (vii).

Statistics of working—

Year	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e. outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate and Amortisation charges from North Western Railway (+), or share of surplus profits payable to Government (—).	Total income (column 5 + or — column 7).	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1915-16	48.38	21,35,290	20,484	10,242	0.48	—	10,242	0.42	8	50.00
1916-17	46.38	23,84,747	1,73,214	87,107	3.65	+ 31,162	1,18,269	4.96	72	39.00
1917-18	46.38	28,96,775	1,71,684	85,947	3.38	+ 60,224	1,46,171	6.10	71	50.00

Rajpura-Bhatinda railway (5' 6" gauge)—

Progress in opening—

Sections of railway.		Date of opening.	Miles.	Total.
1	2	3	4	
Rajpura to Patiala		1-11-84	16.00	
Patiala to Bhatinda		13-10-89	92.04	
TOTAL				108.04

Details of construction—

Permanent-way.—The line from Rajpura to Patiala is laid with 68-lb. bull-headed steel rails on deodar sleepers, and from Patiala to Bhatinda with 75-lb. flat-footed steel rails on deodar, chir and jarrah sleepers.

Ballast.—The line is ballasted throughout with brick and stone.

Fencing.—The line is fenced between Rajpura and Patiala at station yards, and 100 feet on each side of level crossings between Patiala and Bhatinda.

Curves.—The sharpest curve is of 1,146 feet radius.

Gradients.—The ruling gradient is 1 in 250.

Agreement—

Dated the 30th January 1893, between the Secretary of State and the Patiala Durbar, as to management, maintenance and working of the Rajpura-Bhatinda railway.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Rajpura-Bhatinda railway (5' 6" gauge)—*concl.*

Main provisions of agreement—

- (i) *Land.*—Land for original construction was provided free of cost by Government in British territory and by the Patiala Durbar in their territory; the cost of that provided by the Durbar after 13th October 1889 (the date on which the agreement came into force) is debited to the capital account.
- (ii) *Government aid.*—The line, which is the property of the Patiala Durbar, is managed, maintained, stocked and worked by the Government through the agency of the North Western railway as part of its system from the 13th October 1889.
- (iii) *Terms of working.*— } For management, maintenance, provision of rolling-stock and working,
 (iv) *Distribution of profits.*— } the North Western railway retains 55 per cent of the gross earnings (reduced to 52 per cent from 1st January 1904, in accordance with the Government of India, Public Works Department, No. ⁸¹⁷/₈₁₈ R.T., dated the 5th October 1903, to the address of the Government of the Punjab Manager, North Western railway) and the balance is paid to the Patiala Durbar.
- (v) *Rates and fares.*—To be the same as may, from time to time, be in force on the North Western railway.
- (vi) *Special obligations as to the conveyance of.*—
- (a) Mails, troops, police, high officials and }
 stores both of the Government and of } To be carried on the same general conditions
 the Durbar.— } and at the same rates as may for the time being
 (b) Government and Durbar bullion and coin, } be in force on the North Western railway.
 and the persons in charge thereof.— }
- (vii) *Power of the Government to determine agreement.*— }
 (viii) *Power of the Durbar to surrender agreement.*— } The agreement is terminable on the 1st January or the 1st July in any year on six months' previous notice in writing being given by either party to the agreement to the other. The Government may also determine the contract at any time on six months' notice in writing, should either the North Western railway, or the Patiala Durbar, fail to observe their respective obligations. Upon the determination of the agreement the North Western railway will give to the Patiala Durbar possession of the railway, all its belongings and moneys then payable to it, after which the Patiala Durbar will indemnify the North Western railway against all debts and liabilities as may have been incurred and then be subsisting on behalf of the Rajpura-Bhatinda railway.
- (ix) *Term of agreement.*— }

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	107.05	88,52,951	13,74,351	6,59,689	9.63	247	52.00
1909	108.45	68,89,482	13,15,803	6,31,888	9.19	287	52.00
1910	108.45	68,92,203	13,91,108	6,67,731	9.68	251	52.00
1911	107.91	69,89,254	16,36,470	7,62,025	11.20	293	52.00
1912	108.04	70,42,312	20,20,609	9,74,788	13.84	363	52.00
1st qr. of 1913	108.04	70,73,101	4,35,345	2,08,066	2.95	310	52.00
1913-14	108.04	71,54,698	19,78,514	9,50,167	13.28	352	52.00
1914-15	108.04	72,49,445	13,42,882	6,44,574	6.89	289	52.00
1915-16	108.04	72,75,107	16,73,791	8,03,419	11.04	336	52.00
1916-17	108.04	73,11,085	18,09,610	8,68,613	11.82	331	52.00
1917-18	103.04	75,78,443	21,63,806	10,38,627	13.70	385	52.00

NORTH WESTERN RAILWAY SYSTEM—*contd*

Sialkot-Narowal railway (5' 6" gauge)—

Date of registration of the Company.—21st July 1914.

The construction of this line by the North Western railway for the Sialkot-Narowal Railway Company was sanctioned under Railway Board's Notification No. 19, dated the 26th January 1915.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Sialkot to Kila Sobha Singh	10-11-15	27.16	
Kila Sobha Singh to Narowal	10-1-16	11.00	
TOTAL			38.16

Details of construction—

Permanent-way.—The permanent-way consists of new 60-lb. flat-footed British standard section steel rails laid on new wooden sleepers.

Ballast.—The line is ballasted with shingle with a bottom layer of brick ballast.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 2,865 feet radius.

Gradients.—The ruling gradient is 1 in 500.

Contract—

Dated the 15th February 1917, between the Secretary of State for India and the Sialkot-Narowal Railway Company, as to construction, maintenance, management and working of the Sialkot-Narowal railway.

Main provisions of contract—

- (i) *Land.*—Land in British territory provided by Government free of cost to the Company.
- (ii) *Government aid.*—The line was constructed by the Government (from funds supplied by the Sialkot-Narowal Railway Company whose property it is) and is managed, maintained, stocked and worked by Government through the agency of the North Western railway as if it were a part of its system.

By way of rebate Government allow to the Company in respect of each year, such a sum not exceeding the net earnings of the North Western railway derived from all traffic, except stores for maintenance or working, interchanged between the North Western railway and the said railway, as shall, together with the net earnings of the Company, be equal to the interest for the year at a rate of 5 per cent per annum on the share capital of the Company for the time being paid up. They also allow, subject to the conditions mentioned in clause 7, Schedule II, of the agreement, Rs. 7,200 and such other actual expenses for or towards the office expenses and expense of management and direction of the Company as are specified in that clause; as also all such legal expenses as may be properly incurred by the Company and approved by the Secretary of State or the Government of India and as are, under the provisions of the contract, debitable to Revenue.

- (iii) *Terms of working.*— } For management, maintenance, working and use of rolling-stock,
 (iv) *Distribution of profits.*— } Government retain the same percentage of gross earnings for which the North Western Railway system including this railway is worked subject to a maximum of 50 per cent of the gross earnings of the said railway, the remainder constituting the net earnings is paid to the Company.

Should the net earnings of the Company in any year exceed the minimum amount, sufficient to pay a dividend of 5 per cent per annum, such excess is to be applied towards the payment of the office expenses and expenses of management and direction of the Company stated under (ii), the balance, if any, being divided equally between the Government and the Company. Provided that if the surplus profits are insufficient to meet the Administration charges the difference will be paid to the Company by the working agency out of the stipulated amount retained by the latter as working expenses.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Sialkot-Narowal railway (5' 6" gauge)—*concl'd.*Main provisions of contract—*concl'd.*

- (v) *Rates and fares.*—To be sanctioned by the Secretary of State within the maximum and minimum in force on, and the classification of goods to be in conformity with that of, the North Western railway.
- (vi) *Special obligations as to the conveyance of—*
- (a) Mail's, troops, police, high Government officials and Government stores —
 - (b) Government bullion and coin and the persons in charge thereof —
- } To be carried, in all respects as far as practicable, in the same manner and subject to the same regulations and control by the Secretary of State as the same are carried on the North Western railway.
- (vii) *Power of the Government to determine contract.*—Government may, by giving 12 months' previous notice of purchase, determine the contract on the 31st March 1946 or on the 31st March in the last year of any subsequent period of 10 years by paying to the Company in rupees 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years immediately preceding the date of determination, subject to a limit of 20 per cent in excess of but not less than, the total capital expenditure of the Company. Government may also by giving 12 months' previous notice of "special purchase" determine the contract at any time in the following cases :
- (a) when it is considered desirable to alter the gauge of the railway ;
 - (b) when it is considered desirable to convert the railway into a line of through communication ; and
 - (c) when it is considered desirable to extend the said railway and the Company fails to raise additional capital for such extension within 6 months from date of receipt of the formal requisition from Government.

If the contract shall be determined by notice of "Special purchase" the Government will pay to the Company in rupees 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years preceding the date of determination or 115 per cent of the total capital expenditure of the Company whichever may be the greater.

(viii) *Power of the Company to surrender contract.*—Nil.

(ix) *Term of the contract.*—From 15th February 1917 to 31st March 1946 and thereafter as noted under (vii).

Statistics of working —

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (1) lines open and (2) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate and Administration charges from the N. W. Ry. (+), or share of surplus profits to, (—), the Government.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.			Rs.		Rs.	
1915-16	88.15	24,47,581	27,067	13,533	0.55	...	13,533	0.55	14	50.90
1916-17	88.15	27,23,638	2,13,898	1,06,848	3.92	+ 25,933	1,32,771	+ 87	107	50.00
1917-18	88.16	27,57,368	2,35,619	1,29,590	4.70	+ 58,395	1,67,985	6.09	114	42.31

Southern Punjab railway (Main line) (5' 6" gauge)—

Chairman.—Sir Bradford Leslie, K.C.I.E.

Secretary.—E. J. Shephard, Esq.

Offices.—Egypt House, 36, New Broad Street, London, E.C.

Date of registration of the Company.—30th July 1895.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Southern Punjab railway (Main line) (5' 6" gauge)—*contd.*
Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Delhi <i>via</i> Bhatinda to Samasata	10-11-97	393.23			
Independent entrance from Delhi Brewery to Delhi.	20-12-09	0.79	400.02		
Branches—					
Narwana to Kaithal	*1-2-09	23.38			
Jind Junction to Jind city	7-8-16	2.52	23.38		
			2.52		
DOUBLE LINE—					
Between Delhi Brewery Cabin Junction and Delhi Kishengunge.	1-1-12	0.19			
	1-7-13	1.37			
TOTAL	425.92	* For goods traffic. Opened for passenger traffic—6th March 1899.

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed steel rails laid on transverse sleepers of creosoted pine, deodar, jarrah, sal and douglas fir.

Ballast.—The line is ballasted throughout with brick stone and kunkar.

Fencing.—The line is fenced from Delhi Kishengunge to Nangloi (8.80 miles) only.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 333.

Contracts (relating to all lines of the Company)—

Dated the 13th August 1895 (called the principal contract), between the Secretary of State and the Southern Punjab Railway Company, as to the construction, management, maintenance and working of the line from Delhi to Samasata.

Dated the 4th May 1899 (supplemental to the contract of 1895), between the Secretary of State and the Southern Punjab Railway Company, as to the construction, management, maintenance and working of the Narwana-Kaithal branch.

Dated the 4th June 1903 (supplemental to the contract of 1895), between the Secretary of State and the Southern Punjab Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange for payments made in England.

Dated the 4th October 1905 (supplemental to the contracts of 1895, 1899 and 1903), between the Secretary of State and the Southern Punjab Railway Company, as to the construction, management, maintenance and working of the Southern Punjab "Ludhiana" Extension.

Dated the 14th May 1908 (supplemental to the contracts of 1895, 1899, 1903 and 1905), between the Secretary of State and the Southern Punjab Railway Company, for the purpose of defining the position of the Ludhiana-Dhuri-Jakhal railway in relation to the Southern Punjab railway.

Dated the 24th June 1909 (supplemental to the contracts of 1895, 1899, 1903, 1905 and 1908), between the Secretary of State and the Southern Punjab Railway Company, as to the construction, management, maintenance and working of the Sutlej Valley railway.

Dated the 9th July 1912 (supplemental to the contracts of 1895, 1899, 1903, 1905, 1908 and 1909), between the Secretary of State and the Southern Punjab Railway Company, as to the construction, maintenance and working of the Jullundur-Doab railway.

Dated the 20th January 1913 (supplemental to the contract of 1912), between the Secretary of State and the Southern Punjab Railway Company, as to the inclusion of the Jullundur City-Nakodar branch in the Jullundur-Doab railway.

Dated the 22nd April 1914 (supplemental to the contracts of 1895, 1899, 1903, 1905, 1908, 1909, 1912 and 1913) between the Secretary of State and the Southern Punjab Railway Company, as to the adoption of the Government Financial year for the preparation of accounts, as to the adoption of the year ending 30th September, instead of that ending 31st December, for purposes of payment of rebate and division of surplus profits and as to the apportionment, if necessary, in respect of time, of the net earnings, in the event of the purchase of the railway by notice of purchase.

Main provisions of contracts (relating to Main line only) —

(i) *Land.*—In British territory provided by the Government free of cost to the Company. As to that in the territories of any Native State, the Government undertake to use their influence to acquire it for the Company, as far as possible, on the same terms.

(ii) *Government aid.*—The Government manage, maintain, stock and work the railway in all respects as far as practicable as part of the North Western Railway System; and allow to the Company in respect of each half-year, by way of rebate, on the net earnings of the North Western railway from traffic interchanged with the Southern Punjab railway and from all traffic, except coaching traffic, originating and terminating at stations of the North Western railway proper

NORTH WESTERN RAILWAY SYSTEM—*contd.*Southern Punjab railway (Main line) (5' 6" gauge)—*concl'd.*Main provisions of contracts (relating to Main line only)—*concl'd.*

(including the stations at Delhi and Samasata, respectively, but not including the stations of the Patiala State railway) as shall be sent over the said railway by the North Western railway in exercise of the power conferred upon, or reserved to, it by sub-clause 5 of clause 18 of the contract of 1895, such a sum (not exceeding the net earnings of the North Western railway) from the traffic above specified as together with the Company's net earnings, make up an amount equal to interest for the year at $3\frac{1}{2}$ per cent per annum on the actual expenditure charged in the capital account.

(iii) *Terms of working.*—For management, maintenance, use of rolling-stock and working, the Government retain 52 per cent of the gross earnings, the remainder being the net earnings of the Company. Such net earnings, together with the rebate referred to under (ii), constitute the Company's net receipts.

(iv) *Distribution of profits.*—Surplus net receipts in excess of $3\frac{1}{2}$ per cent per annum on the total expenditure of the Company in sterling are divisible equally at the close of each year between the Government and the Company, provided that, after the sum of £5,000 has been deducted from the net receipts for administrative expenses in England and in India.

(v) *Rates and fares.*—To be fixed by the Government within the maxima and minima for the time being in force on the North Western railway.

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—
(b) Government bullion and coin, and the persons in charge thereof.—

To be conveyed at the same rates and under the same arrangements as may be in force on State railways.

(vii) *Power of the Government to determine contract.*—Government may, by giving twelve months' previous notice of purchase, determine the contract on the 31st December 1929, or on the 31st December 1934 or on the 31st December of the last year of any subsequent period of ten years except the period expiring on 31st December 1954, by paying to the Company in sterling a sum equal to 25 times the yearly average of the Company's share of the net earnings of the railway during the five years immediately preceding the date of determination, provided that such sum shall not exceed by more than 20 per cent the total capital expenditure of the Company in sterling nor be less than such capital expenditure. Government may also determine the contract on the 31st December 1954 by paying to the Company in sterling a sum equal to the total capital expenditure in sterling. But none of the contracts for the Ludhiana extension, Sutlej Valley and Jullundur Doab railways can be determined without the principal contract being determined in like manner and *vice versa*.

(viii) *Power of the Company to surrender contract.*—Nil.

(ix) *Term of contract [if not determined under (vii) or (viii)].*—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from N. W. Ry. (+), or share of surplus profits payable to the Secretary of State in England (—).	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses on earnings.	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.		
1897	309-80	1,309,832	1,41,938	77,398	0-39	+ 19,942	97,240	0-49	52	52-00	Adjustments
1898	309-80	2,236,921	16,29,142	7,81,978	3-49		7,81,978	3-49	74	52-00	under the
1899	423-18	2,25,68,252	16,11,010	7,75,385	3-41	+ 17,313	7,90,698	3-48	73	52-00	G r i p p ' s
1900	423-23	2,26,57,063	16,36,280	7,89,360	8-48	+ 3,562	7,92,922	3-50	74	52-00	award were
1901	423-66	2,25,70,784	24,96,333	11,95,240	5-31	- 2,53,275	9,44,965	4-19	113	52-00	brought into
1902	423-72	2,27,90,660	19,41,741	8,51,997	4-01	- 69,979	8,51,997	3-99	88	52-00	account in
1903	423-38	2,25,27,905	21,59,138	10,86,396	4-51	- 1,16,614	10,19,782	4-03	98	52-00	1901, but in
1904	423-33	2,26,43,454	27,47,442	16,18,772	5-74	- 2,40,317	10,77,855	4-70	124	52-00	these statis-
1905	423-33	2,30,15,606	26,40,372	17,47,379	7-59	- 4,61,983	12,93,297	5-62	165	52-00	ties they
1906	423-33	2,31,30,148	41,07,059	20,00,188	8-65	- 5,76,959	14,23,329	6-15	188	52-00	have been
1907	423-75	2,31,79,761	50,37,456	24,17,978	10-43	- 7,76,218	16,41,768	7-06	228	52-00	adjusted and
1908	423-75	2,32,25,671	44,44,156	21,85,194	9-14	- 6,58,229	15,04,965	6-45	202	52-00	allocated to
1909	424-06	2,35,69,938	39,13,723	15,91,551	6-75	- 5,56,959	12,34,792	5-24	258	52-00	the proper
1910	424-06	2,39,12,571	45,21,320	20,74,334	8-67	- 6,94,778	11,79,518	6-13	196	52-00	years.
1911	424-06	2,43,04,411	50,29,087	24,13,989	9-93	- 7,56,804	16,57,098	6-82	228	52-00	
1912	424-06	2,47,35,830	56,23,883	26,23,751	11-41	- 9,56,108	16,67,576	7-35	987	52-00	
lat. yr. of 1913.	424-06	2,40,47,567	10,97,941	5,27,019	2-11	- 1,47,261	3,79,751	1-53	199	43-00	
1913-14	424-06	2,56,32,112	57,93,343	97,80,795	10-85	- 9,22,229	18,58,565	7-25	263	43-00	
1914-15	424-06	2,62,48,289	52,97,182	25,42,648	9-69	- 7,77,264	17,65,064	6-72	910	52-00	
1915-16	424-06	2,70,79,223	83,24,299	30,94,181	11-90	- 10,22,377	20,11,804	7-43	258	52-00	
1916-17	424-94	2,73,68,117	55,33,401	26,54,729	9-73	- 8,45,067	18,09,662	6-63	250	52-00	
1917-18	425-92	2,75,85,063	73,26,791	33,16,699	12-85	- 11,58,431	20,60,208	7-52	331	52-00	

NORTH WESTERN RAILWAY SYSTEM—contd.

Southern Punjab railway (Jullundur Doab Extension) (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Jullundur City to Kapurthala	*23-6-12	12-72			* For goods traffic. For passenger traffic—1st January 1913. † For goods traffic. For passenger traffic—1st May 1914.
Kapurthala to Sultanpur Lodi	*26-8-12	16-38			
Sultanpur Lodi to Lohian Khas	1-1-13	4-48			
Lohian Khas to Gidarpindi	10-1-14	3-82			
Gidarpindi to Makhu	†14-4-14	8-29			
Makhu to Ferozepore Cantonment	11-5-13	28-43			
Phillaur extension—			72-30		
Lohian Khas to Phillaur	1-6-13	38-99			
Jullundur City-Nakodar branch—			38-99		
Jullundur City to Nakodar	†30-5-14	18-90			
			18-90		‡ For goods traffic. For passenger traffic—15th June 1914.
GRAND TOTAL	180-19	

Details of construction—

Permanent-way.—The permanent-way consists of 78-lb. double-headed rails on Bradford Leslie pattern cast iron plate sleepers, of 75-lb. flat-footed British standard rails on deodar sleepers with bearing plates at bridges, points and crossings and of 60-lb. flat-footed British standard rails on deodar sleepers on goods and minor sidings.

Ballast.—Except the length between Jullundur City and Nakodar, the line is ballasted with sand and brick.

Fencing.—The line is unfenced except round station yards and at level crossings.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The steepest gradient is 1 in 300.

Contracts—

As noted under Southern Punjab railway (Main line).

Main provisions of contracts—

As noted under Southern Punjab railway (Main line) except as follows :—

- (i) **Land.**—Land in British territory provided by the Government free of cost, and that in Native State (not being waste land) on payment of compensation by the Company, unless the Durbar waive their claim to such compensation.
- (ii) **Government aid.**—The Government manage, maintain, stock and work the railway in all respects as far as practicable as a part of the North Western railway system and allow to the Company in respect of this line, for each year, by way of rebate, on the net earnings of the North Western railway, such a sum as together with the net earnings of the Jullundur Doab railway will be equal to interest for such year at the rate of 4½ per cent on the capital expenditure of the Company on the Jullundur Doab railway as charged to the Capital Account, provided that if in any year the rebate so ascertained shall exceed the aggregate of the following two sums :—
 - (a) net earnings of the North Western railway from its traffic interchanged with the Jullundur Doab railway and between the Jullundur Doab railway and foreign lines passing by way of the North Western railway and from traffic, except coaching traffic, originating and terminating at stations on the North Western railway proper (including the stations at Delhi, Samasata, Ferozepore, Ludhiana, Kasur, and Lodhran, Jullundur and Phillaur and including also stations on the Amritsar-Patti railway and stations on any lines joining the North Western railway at Jullundur or Phillaur from the North or the East) and sent over the Jullundur Doab railway, other than the traffic which is subject to rebate under clause 23 of the contract of 1895 or clause 12 of the contract of 1905 or clause 13 of the contract of 1909 or under all such clauses,
 - (b) such surplus of net earnings of the North Western railway in respect of traffic which is subject to rebate under clause 23 of the contract of 1895 or clause 12 of the contract of 1905 or clause 13 of the contract of 1909 or under all or any of such clauses, as shall remain after satisfying claims under such clauses or either of them (if any),
 then the rebate for such year shall be reduced to an amount equal to the aggregate of the said two sums.
- (iii) **Terms of working.**—For management, maintenance, use of rolling-stock and working, Government retain 52 per cent of gross earnings, the remainder being the net earnings of the Company. Such net earnings together with the rebate referred to under (ii) above constitute the Company's net receipts.
- (iv) **Distribution of profits.**—Surplus net receipts in excess of 4½ per cent per annum on the total capital expenditure of the Company are divisible at the close of each year between the Company and the Government in the proportion of 1/4th to the Company and 3/4ths to the Secretary of State.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Southern Punjab railway (Jullundur Doab Extension) (5' 6" gauge)—*contd.*

Statistics of working—

Year.	Mileage opened at end of each year.	Total capital outlay, includ- ing response, to end of each year, (a) lines open, and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from North Western railway (+) or share of surplus profits payable to the Secretary of State in Eng- land (—).	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Propor- tion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1912	28.25	1,01,82,501	6,129	3,902	0.03	...	3,902	0.03	13	52.00
1st qr. of 1913.	32.73	1,10,18,745	59,673	14,243	0.13	+ 17,549	31,892	0.29	70	53.06
1913-14.	102.97	1,32,40,338	2,62,639	1,26,067	0.95	+ 1,72,394	2,98,461	2.25	60	53.06
1914-15.	183.48	1,31,32,305	4,49,006	2,15,323	1.64	+ 3,32,781	5,63,304	4.33	65	52.00
1915-16.	180.19	1,32,91,134	4,33,067	2,17,002	1.63	+ 3,31,506	5,68,508	4.30	66	52.00
1916-17.	130.19	1,39,40,777	4,63,283	2,22,376	1.68	+ 3,73,278	5,94,654	4.49	68	52.00
1917-18.	134.19	1,37,44,223	4,15,204	2,00,738	1.51	+ 3,95,360	5,85,998	4.30	64	52.00

Southern Punjab railway (Ludhiana extension) (5' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Ludhiana to Ferozepore	*10-6-05	76.48		* For goods traffic. Opened for passenger traffic—1st October 1905.
Ferozepore to MacLeod Ganj	10-2-06	75.36		
TOTAL			152.04	

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed steel rails on Australian jarrah, Douglas fir and deodar sleepers.

Ballast.—The line is ballasted with brick and stone.

Fencing.—Only station yards, and short lengths on either side of all level crossings where gates and gate lodges have been provided, are fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 400.

Contracts—

As noted under Southern Punjab railway (Main line).

Main provisions of contracts—

As noted under Southern Punjab railway (Main line) except as follows:—

(i) *Government aid.*—The Government allow to the Company, in respect of each half-year, a rebate on the net earnings of the North Western railway derived from—

- the traffic interchanged between the North Western railway and this railway, whether directly or by way of the other railways of the Company;
- all traffic, except coaching traffic, originating and terminating at stations of the North Western railway proper (including the stations at Delhi, Samasata, Ferozepore and Ludhiana, respectively) which shall be sent over this railway by the North Western railway in exercise of the power conferred upon, or reserved to, it by sub-clause 5 of clause 18 of the contract of 1895; and
- coaching traffic between Ludhiana and Ferozepore over and above the average earnings of the North Western railway from such traffic during the corresponding half-year in the five years preceding the opening of this line.

Such rebate to be of an amount which shall not exceed the amount of the said net earnings, and which, when added to all allowances by way of rebate made to the Company under the provisions of the contracts of 1895 and 1899 in respect of the same half-year, shall not exceed the net earnings of the North Western railway from all traffic interchanged with or sent over any part of the Company's lines (including this line), but which, subject as aforesaid, shall extend to an amount sufficient, with the net earnings of this line, to make up interest at the rate of 5 per cent per annum on the capital expenditure of the Company in respect of this line as charged in the capital account.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Southern Punjab railway (Ludhiana Extension) (5' 6" gauge)—*contd.*Main provisions of contracts—*contd.*

Provided that the Company shall not in any half-year be entitled, under clause 12 of the contract of 1905, to any rebate in respect of traffic which is also the subject of rebate under clause 23 of the contract of 1895 and if to the extent to which in that half-year the sum required to make up the earnings of the Company to 3½ per cent under clause 23 of the contract of 1895 would have been insufficient for that purpose without taking into account such traffic or some part thereof, but any surplus of net earnings of the North Western railway in respect of traffic which is subject to rebate both under the first part of clause 12 of the contract of 1905, and also under the contract of 1895 which shall remain after satisfying any claim under the contract of 1895, shall nevertheless be applicable to meet any claim of the Company to rebate under clause 12 of the contract of 1905.

- (ii) *Distribution of profits.*—Surplus net receipts in excess of 5 per cent per annum on the Company's total capital expenditure in respect of the extension are divisible at the close of each year in the proportion of ¼th to the Company and ¾ths to the Government.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from North Western railway (+), or share of surplus profits payable to the Secretary of State in England (—).	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
1905	Miles. 77.05	Rs. 70,09,660	Rs. 73,332	Rs. 35,200	0.50	Rs. + 10,500	Rs. 45,700	0.65	Rs. 33	52.00
1906	155.05	79,83,781	6,29,557	3,02,187	3.81	+ 55,692	3,58,879	4.52	78	52.00
1907	182.04	88,48,414	6,98,142	4,61,106	5.17	— 15,147	4,15,961	4.99	113	52.00
1908	182.04	97,92,087	8,31,931	3,99,327	4.54	+ 39,270	4,28,597	4.87	103	52.00
1909	182.04	89,05,182	7,82,692	3,78,578	4.25	+ 55,713	4,14,296	4.98	100	52.00
1910	182.04	89,40,592	10,03,716	4,51,784	5.89	— 24,458	4,57,895	5.11	127	52.00
1911	182.04	89,83,708	10,50,618	5,23,407	5.82	— 56,011	4,67,488	5.20	138	52.00
1912	182.04	90,15,837	11,77,588	5,65,233	6.26	— 84,000	4,51,173	5.34	149	52.00
Intgr. of 1913	182.04	90,16,189	2,88,223	1,98,349	1.53	— 10,327	1,19,023	1.32	118	52.00
1913-14	182.04	91,86,178	13,47,568	6,46,847	7.04	— 1,41,000	5,05,447	5.50	170	52.00
1914-15	182.04	92,45,581	12,04,864	5,78,334	6.25	— 57,210	4,91,124	5.31	152	52.00
1915-16	182.04	92,71,455	18,50,601	6,00,289	6.47	— 1,02,821	4,97,468	5.37	157	52.00
1916-17	182.04	93,90,490	13,06,790	6,27,260	6.75	— 1,21,828	5,05,432	5.44	165	52.00
1917-18	182.04	93,20,621	12,80,738	6,14,703	6.59	— 1,70,009	4,44,694	4.78	162	52.00

Southern Punjab railway (Sutlej Valley Extension) (5' 6" gauge)—

This line, from Kasur to Lodhran, which was opened on the 6th July 1910, was closed and dismantled during the year 1917-18, its materials being required by Government in connection with the prosecution of the war.

Contracts—

As noted under Southern Punjab railway (Main line).

Main provisions of contracts—

As noted under Southern Punjab railway, (Main line), except as follows:—

- (i) *Government aid.*—The Government allow to the Southern Punjab Railway Company, for each half-year, by way of rebate, on the net earnings of the North Western railway, such a sum (not exceeding the amount of such net earnings of the North Western railway) as, together with the net earnings of the Company in respect of this railway, will be equal to interest at 4½ per cent per annum on the Company's total capital expenditure on the Sutlej Valley railway, provided that if in any year the rebate so ascertained shall exceed the aggregate of—

(a) the net earnings of the North Western railway from its traffic interchanged with the Sutlej Valley railway and from traffic, except coaching traffic, originating and terminating at stations on the North Western railway proper (including the stations at Delhi, Samasata, Ferozepore, Ludhiana, Kasur and Lodhran), and sent over the Sutlej Valley railway, other than the traffic which is subject to rebate under clause 23 of the contract of 1895 or clause 12 of the contract of 1905 or under both these clauses, and

(b) such surplus (if any) of net earnings of the North Western railway in respect of traffic which is subject to rebate under clause 23 of the contract of 1895 or clause 12 of the contract of 1905 or under both these clauses, as shall remain after satisfying claims under such clauses or either of them (if any),

then the rebate for such year shall be reduced to an amount equal to the aggregate of the said two sums.

- (ii) *Distribution of profits.*—Surplus net receipts in excess of 4½ per cent per annum on the Company's total capital expenditure on the Sutlej Valley railway are divisible at the close of each year in the proportion of ¼th to the Company and ¾ths to the Government.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Southern Punjab railway (Butlej Valley Extension), (5' 6" gauge)—*concl'd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, (a), outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from North Western railway (+), or share of surplus profit payable to the Secretary of State in England (—).	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1910	209.16	1,54,94,559	2,50,668	1,39,041	0.90	+ 1,65,309	3,24,250	2.14	54	52.00
1911	209.19	1,52,17,745	5,56,360	2,71,914	1.79	+ 4,03,911	6,75,825	4.44	32	53.00
1912	209.19	1,52,38,474	5,17,552	2,48,473	1.63	+ 4,39,385	6,87,838	4.52	48	53.00
1st gr. of										
1913	208.19	1,52,33,176	1,80,690	62,702	0.41	+ 1,09,963	1,71,655	1.13	48	53.00
1913-14	208.19	1,52,73,939	6,77,940	3,25,415	2.13	+ 8,60,743	6,88,158	4.49	63	52.00
1914-15	208.19	1,54,36,482	6,00,131	2,83,087	1.83	+ 3,90,533	6,87,620	4.49	55	53.00
1915-16	208.19	1,52,63,838	4,40,764	3,07,565	2.01	+ 3,78,268	6,85,774	4.49	59	52.00
1916-17	208.19	1,53,88,153	5,76,976	3,76,991	1.81	+ 4,10,268	6,87,189	4.49	59	52.00
1917-18	...	1,53,12,952	3,16,818	1,52,073	0.99	+ 5,36,587	6,89,660	4.50	49	52.00

* Includes Rs. 3,24,250 adjusted in 1911. † Including Rs. 1,50,000 received from the Military Department as compensation for loss of revenue.

Jacobabad-Kashmor railway (2' 6" gauge)—

Date of registration of the Company.—30th April 1913.

The construction of this line by the Upper Sind Light Railways, Jacobabad-Kashmor Feeder Company Limited was sanctioned under Railway Board's Notification No. 282, dated the 16th October 1913.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Jacobabad to Kashmor	1-12-14	76.70	76.70

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed British standard steel rails on sal sleepers.

Ballast.—The line is not ballasted.

Fencing.—The line is unfenced, except round Jacobabad station yard.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—The ruling gradient is 1 in 400.

Contract.—

Dated the 29th July 1916, between the Secretary of State and the Upper Sind Light Railways, Jacobabad-Kashmor Feeder Company, Limited, as to the construction, maintenance, management and working of the Jacobabad-Kashmor railway.

Railway Board's letter No. 235-2547-P., dated the 5th August 1915, sanctioning the raising of an additional capital of Rs. 2 lakhs for the completion of the Jacobabad-Kashmor railway.

Main provisions of contract

(i) *Land.*—Land in British territory provided by Government free of cost.

(ii) *Government aid.*—By way of rebate the Government allow to the Company, in respect of each year, such a sum, not exceeding the net earnings of North Western railway derived from all traffic (except stores) interchanged between the North Western railway and the said railway as shall, together with the net earnings of the Company, be equal to the interest for the year at a rate of 5 per cent per annum on the actual expenditure charged in the Capital Account. Government also allow Rs. 7,500 on account of office expenses and expenses of management and direction of the Company, as also all such legal expenses as are properly incurred by the Company and approved by the Secretary of State or the Government of India, and as are under the provisions of the contract debitable to Revenue.

(iii) *Terms of working.*—For management, maintenance, and working Government retain 45 per cent of the gross earnings of the said railway, the remainder

(iv) *Distribution of profits.*—constituting the net earnings is paid to the Company. But should the net earnings of the Company in any year exceed the minimum amount sufficient to pay a dividend of 5 per cent per annum, such excess is to be applied towards the payment of office expenses and expenses of management and direction of the Company for the year up to a limit of Rs. 7,500, the balance, if any, being divided equally between Government and the Company. Provided that if the surplus profits are insufficient to meet the administration charges, the difference will be paid to the Company by the working agency out of the stipulated amount retained by the latter as working expenses.

(v) *Rates and fares.*—To be sanctioned by the Secretary of State within the minimum and maximum in force on, and the classification of goods to be in conformity with that of, the North Western railway.

NORTH WESTERN RAILWAY SYSTEM—contd.**Jacobabad-Kashmor railway (2' 6" gauge)—contd.****Main provision of Contract—contd.**(vi) *Special obligations as to the conveyance of.—*(a) *Mails, troops, police, high Government officials and Government stores.—*

To be carried in all respects as far as practicable in the same manner and subject to the same regulations and control by the Secretary of State as the same are carried on the North Western railway.

(b) *Government bullion and coin, and the persons in charge thereof.—*(vii) *Power of the Government to determine contract.—*The Government may, by giving 12 months' previous notice of purchase, in writing, determine the contract either on the 31st March 1945 or on the 31st March in the last year of any subsequent period of 10 years by paying to the Company in rupees, 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years immediately preceding the date of determination subject to a limit of 20 per cent in excess of, but not less than, the total capital expenditure of the Company.

The Government may also, by giving 12 months' previous notice of "special purchase," determine the contract at any time in the following cases:—

(a) When it is considered desirable to alter the gauge of the railway.

(b) When it is considered desirable to convert the railway into a line of through communication.

(c) When the Secretary of State desires to extend the said railway (without altering the gauge or making the line part of a through route) and the Company is unable or unwilling to supply the necessary capital for such extension.

If the contract shall be determined by notice of "special purchase," the Government will pay to the Company in rupees 25 times the average of the yearly net earnings (excluding payments on account of rebate) during the 3 years preceding the date of determination or 115 per cent of the total capital expenditure, whichever may be the greater.

(viii) *Power of the Company to surrender contract.—*Nil.(ix) *Term of contract.—*From 29th July 1916 to 31st March 1945 and thereafter as noted under (vii).**Statistics of working—**

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (a) lines open, and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate and Administrative charges from North Western railway (+), or profits payable to the Secretary of State in England (—).	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1914-15.	76.70	20,99,487	21,420	11,781	0.56	...	11,781	0.56	15	45.00
1915-16.	76.70	22,21,743	1,36,247	74,991	3.38	+ 26,443	1,01,433	4.56	34	45.00
1916-17.	76.70	22,57,893	1,49,121	67,104	2.97	+ 30,127	97,231	4.30	37	45.00
1917-18.	76.70	21,84,918	1,34,280	78,854	3.38	+ 60,373	1,34,227	6.14	34	45.00

Kalka-Simla railway (2' 6" gauge)—

The railway was constructed by, and at the cost of, the Delhi-Umballa-Kalka Railway Company. On the representation of the Company it was decided to purchase the Company's interest in the line. This was effected by the payment of £300,000; the Secretary of State waiving all claims to arrears of unpaid interest on the advances, viz., Rs. 1,16,47,512, made to the Company. The purchase of the line by the State was effected from 1st January 1906; but the Company continued to work it under the direct orders of the Railway Board up to the 31st December 1906. It was made over to the North Western railway administration with effect from the 1st January 1907.

Progress in opening—

Sections of railway.	Date of opening.		Miles.	Total.
	1	2		
Kalka to Simla station	...	9-11-03	39.14	...
Simla station to Old Bullock Train Office	...	27-6-09	0.45	...
TOTAL	39.59

Details of construction—

Permanent-way.—The permanent-way consists of 62, 60 and 41½-lb. flat-footed steel rails on wooden sleepers. The 41½-lb. rails are being renewed with 60-lb. and 62-lb. flat-footed rails.

Ballast.—The line is ballasted with stone.

Fencing.—The line is fenced only along the Kalka camping ground and through the outskirts of the town of Kalka.

Curves.—Most of the curves are compound, the limiting radius being 120 feet.

Gradients.—The ruling gradient is 1 in 83.

NORTH WESTERN RAILWAY SYSTEM—*contd.*Kalka-Simla railway (2' 6" gauge)—*contd.*

Contract—

Nil.—The line is owned and worked by the State.

Rates and fares.—May be varied within the limits of certain fixed maxima and minima subject to certain special conditions regarding charges for tunnels.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	Remarks.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.		
1908 . . .	59'44	1,98,44,065	9,64,823	2,80,191	1'58	5,87,129	-2,76,998	312	69'92	The decrease in net earnings in 1910 is mainly due to renewals of permanent way with 60-lb. rails and charged for special renewals amounting to Rs. 2,64,955.
1909 . . .	59'29	1,86,14,812	9,11,289	2,39,579	1'27	5,61,632	-3,41,933	916	75'52	
1910 . . .	59'92	1,96,21,591	10,80,987	36,042	6'18	6,06,907	-5,67,896	331	96'50	
1911 . . .	59'92	1,96,91,570	11,54,432	3,37,687	1'71	6,22,427	-2,84,560	370	70'73	
1912 . . .	59'92	1,97,61,932	12,59,823	3,95,164	2'00	6,25,180	-2,30,018	404	68'69	
1st q. of 1913 . . .	59'92	1,98,49,191	2,61,435	41,838	0'21	1,56,961	-1,15,608	386	84'10	
1913-14 . . .	59'92	1,99,24,926	18,24,402	4,85,750	2'25	6,28,157	-1,79,487	428	66'37	
1914-15 . . .	59'92	1,97,43,691	19,23,361	7,41,919	9'75	9,42,417	+90,495	419	42'14	
1915-16 . . .	59'92	1,97,94,816	18,47,605	7,27,639	3'87	6,39,799	+87,869	433	46'00	
1916-17 . . .	59'92	1,97,56,575	18,53,976	7,42,213	3'76	6,07,636	+1,24,646	496	53'23	
1917-18 . . .	59'92	1,97,88,117	16,19,954	8,28,957	4'16	9,40,000	+1,93,957	519	49'92	

Kohat-Thal railway (2' 6" gauge)—

Originally the line was on the 2' 6" gauge from Khushalgarh, from which place to Kohat it was converted into 5' 6" gauge and merged in the North Western railway proper in 1908.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Kohat to Thal	1-4-68	61'75	61'75

Details of construction—

Permanent-way.—The line is laid partly with 41½-lb. and partly with 35-lb. rails, on wooden sleepers.

Ballast.—The line is ballasted throughout with broken stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 239 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Contract—

Nil.—The line is owned and worked by the State.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908 . . .	61'75	42,64,516	1,06,963	-8,50,306	...	38	427'59
1909 . . .	61'75	42,68,969	1,04,933	-8,34,979	...	33	333'69
1910 . . .	61'75	42,77,931	1,03,605	-1,96,319	...	32	291'97
1911 . . .	61'75	43,16,896	1,14,485	-1,67,880	...	30	246'64
1912 . . .	61'75	43,59,933	1,29,442	-1,61,566	...	38	291'97
1st q. of 1913 . . .	61'75	44,08,799	39,847	-16,666	...	38	144'34
1913-14 . . .	61'75	43,70,614	1,86,232	-5,729	...	45	104'92
1914-15 . . .	61'75	44,50,461	1,46,494	-58,750	...	44	141'28
1915-16 . . .	61'75	44,14,291	1,24,519	-29,341	...	57	115'88
1916-17 . . .	61'75	42,53,494	1,76,907	7,070	0'18	55	96'92
1917-18 . . .	61'75	42,79,892	1,89,671	-18,144	...	57	109'93

NORTH WESTERN RAILWAY SYSTEM—*contd.*

Nowshera-Durgai railway (2' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Nowshera to Durgai	1-1-01	40.40	40.40

Details of construction—

Permanent way.—The permanent-way consists of 35-lb. flat-footed steel rails laid partly on wooden and partly on steel sleepers.

Ballast.—The line is ballasted throughout with broken stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve has a radius of 250 feet.

Gradients.—The ruling gradient is 1 in 100.

Contract—

Nil.—The line is owned and worked by the State.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	40.25	25,99,122	1,98,567	28,729	1.10	95	85.53
1907	40.25	25,92,909	2,04,475	5,747	0.23	98	97.19
1910	40.25	25,93,397	2,25,044	29,291	1.12	107	88.98
1911	40.25	28,01,859	3,29,148	37,536	1.44	160	83.82
1912	40.25	26,16,081	3,13,404	34,514	1.34	116	85.82
1st yr. of 1913	40.25	26,24,124	58,354	5,024	0.17	111	91.39
1913-14	40.25	26,30,567	2,64,088	75,928	2.88	126	71.25
1914-15	40.25	26,59,783	2,63,500	90,773	3.41	128	65.55
1915-16	40.25	26,59,334	3,27,166	1,02,400	3.85	156	68.70
1916-17	40.40	26,78,370	2,93,891	37,974	3.84	111	66.96
1917-18	40.40	26,76,250	2,89,492	1,11,160	4.15	138	61.59

Trans-Indus (Kalabagh-Bannu) railway (2' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
<i>Main Line—</i>				
Kalabagh to Bannu	15-6-18	88.91	88.91	
<i>Tank Extension—</i>				
Laki via Pann to Tank	1-5-18	46.47		
			46.47	
GRAND TOTAL	135.38

NORTH WESTERN RAILWAY SYSTEM—*concl'd.*Trans-Indus (Kalabagh-Bannu) railway (2' 6" gauge)—*concl'd.*

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed British standard section, steel rails, 50 lbs. to the yard on the main line and on the ghat section of the Laki-Pezu line, and 40 lbs. to the yard on the remainder, on deodar sleepers.

Ballast.—The main line is partly unballasted and the remainder is ballasted with sand and stone. The ghat section of the Laki-Pezu line is ballasted with shingle and the remainder with sand. The line between Pezu and Tank is ballasted with sand, except at dips and bridge approaches where stone is used.

Fencing.—The line is unfenced, except in Tank station yard and the side of the line next to the public road-way, between Gambila and Bannu.

Curves.—The sharpest curve, which is on the Laki-Pezu section, has a radius of 404·5 feet.

Gradients.—The ruling gradient is 1 in 100 between Kalabagh and Bannu and 1 in 45 between Luki and Tank.

Contract—

Nil.—The line is owned and worked by the State.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (a) lines open and (b) lines, partly or wholly under construction	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1913-14	88·21	68,27,936	2,18,035	45,490	0·68	39	75·68
1914-15	88·91	81,82,561	3,45,918	—18,416	...	75	104·75
1915-16	88·91	92,27,136	3,61,213	—31,873	...	78	105·80
1916-17	135·39	97,82,951	1,21,571	19,450	0·20	61	95·39
1917-18	135·38	1,67,51,711	6,63,782	—75,533	...	94	111·39

Larkhana-Jacobabad railway (5' 6" gauge)—

Date of registration of the Company.—1916.

The construction of this line by the Sind Light Railway Company was sanctioned under Railway Board's Notification No. 152-P., dated the 9th March 1916.

Progress in opening—

Section of railway.	Date of opening.	Miles	Total.
1	2	3	4
Larkhana to Jacobabad (sanctioned on 9th March 1916)	...	75·45	75·45

	Miles.
(a) Oudh and Rohilkhand railway { 5' 6" gauge } 1,509.77 { 3' 3 1/2" gauge } 2.18	1,511.95
(b) Hardwar-Dehra railway (5' 6" gauge)	32.04
(c) Cawnpore-Britwal link (3' 3 1/2" gauge)	80.34
Total	1,624.33

Home line over Foreign lines :—

Foreign lines over Home line :—

Oudh and Rohilkhand railway (5' 6" gauge)—

A tramway constructed at the expense of Messrs. Carow and Company connects the Rosa Sugar factory with Rosa station on the Oudh and Rohilkhand railway. This tramway is 3.25 miles long and is worked by cattle power. It is used for goods traffic only.

Date of registration of the late guaranteed Company.—August 1867.

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5 *	6
Main line—					
Moglad Sarai to mile 3-68	22-12-62	398			
Mile 3-68 south of the Duferin bridge, to Kashi (Benares Ganges) station.	1-10-87	425			
Kashi (Benares Ganges) station to Benares Cantonment.	18-6-83	150			
Benares Cantonment to Rao Barhi	4-4-94	138 7/8			
Rao Barhi to Lucknow	15-10-93	48 6/8			
Lucknow to Sandila	1-2-72	10 1/4			
Sandila to Barhi	15-7-72	37 0/8			
Barhi to Shahjahanpur	1-3-73	39 0/8			
Shahjahanpur to Pitambarpur	8-9-73	32 0/8			
Pitambarpur to Bareilly	1-11-73	13 0/8			
Bareilly to Moradabad (ohard line via Rampur).	8-6-94	56 6/8			
Moradabad to Nagina	8-10-81	47 3/8			
Nagina to Najibabad	1-4-85	18 7/8			
Najibabad to Saharanpur	1-1-86	58 2/8			
			519 7/8		
Benares-Lucknow loop—					
Benares Cantonment to Shahganj	5-1-74	56 0/8			
Shahganj to Bilwai	1-5-74	7 0/8			
Bilwai to Malipur	18-4-74	1 0/8			
Malipur to Akbarpur	2-3-74	12 0/8			
Akbarpur to Fyzabad	10-6-73	38 2/4			
Fyzabad to Bara Banki	25-11-72	61 9/8			
Bara Banki to Lucknow Bhook hut	1-4-72	14 4/8			
			168 6/8		
Bareilly-Moradabad loop—					
Bareilly to mile 5	22-12-73	45 0/8			
Mile 5 to Aonla	1-11-73	11 0/8			
Aonla to Chandausi	10-6-73	27 0/8			
Chandausi to Moradabad	28-10-72	27 5/8			
			70 5/8		
Carried over	788 8/8	

* Of this, 0 49 mile over the Ramganga bridge (Moradabad is of mixed 3' 6" and 3' 3 1/2" gauge).

† Of this, 1 17 miles over Ramganga bridge (Bareilly) are of mixed 5' 6" and 3' 3 1/2" gauge.

ODDH AND ROHILKHAND RAILWAY SYSTEM—*contd.*

Oudh and Rohilkhand railway (5' 6" gauge)—*contd.*

Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	T ₁		
1	2	3			
Brought forward	788.87	
<i>Branches on the main line—</i>					
<i>Cawnpore branch—</i>					
Lucknow to Cawnpore	23-4-87	42.00			
Left bank of the Ganges to junction with the East Indian railway at Cawnpore	15-7-75	3.22			
<i>Balawan-Madhoganj branch—</i>					
Balawan to Madhoganj	20-12-03	14.20		45.24	
<i>Madhoganj-Ahmadpur extension—</i>					
Madhoganj to Bilgram	15-11-00	7.82		14.20	
Bilgram to Ahmadpur	9-3-10	9.43			
<i>Balawan-Sitapur branch—</i>					
Balawan to Mirrikh	9-3-10	22.44		17.05	
Mirrikh to Sitapur	5-4-10	14.32			
<i>Ras-Sitapur branch—</i>					
Ras to Sitapur City	18-6-10	49.22			
Sitapur City to Sitapur Cantonment	2-2-11	2.68			
	6-4-14	0.77			
<i>Moradabad-Ghaziabad branch—</i>					
Moradabad to Ghaziabad	1-4-00	33.40		52.65	
Ghaziabad to Ghaziabad	25-11-00	58.37			
<i>Hapur-Meerut branch—</i>					
Hapur to Meerut	7-11-01	18.09		80.77	
<i>Kuldwara branch—</i>					
Najibabad Junction to the right bank of the Koh river opposite Kotliwara	24-12-06	15.19		18.09	
<i>Hardwar branch—</i>					
Lucknow Junction to the left bank of the Ganges Canal near Jawalapur	1-1-85	13.53		15.19	
Left bank of the Ganges Canal near Jawalapur to Hardwar	20-8-86	2.53			
<i>Branches on Benares-Lucknow loop—</i>					
<i>Allahabad-Fyzabad branch—</i>					
Fyzabad to Sultanpur	1-2-04	35.50			
Sultanpur to Sitauli	1-7-03	47.05			
Sitauli to Phaphaman	30-1-04	7.27			
Phaphaman to Allahabad	1-1-05	7.00			
<i>Allahabad-Jaunpur branch—</i>					
Phaphaman to Marichu	15-6-06	47.51		92.82	
Marichu to Zafarabad	1-1-07	10.67			
<i>Bahramghat branch—</i>					
Bara Banki to Bahramghat	20-11-71	121.12		56.18	
<i>Branches on the Bareilly-Moradabad loop—</i>					
<i>Aligarh branch—</i>					
Chandauli to Rajhat Narora	28-10-72	30.48		21.52	
Rajhat Narora to Aligarh	1-2-72	30.12			
<i>Allahabad-Rae Bareilly-Cawnpore branch—</i>					
Phaphaman to Rae Bareilly	2-11-11	67.60			
Daryapur to Dahanu	2-11-11	13.15			
Unchahar to Unchahar	1-2-12	69.41			
<i>Gajraula-Chandpur Sian branch—</i>					
Gajraula to Chandpur Sian	7-6-11	21.88		152.19	
				21.88	
<i>Akbarpur-Tanda Branch—</i>					
Akbarpur to Tanda	28-10-12	10.72	10.72	720.90	
Total 5' 6" gauge	1,509.77	
<i>3' 3 1/2" gauge—Benares City branch—</i>					
Benares Cantonment (Oudh and Rohilkhand) to Benares City (Bengal and North-Western)	1-4-99	2.18	2.18	2.18	
TOTAL OPEN MILE ON	1,511.95	
<i>DOUBLE LINE—</i>					
Lucknow Blockade to Kakhori	11-10-09	11.62			
Moghal Sarai to Beelupur	21-4-13	1.34			
Beelupur to right bank of Dufferin Bridge	21-12-12	4.19			
Kashi to Benares Cantonment	5-3-13	2.82			
Sabarapur to Khan Akampura	11-5-14	1.35			
			21.22		

* Excluding 2.45 miles, between Patnagarh and Chilibila, which is a part of the main line.

† Of this the length from Bara Banki to Bara Banki, 16.79 miles, is of mixed (5' 6" and 3' 3 1/2") gauge.

ODDH AND ROHILKHAND RAILWAY SYSTEM—*contd.*

Oodh and Rohilkhand railway (5' 6" gauge)—*contd.*

Details of construction—

Permanent way.—The main line, which was laid with 75-lb. flat-footed steel rails on cast-iron pot sleepers, is being relaid with 90-lb. flat-footed steel rails, British Standard, on wooden sleepers and about 326 miles, including double line, are practically complete. The pot sleepers in the main line have all been replaced by wooden sleepers. The Benares-Lucknow loop is laid with 75-lb. flat-footed steel rails on cast-iron pot sleepers, of which 63 miles have been replaced by wooden sleepers and 23 miles with 90-lb. flat-footed steel rails. On most of the branches the rails are 75-lb. flat-footed steel. The Bahramghat and Balamau-Madhoganj branches are laid partly with 75-lb. flat-footed steel rails, and partly with 60-lb. iron and steel rails, and the Madhoganj-Auladpur extension with 60-lb. flat-footed steel rails. The Allahabad-Rac Bareilly-Cawnpore branch is laid with 90-lb. flat-footed steel rails, British Standard, on wooden sleepers.

The sleepers are of the following types:—Stamped steel bowls, cast-iron pots (Fowler's patent box, Walton's, Hederstedts and M.C.), steel trough and wood (sā, deodar and Australian hard wood). There are a few wrought-iron saddle back sleepers still in the Kottwar and Bahramghat branches.

Ballast.—The main line and branches are ballasted with sand, kunkur, stone, shingle and broken brick.

Fencing.—The line is fenced throughout with the exception of the Balamau-Auladpur, Rosa-Sitapur, Gajroula-Chandpur, Hapur-Meerut, Rajaka-Sahaspur-Sambhal and Kotdwara branches and a portion of the Allahabad-Jaunpur branch.

Curves.—The sharpest curve on the line is of 955 feet radius.

Gradients.—The ruling gradient of the railway is 1 in 400, except between Rajaka-Sahaspur and Sambhal 1 in 333, between Benares and Moghal Sarai, 1 in 300; between Moradabad and Lhaksar, 1 in 200; between Lhaksar and Sabaranpur, 1 in 150; and between Najibabad and right bank of the Koh river, 1 in 100.

Contracts—

Nil.—The railway is owned and worked by the State.

Rates and fares.—Certain maxima and minima have been fixed by the Government, between the limits of which the Railway Administration can vary the rates and fares quoted for goods and coaching traffic.

Statistics of working (Those for the periods prior to 1889 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Includes the Cawnpore-Burhwal (3' 3½" gauge) Link.

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1889	602.55	9,22,32,226	75,39,683	42,94,076	4.58	49,71,808	-7,67,822	269	44.24
1890	602.55	9,27,89,280	73,81,496	37,51,478	4.05	44,23,109	-6,68,631	265	49.14
1891	602.55	9,28,38,358	85,64,209	49,42,458	5.32	47,23,666	+2,16,792	238	42.29
1892	602.55	9,51,44,770	85,42,836	50,16,320	5.27	52,79,411	-2,63,082	237	41.28
1893	741.11	10,09,17,292	87,15,235	50,17,053	4.97	55,01,058	-4,84,065	239	42.44
1894	796.64	10,28,57,184	1,05,18,836	57,36,138	5.58	63,11,291	-5,75,063	262	45.47
1895	797.18	10,65,05,145	1,02,94,889	52,55,948	4.93	64,26,370	-11,70,122	218	48.95
1898	830.15	10,92,69,485	86,97,076	43,50,007	3.98	61,20,720	-17,79,822	209	49.97
1897	891.97	11,44,19,230	85,15,856	36,06,778	3.23	59,77,483	-22,80,708	186	50.59
1898	1,030.38	11,68,50,009	98,51,599	53,07,727	4.55	58,76,247	-5,69,520	190	46.12
1899	1,060.36	12,23,50,210	1,11,38,960	80,76,595	4.77	59,75,202	+1,01,353	208	45.45
1900	1,101.56	12,57,80,656	1,15,15,132	55,01,727	4.45	62,28,185	-6,26,458	209	51.44
1901	1,118.94	12,89,85,151	1,32,54,991	72,20,007	5.60	63,12,014	+8,07,963	231	45.53
1902	1,119.24	13,66,82,842	1,81,65,792	64,11,396	4.69	64,79,103	-67,797	210	51.30
1903	1,180.79	14,54,38,164	1,39,49,922	73,31,862	4.97	68,40,353	+3,90,999	232	48.16
1904	1,237.85	14,90,69,929	1,52,96,206	71,33,117	4.76	70,54,129	+78,997	241	53.97
1905	1,244.65	15,37,92,910	1,58,85,913	63,43,667	4.12	71,68,431	-8,24,764	238	58.77
1906	1,292.16	15,71,99,731	1,64,67,320	78,15,731	4.97	75,66,010	+2,49,721	249	52.54
1907	1,362.83	16,10,20,116	1,81,93,069	85,62,413	4.60	70,39,694	-5,57,151	263	58.98
1908	1,363.63	17,17,42,978	1,61,51,543	59,29,153	3.97	74,53,210	-24,44,057	230	68.88
1909	1,310.79	17,78,51,571	1,61,56,594	45,32,282	2.58	76,42,819	-30,49,587	238	72.76
1910	1,406.75	18,38,11,981	1,83,03,844	88,80,832	4.78	78,84,486	+10,46,346	251	51.48
1911	1,518.77	19,51,23,398	2,08,98,454	1,04,88,468	5.38	80,09,802	+31,78,668	258	48.56
1912	1,601.14	20,17,91,276	2,45,19,490	1,39,76,826	5.82	90,21,621	+49,85,203	294	43.00
1st yr. of 1918	1,604.14	20,24,29,541	81,08,475	28,00,728	1.41	21,64,498	+6,98,240	200	58.15
1912-14*	1,638.33	21,64,71,073	2,41,23,950	1,38,21,831	5.69	91,48,838	+31,72,793	283	46.92
1914-15*	1,662.00	22,15,79,883	2,68,24,033	91,22,888	4.12	93,51,473	-2,28,585	288	56.71
1915-16	1,606.87	21,46,85,603	2,23,58,588	1,12,50,582	5.24	91,63,245	+20,77,336	268	49.68
1916-17	1,606.87	21,52,10,491	2,63,18,738	1,50,41,865	8.99	89,71,580	+60,80,805	318	43.85
1917-18	1,592.29†	21,52,66,333	2,85,32,134	1,76,54,269	8.20	91,89,307	+8,164,902	345	38.12

* Includes the Cawnpore-Banda railway.

† The decrease is due to the dismantlement of the Dhakia-Sambhal branch.

ODDH AND ROHILKHAND RAILWAY SYSTEM—*contd.*

Hardwar-Dehra railway (5' 6" gauge)—

Date of registration of the Company.—12th March 1897.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Hardwar to Dehra	1-8-08	32-04	32-04

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. flat-footed I. S. R. steel rails on deodar, sal, hard wood and Australian sleepers.

Ballast.—The line is ballasted throughout with stone.

Fencing.—The line is fenced throughout.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradients.—The ruling gradient is 1 in 75.

Agreement and contract—

Agreement, dated the 8th January 1897, between the Secretary of State and Messrs. Gillanders, Arbuthnot and Company of Calcutta (called "the Promoters"), as to the grant of a provisional concession for the construction of the Hardwar-Dehra Branch railway.

Contract, dated the 26th March 1897 (called the scheduled contract), between the Secretary of State and the Hardwar-Dehra Railway Company, as to the construction, maintenance and working of the Hardwar-Dehra Branch railway.

Main provisions of agreement and contract—

- (i) *Land.*—Provided by the Government free of cost to the Company.
 - (ii) *Government aid.*—The line is the property of the Hardwar-Dehra Branch Railway Company, and was constructed, from funds supplied by the Company, by the Government, who maintain, stock and work it through the agency of the Oudh and Rohilkhand railway.
The Government guarantee interest at 3 per cent per annum on the capital expenditure, and also undertake to allow to the Company, in any year in which it does not receive the minimum dividend of 3 per cent from the earnings of the line, the sum of Rs. 3,600 for such year for or towards management and office expenses.
 - (iii) *Terms of working.*—For maintenance, provision of rolling-stock and working, the Oudh and Rohilkhand Railway Administration retains 50 per cent of the gross earnings of the Branch line.
 - (iv) *Distribution of profits.*—The surplus profits in each year remaining after repayment to the Government of the amount of the guaranteed interest for the year are to be divided equally between the Government and the Company.
 - (v) *Rates and fares.*—Certain maxima and minima have been fixed by the Government, between the limits of which the working agency (*viz.*, the Oudh and Rohilkhand railway) can vary the rates and fares quoted for goods and coaching traffic.
 - (vi) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—
- } Nil.
- (vii) *Power of the Government to determine contract.*—The Government may determine the contract, on twelve months' notice, either on the 31st December 1919 or on the 31st December in the last year of any subsequent period of ten years, by paying to the Company a sum equal to 25 times the average yearly net earnings of the Company during the last preceding three years, provided that such sum shall not exceed by more than 20 per cent, nor is less than, the total capital expenditure.
 - (viii) *Power of the Company to surrender contract.*—Nil.
 - (ix) *Term of contract.*—None specified.

ODDH AND ROHILKHAND RAILWAY SYSTEM—*concd.*

Hardwar-Dehra railway (5' 6" gauge)—*concd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	Remarks.
1	2	3	4	5	6	7	8	9	10	11	12
1900.	Miles. 32-04	Rs. 25,97,003	Rs. 1,60,485	Rs. 80,243	3-13	115	50-00	Interest up to 1900 was charged to capital and net earnings of 1900 were credited to capital in reduction of interest charges.
1901.	32-04	26,19,301	2,13,456	1,08,728	3-80	84,220	11,254	+11,354	126	50-00	
1902.	32-04	26,36,426	2,52,435	1,26,242	4-45	85,048	20,597	+20,597	153	50-00	
1903.	32-04	26,44,541	2,62,719	1,31,360	4-63	85,260	25,050	+23,050	158	50-00	
1904.	32-01	26,19,022	2,63,612	1,31,906	4-52	86,777	22,515	+22,514	159	50-00	
1905.	32-04	26,50,660	3,18,478	1,53,738	5-37	87,590	34,574	+34,574	188	50-00	
1906.	32-04	26,24,264	3,34,110	1,87,055	5-71	87,688	39,838	+39,838	201	50-00	
1907.	32-04	26,27,312	3,48,565	1,93,298	6-60	87,822	32,730	+32,730	222	50-00	
1908.	32-04	26,44,022	3,76,334	1,86,167	6-59	88,155	42,991	+42,991	233	50-00	
1909.	32-04	26,45,337	3,86,624	1,84,312	6-91	88,704	47,790	+47,789	231	50-00	
1910.	32-04	26,85,683	4,04,443	2,02,221	7-77	89,548	56,837	+56,836	248	50-00	
1911.	32-04	30,10,716	4,71,161	2,15,181	7-16	90,017	62,782	+62,782	250	50-00	
1912.	32-04	30,18,164	4,40,299	2,30,149	7-20	90,541	64,804	+64,804	264	50-00	
1st gr. of 1913	32-01	30,18,790	1,21,502	60,351	2-01	32,641	19,005	+19,005	291	50-00	
1913-14.	39-04	30,22,601	4,85,346	2,42,873	8-03	90,821	76,026	+76,026	291	50-00	
1914-15.	32-04	30,26,354	4,66,506	2,33,258	7-71	90,740	71,282	+71,282	280	50-00	
1915-16.	32-04	30,27,840	5,09,355	2,54,878	8-41	90,825	81,928	+81,927	306	50-00	
1916-17.	32-04	30,34,355	5,54,382	2,77,691	9-15	91,021	98,585	+98,585	333	50-00	
1917-18	32-04	30,40,387	5,46,330	2,73,185	8-88	91,169	90,926	+90,926	328	50-00	

Cawnpore-Burhwal link (3' 3½" gauge)—

The construction of the Cawnpore-Burhwal (3' 3½" gauge) link was sanctioned as a part of the project for linking up the 3' 3½" gauge systems of Northern India.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Burhwal to Dallaganj	24-11-05	35-31		*Including the length, Burhwal to Bara Banki, 1979 miles, laid on a mixed (5' 6" and 3' 3½") gauge.
Aishbagh to Cawnpore	25-4-07	45-03		
TOTAL	80-34	

Details of construction—

Permanent-way.—Where the line is not mixed gauge it is laid with new 50-lb. steel rails on sill and deodar sleepers.

Ballast.—The line is ballasted throughout with kunkur, brick and mud stone.

Fencing.—The line is fenced throughout.

Curves.—The sharpest curve has a radius of 573 feet.

Gradients.—The ruling gradient is 1 in 400.

Contract—

The line is owned by the State. The Bengal and North-Western Railway Company exercises running powers over it under an agreement with the Oudd and Rohilkhand railway, dated the 21st February 1902, which provides that the Company will haul its trains and traffic over the link and pay to the Oudd and Rohilkhand railway 80 per cent, which has, with effect from the 1st July 1905, in pursuance of Railway Board's letter No. R. T. 173, dated the 30th June 1905, been reduced to 75 per cent of the gross receipts arising therefrom.

Statistics of working—

Included with the Oudd and Rohilkhand railway.

SOUTH INDIAN RAILWAY SYSTEM.

Chairman.—Sir Henry Kimber, Bart., M.P.

Managing Director.—Neville Priestley, Esq.

Offices.—Finsbury, Pavement House, London, E. C.

Date of registration of the Company.—1890.

The lines formerly owned and worked by the late Great Southern India and the Carnatic Railway Companies were amalgamated on the 1st July 1874, under the title of the South Indian railway which on the 1st January 1891 was purchased by the State and handed over, together with the Villapuram-Guntakal State railway, for working as one undertaking, to a new company—the existing South Indian Railway Company.

With effect from the 1st January 1908 the Jalapet-Mangalore section of the former Madras railway including the Tirupattur-Krishnagiri, Morappur-Dharmapuri and the Nilgiri railways was incorporated in the undertaking of the South Indian Railway Company, who, from the same date, relinquished and made over to the amalgamated Madras and Southern Mahratta Railway Company the 3' 3½" gauge lines from Katpadi to Dharmavaram and from Pakala to Gudur, and obtained running powers over the Madras-Bangalore section of the Madras and Southern Mahratta railway. The Shoranur-Cochin Native State line was, on the same date, also transferred from the former Madras Railway Company to the South Indian Railway Company for working.

Lines comprised in the system.—The South Indian railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) South Indian railway (5' 6" gauge)	445.94	...	445.94
(b) Srirangapatnam-Salem railway (5' 6" gauge)	3.86	...	3.86
(c) South Indian railway (3' 3½" gauge)	881.49	...	881.49
(d) Nilgiri railway (3' 3½" gauge)	28.96	...	28.96
(e) Perambur-Karikkal railway (3' 3½" gauge)	14.65	...	14.65
(f) Podanur-Pollachi railway (3' 3½" gauge)	25.04	...	25.04
(g) Pondicherry railway (3' 3½" gauge)	7.85	...	7.85
(h) Shoranur-Cochin railway (3' 3½" gauge)	64.75	...	64.75
(i) Tanjore District Board railway (3' 3½" gauge)	111.94	41.08	153.02
(j) Tinnevely-Qudon (Travancore) railway (British section) (3' 3½" gauge)	56.41	...	56.41
(k) Tinnevely-Qudon (Travancore) railway (Native State section) (3' 3½" gauge)	95.96	...	95.96
(l) Morappur-Dharmapuri railway (2' 6" gauge)	73.40	...	73.40
(m) Tirupattur-Krishnagiri railway (2' 6" gauge)	25.88	...	25.88
(n) Mamamduur-Sivagangula railway (3' 3½" gauge)	12.43	12.43
(o) Tinnevely-Truchendur railway (3' 3½" gauge)	38.18	38.18
(p) Trichinopoly-Palakkottai railway (3' 3½" gauge)	32.00	32.00
Total	1,829.63	121.69	1,951.32

Running powers.—

Home line over foreign line.—

Madras to Bangalore, Madras and Southern Mahratta railway, for passenger and goods trains 219.00

South Indian railway (5' 6" gauge).—

Progress in opening.—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
	2	3	4	5
Main line.				
West outer signal at Jalapet to Tirupattur	23-5-60	4.68		
Tirupattur to Salem	12-6-61	69.98		
Salem to Sankaridurg	1-12-61	23.68		
Sankaridurg to Podanur	12-3-62	71.18		
Podanur to Pattanam	14-4-62	64.66		
Pattanam to Kattippuram	23-4-61	11.50		
Kattippuram to Tirur	1-5-61	9.39		
Tirur to Kudalundi	12-3-61	10.31		
Kudalundi to Calicut	2-1-88	9.25		
Calicut to Badagura	1-10-61	28.95		
Badagura to Tellicherry	1-5-62	13.50		
Tellicherry to Coimbatore	2-8-63	13.00		
Coimbatore to Ashikud	15-3-64	4.10		
Ashikud to Hosdurg	21-8-66	34.52		
Hosdurg to Kassaragod	1-10-66	14.22		
Kassaragod to Kumbha	17-11-66	7.62		
Kumbha to Mangalore	3-7-67	20.91		
			417.72	
Mettupalayam branch.				
Podanur to Coimbatore	1-2-73	3.78		
Coimbatore to Mettupalayam	31-8-73	21.97		
			25.75	
Palghat branch.				
Olavakkot to Palghat	2-1-68	2.47		
			2.47	
TOTAL				445.94

Details of construction.—

Permanent way.—The rails are 76-lb. and 80-lb. bull-headed, 75-lb. double-headed and 75-lb. and 60-lb. flat-footed steel. The sleepers are cast iron pots, ironbrogam, sal, irool and jarrah wood.

Ballast.—The line is ballasted with stone and sand, chisly the former.

Fencing.—The line is fenced throughout.

Curves.—The sharpest curve is of 700 feet radius.

SOUTH INDIAN RAILWAY SYSTEM—*contd.*South Indian railway (5' 6" gauge)—*concl.*Details of construction—*concl.*

Gradients.—The ruling gradient of the greater part of the line is about 1 in 100, except on Mallapuram Ghat where it is 1 in 74 with a 1 in 70 banking; on the Walayar Ghat where it is 1 in 66 with a 1 in 62 banking; on the Azhikal-Mangalore section where it is 1 in 90; and on the Podanur-Mettupalaiyam section where it is 1 in 80.

Contract—

Up to and including the 31st December 1907 the line formed an integral part of the former Madras railway. With effect from the 1st January 1908 it was, in terms of the contract of the 2nd March 1909, between the Secretary of State and the South Indian Railway Company, made over to the Company to be worked and maintained as an integral part of the undertaking referred to in the principal contract of the 24th November 1890, the main provisions of which are noted under South Indian railway, 3' 3½" gauge.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (i).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	445.94	6,42,27.971	57,25,148	25,26,931	3.93	247	55.90
1909	445.94	6,13,58,255	62,30,385	28,18,733	4.58	269	54.76
1910	445.94	6,01,74,684	61,39,151	24,95,552	3.77	273	69.63
1911	445.94	6,27,73,175	69,66,156	38,13,119	5.80	306	45.26
1912	445.94	6,58,15,860	71,16,971	35,22,032	5.27	320	52.61
1st. qr. of 1913.	445.94	6,72,88,570	18,84,615	5,32,449	9.79	325	71.75
1913-14	445.94	7,01,73,755	79,54,816	29,91,752	4.26	343	62.39
1914-15	445.94	7,13,55,090	78,17,224	32,06,655	4.49	337	58.98
1915-16	445.94	7,26,72,632	84,30,992	45,00,970	6.19	366	46.99
1916-17	445.94	7,29,58,397	98,22,191	49,18,932	6.57	424	49.61
1917-18	445.94	7,15,73,737	1,10,65,445	64,88,041	9.93	475	41.05

Suramangalam-Salem railway (5' 6" gauge—

Sanction to the construction of this line by the South Indian Railway Company on behalf of the District Board of Salem was conveyed in Railway Board's Notification No. 73, dated the 23rd March 1915.

Progress in opening—

Section of Rai. way.	Date of opening.	Miles.	Total.
1	2	3	4
Suramangalam to Salem	1-6-17	3.99	3.86

Details of construction—

Permanent-way.—The permanent-way consists of 75-lb. double-headed steel rails laid on Kangru sleepers.

Ballast.—The line is ballasted with moorum.

Fencing.—The line is unfenced except at Sevvayyappettai station yard.

Curves.—The sharpest curve is of 1,432.5 feet radius.

Gradients.—The ruling gradient is 1 in 100.

SOUTH INDIAN RAILWAY SYSTEM.—*contd.*Suramangalam-Salem railway (5' 6" gauge)—*conold.*

Agreement—

The line was constructed and is being maintained and worked under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay, including suspense, to end of the year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1917-18	8'86	4,71,972	13,451	3,730	0'79	81	72'27

South Indian railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
MADRAS-TUTICORIN SECTION—					
Main line—					
Madras Beach Junction to Madras Beach	15-1-00	0'11			
Madras Beach sid to Park	1-1-70	1'82			
Madras (Park) to Tindivanam	1-9-76	70'05			
Tindivanam to Cuddalore (Old town)	1-1-77	52'01			
Cuddalore (Old town) to Porto Novo	1-7-77	17'15			
Porto Novo to Chidambaram	1-10-78	6'73			
Chidambaram to Coleroon	1-7-79	4'57			
Coleroon to Shiyali	1-1-78	6'06			
Shiyali to Mayavaram	1-7-77	12'24			
Mayavaram to Tanjore	15-2-77	43'78			
Tanjore to Trichinopoly Junction	11-3-62	*31'14			
Trichinopoly Junction to Madurai	1-9-75	96'04			
Madurai to Mandapam	1-8-02	29'50			
Mandapam to Pamban	1-1-14	3'12			
Pamban to Ramswaram	11-9-06	6'95			
Ramswaram to Dhannakkodi Jetty	0-12-08	11'30			
Dhannakkodi Jetty to Dhannakkodi Point	1-12-14	1'57			
Branches—			480'12		
Arkonam branch—					
Chingloyut to Walajahad	1-8-80	13'06			
Walajahad to Conjeevaram	1-1-81	7'94			
Conjeevaram to Arkonam	8-5-65	41'65			
Pondicherry branch—					
Villupuram to the Gingee river, inclusive of the bridge over the river	15-12-79	16'47		39'25	
NAGORE BRANCH—					
Tanjore to Tiruvallur	2-12-61	133'83		16'47	
Tiruvallur to Nagapatam	15-7-61	14'33			
Nagapatam to Nagero	1-12-09	4'67		53'88	
Carried over	568'67		

*Originally constructed on the 5' 6" gauge, but was converted to 3' 3½" gauge—Tanjore to Badalur, 10'85, on 10th July 1875 and Badalur to Trichinopoly Jn., 20'20, on 17th July 1875.
 †Originally constructed on the 5' 6" gauge, but was converted to 3' 3½" gauge, in sections, on 12th, 13th and 14th July 1875.
 ‡Originally constructed on the 5' 6" gauge, but was converted to 3' 3½" gauge—Tanjore to Nidamangalam, 18'74, on 3rd July 1875 and Nidamangalam to Tiruvallur, 15'10, on 26th June 1875.
 § Originally constructed on the 5' 6" gauge, but was converted to 3' 3½" gauge on 19th June 1875.

SOUTH INDIAN RAILWAY SYSTEM—*contd.*South Indian railway (3' 3½" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward	568'07		
Pulliarpati Quarry branch— Tanjore to Pulliarpati quarry buffer end	1-7-98	4'57	4'57		
Erode branch— Trichinopoly Junction to Fort	11-3-02	2'52			
Trichinopoly Fort to Karur	3-12-06	44'65			
Karur to Kodumudi	1-7-07	18'71			
Kodumudi to Erode	1-1-08	23'53			
			87'41		
Tuticorin branch— Madura to Tuticorin	1-1-76	98'71			
Tuticorin to Foreshore	7-8-90	0'41			
			99'12		
Timmevelly branch— Maniyachi to Timmevelly	1-1-76	18'00			
			18'00		
Wharf branch— Cuddalore (Old town) to Wharf	7-8-90	1'54			
			1'54		
Copper Quarry branch— Junction with main line to Copper Quarry	15-4-00	0'86			
			0'86		
Salt branch— Tuticorin to buffer end of Livingapuram	12-11-99	2'39			
			2'39		
VILLUPURAM-KATPADI SECTION— Main line— Villupuram to Tiruvannamalai	17-11-90	41'80			
Tiruvannamalai to Katpadi	18-3-91	57'13			
			98'93		
GRAND TOTAL OPEN MILEAGE	881'49	

*Originally constructed on the 5'6" gauge, but was converted to 3'3½" gauge—Trichinopoly Junction to Karur on 1st July 1879 and Karur to Erode on 16th December 1879.

Details of construction—

Permanent-way.—The rails in use are 52-lb. and 50-lb. bull-headed steel, 56-lb., 55-lb. and 41½-lb. flat-footed steel, 40½-lb. flat-footed and 68-lb. double-headed iron. The 55-lb. rails are laid on the Pamban viaduct only. The sleepers are cast iron pot, steel transverse, sál, pyinkado, west coast teak, jarrah and iron wood.

Ballast.—The line is ballasted throughout, partly with broken stone and partly with laterite and gravel interspersed.

Fencing.—The line is fenced, with the exception of the Villupuram-Katpadi, Madura-Mandapam and Pamban-Dhanushkodi sections which are fenced only at stations.

Curves.—The sharpest curve is of 500 feet radius.

Gradients.—The ruling gradient is 1 in 200, except on the length between Madras Beach and Fort and on the Villupuram-Katpadi, Trichinopoly-Madura and Karur-Erode sections where it is 1 in 100.

Contracts—

Dated the 24th November 1890 (called the principal contract), between the Secretary of State and the South Indian Railway Company, for maintaining and working from the 1st January 1891, the railways which on the 31st December 1890 formed the undertaking of the former Company and completing and working the Villupuram-Guntakal railway.

Dated the 27th June 1901 (supplemental to the principal contract), between the Secretary of State and the South Indian Railway Company, relating to the construction and working of Pamban and Travancore branches.

Dated the 8th April 1903 (supplemental to the principal contract), between the Secretary of State and the South Indian Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Dated the 2nd March 1909 (supplemental to the principal contract), between the Secretary of State and the South Indian Railway Company, providing for the relinquishment from 1st January 1908 of the section of the Company's line north of Katpadi and the transfer to the Company from the same date of the Jalarpet-Mangalore section of the former Madras railway.

Dated the 26th October 1909 (supplemental to the principal contract), between the Secretary of State and the South Indian Railway Company, for the construction and working as an integral part of the undertaking of the Dharmapuri-Hosur extension of the Morappur-Dharmapuri railway.

SOUTH INDIAN RAILWAY SYSTEM—*contd.***South Indian railway (3' 3½" gauge)—*contd.*****Contracts—*consolid.***

Dated the 21st December 1910, between the Secretary of State and the South Indian Railway Company, supplemental to and continuing with further modifications, with effect from 1st January 1911, the principal contract of the 24th November 1890 as modified by previous supplemental contracts.

Dated the 23rd April 1914 (supplemental to the contracts of 1901, 1903, 2nd March and 26th October 1909 and 1910), between the Secretary of State and the South Indian Railway Company, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of contracts—

- (i) *Land*.—Provided by the Government at the cost of capital.
- (ii) *Government aid*.—Guarantee of 3½ per cent in sterling on the Company's share capital of £1,000,000, and on any paid-up stock or share (other than preference) capital thereafter issued by the Company with the sanction of the Government (not including premia paid thereon).
- (iii) *Distribution of profits*.—Under section 60 of the principal contract of the 24th November 1890 as amended by section 25 of the supplemental contract of the 21st December 1910, the net revenue receipts of each half-year are applied, in the following manner and order:—

In payment to Government—

- (a) of interest at the rate of 3½ per cent per annum for such half-year, paid by Government under section 13 of the principal contract, *i.e.*, under (ii) above;
 - (b) of the amount paid by Government in respect of interest for such half-year, upon the sum of £125,000 irredeemable debenture stock of the former Company; upon the debentures for £375,000 and £73,000, respectively, issued for the purposes of the Pamban Branch; and upon any debenture stock or debentures or preference stock or shares issued by the Company after the 31st December 1910;
 - (c) of interest for such half-year at the rate of 3½ per cent per annum on the amount of the Government capital as shown in the Government capital account for the division of such receipts; and
 - (d) the residue, if any, is divisible between Government and the Company in the ratio of the average amounts, calculated as prescribed, of the capital contributed by the Government and the Company, the Government capital being the amount shown in the Government Capital Account for division of net revenue receipts and the Company's capital the amounts of its stock and share capital (other than preference capital) paid up or credited as paid up, excluding any premia received, subject to the proviso that if the amount of the Company's share so arrived at should in the combined halves of any of the years 1911, 1912 and 1913 be less than interest for such year at the rate of 10 shillings per cent on its capital, the Government shall make up the deficiency.
- (iv) *Rates and fares*.—The Government will from time to time authorise maxima and minima rates, and prescribe the several classes and descriptions of passengers and goods to which such rates shall be respectively applicable, as well as the extent to which, within the authorised maxima and minima, the Company may vary the said rates.

The Company have power to quote through rates and fares for both goods and passengers from the Jalapet-Mangalore section to the Madras-Bangalore section of the Madras and Southern Mahratta railway system (but not in the reverse direction), divisible between the two companies in mileage proportion without deduction of terminals or other special charges, except for traffic to and from the Nilgiri line the mileage over which is reckoned at twice its actual mileage in the division of such rates. No rate or fare to Madras so quoted should, without the prior sanction of the Government, be higher than that which, for the same class or description of traffic, was in force on the 1st January 1910.

(v) Special obligations as to the conveyance of—

- (a) Mail, troops, police, high Government officials and Government stores.—To be conveyed on the same general conditions as on State railways of the same gauge.
- (b) Government bullion and coin, and the persons in charge thereof.—To be conveyed at special rates to be approved by Government.
- (vi) *Services for any Department of the Travancore Durbar*.—On such portion of the Travancore Branch as runs through the Native State of Travancore, to be performed on the same general conditions as on other 3' 3½" gauge State railways and at rates approved by the Government.
- (vii) *Power of the Government to determine contract*.—The railway and all its appurtenances are absolutely the property of Government, who may terminate the contract on the 31st December 1945, or at the end of any succeeding fifth year, by giving to the Company in England not less than 12 calendar months' previous notice; also at any time on 6 months' notice should the Company fail to observe its obligations or the undertaking be worked at a loss for not less than three half-years continuously.

On the expiration or determination of the contract the Government are to take possession of the railway and all its appliances, etc., repaying the Company at par its capital of £1,000,000 and any further capital raised by it and paid to Government but excluding any premia paid thereon, and receiving from the Company any unexpended balance of the capital advanced by Government for the purposes of the undertaking as well as for the Travancore Branch.

SOUTH INDIAN RAILWAY SYSTEM—contd.

South Indian railway (3' 3½" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*(viii) *Power of the Company to surrender contract.*—Nil.(ix) *Term of contract.*—55 years, i.e., from 1st January 1891 to 31st December 1945, subject to (vii).

Statistics of working (Those for the periods prior to 1891 will be found in Appendix 36 to the Railway Administration Report for 1907).—

Includes the South Indian (5' 6" gauge), Nilgiri, Morappur-Hosur and Tirupattur-Krishnagiri railways from 1908.

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Percentage of Company's share of net earnings (surplus profits plus guaranteed interest on share capital) on Company's capital.	Gain or loss to the State, pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11	12
1891	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1891	1,000.76	7,72,11,806	70,36,774	24,29,625	3.15	35,89,726	70,901	...	-12,31,014	154	65.47
1892	1,105.19	7,82,83,761	77,14,996	28,54,591	3.65	39,51,063	76,586	...	-11,74,088	137	63.01
1893	1,041.51	7,63,31,013	80,92,415	31,15,918	4.08	38,58,152	1,41,676	...	-8,83,010	149	61.50
1894	1,041.51	7,61,13,362	80,46,559	32,83,865	4.39	42,81,812	1,53,059	...	-11,53,066	148	59.19
1895	1,041.59	7,68,38,091	80,11,947	38,96,987	5.07	45,77,574	2,60,599	...	-8,11,130	165	56.23
1896	1,041.59	7,67,63,325	80,15,581	40,25,189	5.25	46,66,677	2,86,156	...	-3,19,544	165	54.98
1897	1,041.59	7,66,46,858	91,81,469	42,96,737	5.61	38,76,142	3,37,792	...	+2,82,231	170	53.20
1898	1,017.48	7,45,21,878	84,07,581	38,55,527	5.15	37,65,521	2,66,184	...	-1,80,128	157	54.70
1899	1,039.63	7,59,12,929	81,74,461	39,53,549	5.29	40,58,363	3,01,776	...	+18,571	159	52.99
1900	1,033.63	7,62,95,548	89,01,825	43,97,916	5.76	36,62,904	3,65,689	...	+5,66,223	166	50.01
1901	1,033.63	8,04,49,712	1,01,44,657	51,15,176	6.73	37,24,796	5,43,800	...	+11,47,530	188	46.62
1902	1,123.13	8,19,32,571	1,05,51,072	56,87,510	6.95	35,18,209	5,35,246	...	+13,36,655	189	46.10
1903	1,123.13	8,31,46,663	1,22,14,138	72,76,216	8.75	30,06,679	7,69,547	...	+25,89,590	209	40.45
1904	1,123.13	8,45,16,692	1,25,12,321	69,62,790	8.24	10,55,622	7,16,725	...	+21,80,465	211	44.35
1905	1,123.05	8,62,95,191	1,29,34,476	65,77,570	7.63	40,65,613	6,30,603	...	+19,11,014	224	39.15
1906	1,109.00	8,91,97,695	1,32,75,295	58,32,078	6.91	40,99,733	4,94,291	...	+15,46,973	227	35.61
1907	1,129.85	9,06,35,468	1,41,19,421	71,00,813	7.91	38,76,698	6,71,818	...	+26,21,827	249	49.23
1908	1,305.61	15,07,19,822	2,01,01,326	94,20,016	6.25	46,89,556	9,89,800	...	+40,31,000	282	53.95
1909	1,305.61	15,57,78,715	2,17,41,637	1,01,99,646	4.54	49,52,136	7,14,562	...	+44,93,048	300	53.13
1910	1,305.61	16,06,95,627	2,24,79,591	1,02,31,257	6.96	51,09,968	7,13,317	...	+44,11,552	309	51.43
1911	1,305.61	16,38,91,154	2,49,91,786	1,24,16,673	7.62	52,77,315	3,29,682	5.62	+68,18,736	344	50.32
1912	1,305.61	17,08,56,886	2,76,84,141	1,31,63,967	7.73	54,89,139	3,58,165	5.67	+73,16,792	373	51.39
1st yr. of											
1913	1,305.61	17,32,34,471	2,88,27,737	1,41,19,421	7.19	51,07,645	4,54,705	1.17	+12,62,281	376	50.85
1913-14	1,453.00	18,26,41,473	2,80,70,002	1,17,27,795	6.42	78,71,656	2,24,894	4.97	+36,31,743	371	48.22
1914-15	1,453.17	18,75,41,932	2,72,73,211	1,15,22,895	6.14	63,34,892	1,70,159	4.66	+50,68,844	353	57.75
1915-16	1,455.17	19,00,35,625	2,96,90,946	1,49,91,076	7.90	62,35,697	4,32,328	4.98	+80,25,141	369	48.84
1916-17	1,455.17	18,78,51,769	3,23,83,253	1,62,25,749	8.04	64,44,683	5,17,165	6.95	+92,64,142	425	49.89
1917-18	1,455.17	18,77,65,996	3,51,66,666	2,02,02,479	10.75	65,29,673	8,92,782	8.84	+1,28,70,654	465	42.68

* The share of loss recoverable from the Company in working the British section of the Tinnevely-Quilon (Tirunelveli) railway is not deducted from this account. The surplus profits were divided between the Government and the Company in the proportion of Rs. 18,50,00,000 to Rs. 1,50,00,000 or 13 : 1.

Nilgiri railway (3' 8½" gauge)—

The original Nilgiri Railway Company was registered on the 30th September 1885 with nominal capital of Rs. 25,00,000, and a contract was executed between the Secretary of State and that Company on the 26th February 1886. The original Company went into liquidation in April 1894 and a new Company was formed in February 1896 to purchase the line from the former Company and supply the capital required to complete it and to construct the proposed extension to Ootacamund. The line from Mettupalaiyam to Coonoor was completed by the new Company and opened for traffic on the 15th June 1899. On the offer of the new Company to sell the line it was purchased by the Government for £235,000 on the 1st January 1903. The extension to Ootacamund was constructed by the Government.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mettupalaiyam to Coonoor	15-6-99	16.99	
Coonoor to Fernhill	15-9-06	19.82	
Fernhill to Ootacamund	15-10-08	1.11	
TOTAL	28.96

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Nilgiri railway (3' 3½" gauge)—*concl'd.*

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails, 50 lbs. to the yard, laid on pyunkado sleepers. Between Kallar and Coonoor (12 miles) there is also a central rack rail.

Ballast.—Rack section is ballasted with clean broken granite and the Adhesion section with hard gneiss.

Fencing.—The line is unfenced throughout.

Curves.—The sharpest curve is of 318 feet radius.

Gradients.—The ruling gradient is 1 in 12·5 on the Rack section and 1 in 25 on the Adhesion section.

Contract—

The railway was worked by the former Madras Railway Company up to the 31st December 1907 on behalf of the Government. With effect from 1st January 1908 it was made over to the South Indian Railway Company as a part of the Jalapet-Mangalore section for working as an integral part of their undertaking in terms of the contract of 2nd March 1909 between the Secretary of State and the Company with the condition that the South Indian Railway Company are not to pay interest on the capital cost of the Coonoor-Ootacamund railway incurred either before or after 1st January 1908.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Milos.	Rs.	Rs.	Rs.		Rs.	
1908 ...	28'96	67,82,028	3,38,030	42,901	0'63	223	87'21
1909 ...	28'96	70,22,241	4,08,791	53,557	0'76	271	86'87
1910 ...	28'96	75,94,923	4,57,997	72,441	0'95	304	84'15
1911 ...	28'96	77,29,506	4,94,851	1,24,002	1'61	329	74'91
1912 ...	28'96	78,32,496	5,21,687	1,16,443	1'49	346	77'68
1st qr. of 1913.	28'96	78,64,535	1,25,409	25,923	0'63	332	79'83
1913-14	28'96	81,18,056	5,58,969	96,376	1'21	357	81'75
1914-15	28'96	82,82,093	5,74,861	2,49,57	0'49	352	85'83
1915-16	28'96	83,64,269	6,55,971	80,220	1'08	462	87'03
1916-17	28'96	83,80,102	7,73,925	2,69,516	3'21	518	85'14
1917-18	28'96	83,95,168	9,03,235	3,35,878	4'00	600	62'81

Peralam-Karaikkal railway (3' 3½" gauge)—

The line is partly in British and partly in French territory and was constructed (by the agency of the South Indian Railway Company) with the object of placing the town and port of Karaikkal in communication with the railway system of Southern India.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Peralam to Karaikkal	14-3-98	14'65	14'65

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails and 40-3-lb. flat-footed iron rails for a length of 1·45 miles only, laid on wooden and steel transverse sleepers.

Ballast.—The line is ballasted with laterite.

Fencing.—The line is fenced only at stations.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradients.—The ruling gradient is 1 in 200.

Contract—

Dated the 27th March 1902, between the Government of the French Settlements in India and the South Indian Railway Company, for the working of the Peralam-Karaikkal railway.

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Peralam-Karaikkal railway (3' 3½" gauge)—*concl'd.*

Main provisions of contract—

- (i) *Land.*—In French territory provided by the Colonial (French) Government free of cost but subject to a land tax as for private property; in British territory by the British Government free of cost on condition that the proprietary rights remain vested in the British Government.
- (ii) *Government aid.*—The railway was constructed at cost price by the South Indian Railway Company at the request and on behalf of the Colonial (French) Government, and is worked and maintained by the Company who provide the rolling-stock required for the traffic of the Peralam-Karaikkal railway.
- (iii) *Terms of working.*— } Direction, maintenance and working expenses, excluding the cost of repairing damages due to any extraordinary casualty and new minor works not costing more than Rs. 1,000 on the system, are calculated at the same proportion of the gross receipts of the Peralam-Karaikkal railway as obtains half-yearly on the Company's system, including worked lines, as a whole, plus the cost of repairing damages due to any extraordinary casualty and of New Minor Works on the branch, 5 per cent of the gross receipts of the Branch for the use of the Company's rolling-stock and 5 per cent per annum for interest on Rs. 30,000 which is taken as representing the Branch line's share of the Company's outlay on revenue and other stores and workshop buildings and machinery.
- (iv) *Distribution of profits.*— } The "net earnings" so arrived at are paid every half-year to the Colonial (French) Government:
- Provided always that if, at any time, the working of the Peralam-Karaikkal railway involves an actual loss to the Company, the Colonial (French) Government shall make good such loss.
- (v) *Rates and fares.*—To be agreed to between the Company and the Colonial (French) Government, but should not be less than the minima actually in force on the Company's undertaking.
- (vi) *Special obligations as to the conveyance of—*
- (a) Mails, troops, police, high Government officials and Government stores.— } Not specified.
- (b) Government bullion and coin, and the persons in charge thereof.— }
- (vii) *Power of Colonial (French) Government to determine contract.*— } Determinable by either party
- (viii) *Power of the Company to determine contract.*— } on giving to the other 12 months' previous notice expiring on the 30th June or 31st December in any year.
- (ix) *Term of contract, if not determined under (vii) or (viii).*—Not specified.

Statistics of working. (Those for two periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	14.65	7,23,786	43,948	14,361	3.98	58	67.83
1909	14.65	7,23,786	46,125	13,500	1.84	61	70.54
1910	14.65	7,23,786	44,070	—517	...	58	101.78
1911	14.65	7,23,786	51,162	17,519	2.42	67	65.76
1912	14.65	7,23,786	61,431	19,713	2.72	81	67.91
1st yr. of 1913.	14.65	7,23,786	13,500	—704	...	71	105.21
1913-14	14.65	7,23,786	63,513	21,393	2.96	83	66.23
1914-15	14.65	7,23,786	66,464	20,941	2.77	87	69.86
1915-16	14.65	7,23,786	65,771	23,026	3.18	86	64.99
1916-17	14.65	7,23,786	64,917	23,187	3.06	85	65.85
1917-18	14.65	7,23,786	64,309	21,584	3.08	84	66.44

Podanur-Pollachi railway (3' 3½" gauge)—

The construction of this line by the South Indian Railway Company from funds to be provided by the District Board of Coimbatore was authorised in Railway Board's telegram No. 470 R.P., dated the 19th November 1913.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Podanur to Pollachi	15-10-15	25.04	25.04

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Podanur-Pollachi railway (3' 3½" gauge)—*concl'd.*

Details of construction—

Permanent-way.—The line is laid with 4½-lb. flat-footed steel rails on hardwood (irool) sleepers.

Ballast.—The line is ballasted with moorum, except for 6 miles where field stones and Kunkar are used.

Fencing.—Only the Pollachi station yard is fenced.

Curves.—The sharpest curve is of 955 feet.

Gradients.—The ruling gradient is 1 in 70.

Agreement—

Main provisions of agreement.— } The line was constructed and is being maintained and worked under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1915-16	25.01	11,09,181	63,702	34,178	3.08	106	46.35
1916-17	25.04	10,48,334	1,60,792	81,973	7.82	123	49.02
1917-18	25.04	11,37,352	1,80,127	95,319	8.29	133	47.64

Pondicherry railway (3' 3½" gauge)—

The line is in the French territory and was constructed (by the Pondicherry Railway Company under the supervision of the South Indian Railway Company) with the object of placing the town and port of Pondicherry in communication with the railway system of Southern India and of developing the resources of the territory.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
East bank of the Gingee river to Pondicherry	15-12-79	7.85	7.85

Details of construction—

Permanent-way.—The line is laid with 4½-lb. flat-footed steel rails on wooden sleepers, except between miles 117 and 118 where 50-lb. bull-headed steel rails are laid on cast iron pot sleepers.

Ballast.—The line is ballasted with stone.

Fencing.—The line is fenced.

Curves.—The sharpest curve is of 495 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Agreement and contract—

Agreement, dated the 30th December 1890, between the South Indian Railway Company and the Pondicherry Railway Company, for maintenance and working.

Despatch from the Secretary of State, No. 19 Ry., dated the 17th March 1895, intimating the renewal of the agreement by the parties thereto.

Contract, dated the 23rd April 1914 (supplemental to the principal contract of 1890), between the Secretary of State and the South Indian Railway Company, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of agreement—

- (i) *Land.*—Not specified.
- (ii) *Government aid.*—The railway (which was constructed by the Pondicherry Railway Company) is maintained, worked and provided with rolling-stock by the South Indian Railway Company as an integral part of their undertaking—except only as to such works required for the accommodation and extension of traffic on the Pondicherry line which the Pondicherry Railway Company would have had to construct had they been themselves working their own line, which the latter undertake to make at their own cost to the satisfaction of the South Indian Railway Company.
- (iii) *Terms of working.*— } Maintenance and working expenses are charged for at the same percentage of the gross receipts of the Pondicherry railway as obtains on the South Indian Railway Company's undertaking including the Pondicherry line—duty, if any, payable to the Colonial (French) Government and direction and office expenses in England being excluded from the calculation. The balance is payable half-yearly to the Pondicherry Railway Company.
- (iv) *Distribution of profits.*— }

SOUTH INDIAN RAILWAY SYSTEM—*contd.*

Pondicherry railway (3' 3½" gauge)—*concl'd.*

Main provisions of agreement—*concl'd.*

(v) Rates and fares.—

(vi) Special obligations as to the conveyance of.—

(a) Mails, troops, police, high Government officials, and Government stores.—

(b) Government bullion and coin, and the persons in charge thereof.—

To correspond with those for the time being in force on the South Indian Railway Company's undertaking.

(vii) Power of the Government to determine agreement.—The agreement terminates upon the determination by Government of the South Indian Railway Company's principal contract with the Secretary of State, dated the 24th November 1890, *vide* (vii) under South Indian railway (3' 3½" gauge).

(viii) Power of the South Indian Railway Company to determine agreement.— } The agreement is terminable by either party on 6 months' notice given expiring on the 31st December in any year, subject to (vii).

(ix) Power of the Pondicherry Railway Company to determine agreement.— }
(x) Term of agreement.—The agreement was originally for a term of 3 years, but it has since been renewed subject only to (vii), (viii) and (ix).

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	785	5,68,543	77,018	35,880	6.31	189	53.41
1909	785	5,68,543	86,073	39,168	6.89	211	54.50
1910	785	5,68,543	97,117	43,611	7.67	239	55.25
1911	785	5,68,543	1,09,623	54,968	9.50	269	57.71
1912	785	5,68,543	1,19,867	70,332	10.93	359	61.54
1st qr. of 1913	785	5,68,543	72,469	28,382	4.99	712	60.06
1913-14	785	5,68,543	1,56,981	65,016	11.08	385	59.64
1914-15	785	5,68,543	1,02,839	41,656	7.33	252	59.50
1915-16	785	5,68,543	1,06,176	52,075	9.26	260	59.29
1916-17	785	5,68,543	96,434	47,889	6.84	235	50.96
1917-18	785	5,68,543	96,111	54,416	9.57	235	49.38

Shoranur-Cochin railway (3' 3½" gauge).—

The Shoranur-Cochin railway is the property of the Cochin Durbar and was worked by the former Madras Railway Company up to the 31st December 1907. With effect from the 1st January 1908, it was made over to the South Indian Railway Company to be maintained and worked as part of its undertaking.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Shoranur to Ernakulam.	16-7-02	64.75	64.75

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed, and a few 50-lb. bull-headed, steel rails laid on wooden sleepers.

Ballast.—The line is ballasted throughout with stone and sand, chiefly the former.

Fencing.—The line is fenced in the vicinity of towns, stations and level crossings.

Curves.—The sharpest curve is of 818.57 feet radius.

Gradients.—The ruling gradient is 1 in 50.

Agreements—

Dated the 1st January 1908, between His Highness the Raja of Cochin and the South Indian Railway Company, for maintenance and working.

Dated the 24th May 1915, between His Highness the Raja of Cochin and the South Indian Railway Company, as to the adoption of Government financial year for the preparation of accounts.

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Shoranur-Cochin railway (3' 3½" gauge)—*contd.*

Main provisions of agreement—

- (i) *Land*.—Provided by the Cochin Durbar free of cost.
- (ii) *Government aid*.—The railway (which is the property of the Cochin Durbar) is maintained and worked by the South Indian Railway Company in all respects as part of their own undertaking, except only as to the provision of funds for capital expenditure which are provided by the Durbar.
- (iii) *Terms of working*.—For maintenance and working the Shoranur-Cochin railway the Durbar pays to the Company in each half-year—
- All expenditure on renewals, as distinguished from maintenance expenses, incurred on the Durbar's line;
 - the Durbar's railway share of working expenses arrived at by deducting from the total working expenses of the combined system the expenditure incurred on the combined system for renewals as distinguished from maintenance, and dividing the balance between the Company and the Durbar's railway in the proportion that the gross receipts of the latter bear to those of the combined system; and
 - the sum payable under the agreement as rent for the use of the Shoranur Junction station based on the total cost of the Junction station.
- (iv) *Distribution of profits*.—Any difference between the gross receipts of the Shoranur-Cochin railway and the payment for working under (iii) which may exceed 2 per cent on the booked capital expenditure of the Durbar's line including land are deemed "surplus profits," divisible between the Durbar and the Company in the proportion of four-fifths to the former and one-fifth to the latter.
- (v) *Rates and fares*.—Those generally applicable to the South Indian railway system; *vide* (iv) under South Indian railway (3' 3½" gauge).
- (vi) *Special obligations as to the conveyance of*.—
- Mails, troops, police, high Government officials, and Government stores.
 - Government bullion and coin, and the persons in charge thereof.
- } As on Indian State railways.
- (vii) *Power of the Government to determine agreement*.—The agreement terminates upon the determination by Government of the South Indian Railway Company's principal contract with the Secretary of State, dated the 24th November 1890, *vide* (vii) under South Indian railway (3' 3½" gauge).
- (viii) *Power of the Cochin Durbar to determine agreement*.—
- (ix) *Power of the Company to determine agreement*.—
- } On giving 12 months' notice expiring on the 30th September or before the 31st March in the succeeding year.
- (x) *Term of agreement*.—Subject to (vi), (viii) and (ix).

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	64.75	3,11,148	4,44,078	2,00,352	2.89	132	54.88
1909	64.75	69,86,248	5,16,290	2,60,923	3.73	153	49.45
1910	64.75	3,48,970	5,62,461	2,56,954	3.69	167	51.32
1911	64.75	69,56,785	6,00,932	2,89,925	4.17	178	51.75
1912	64.75	69,64,901	6,50,410	3,00,056	4.31	187	52.41
1st qtr. of 1913	64.75	69,56,035	1,01,124	61,334	1.17	191	49.52
1913-14	64.75	69,55,278	6,59,639	2,79,356	4.00	196	57.65
1914-15	64.75	70,15,724	6,68,795	2,74,627	3.99	199	50.09
1915-16	64.75	70,51,292	7,01,335	3,21,030	4.35	208	54.22
1916-17	64.75	71,91,011	7,86,177	4,12,558	5.81	233	47.56
1917-18	64.75	71,96,152	8,57,643	4,92,171	6.92	264	44.50

Tanjore District Board railway (3' 3½" gauge)—

This railway originally extended from Mayavaram to Mutupet and was constructed by the South Indian Railway Company from funds of which half were provided by the Government of Madras from Provincial resources, and the other half by the Tanjore District Board from its Railway Guarantee Fund which was constituted by enhancing by 3 pies, i.e., from 2 pies to the maximum rate of twelve pies per mpee, the

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Tanjore District Board railway (3' 3½" gauge)—*contd.*

Local Land Cess raised in the district. From the 1st January 1900 the property of the Government in the Mayavaram-Mutupet line was made over to the Tanjore District Board at the cost price of Rs. 12,34,780. The construction of the extension from Mutupet to Avadaiyarcovil was then undertaken by the South Indian Railway Company at the cost of the Tanjore District Board from the available balances at the disposal of the Board and further funds raised by debentures, bearing interest at 4 per cent per annum, running for a term of 20 years ending with the 31st December 1920, on the security of the Mayavaram-Mutupet railway and of the receipts from their Railway Guarantee Fund—the Government reserving the right to take over the extension at any time on twelve months' notice by assuming any liabilities undertaken by the Board in the form of debentures to raise the money and repaying any further amounts spent by the Board out of the balances at their disposal.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Mayavaram to Tiruvallur	2-4-04	54.08			
Tiruvallur to Mutupet		17.03			
Mutupet to Pattukkottai		28.35			
Pattukkottai to Arantangi		3.90			
Arantangi to Quarry	23-8-06		103.36		
Mannargudi extension—					
Nidamangulam to Mannargudi	15-2-15	8.58	8.58		
TOTAL OPEN MILEAGE	111.94	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—					
Tiruvairapudi to Vedaraniom (sanctioned on 15th October 1912)	...	23.14*			* Opening deferred. † Work stopped.
Mayavaram to Tranquebar (sanctioned on 15th December 1915).	...	17.96†	41.08		
GRAND TOTAL	153.02	

Details of construction—

Permanent way.—The line is laid with first-class 4½-lb. flat-footed steel and for a small length only with 40-3-lb. flat-footed second class iron rails on sal, pyinkado, west coast teak and jarrah sleepers.

Ballast.—The Mayavaram-Mutupet section is ballasted with laterite and the Mutupet-Aranangi and Nidamangulam-Mannargudi sections are being ballasted with laterite over sand.

Fencing.—The line is fenced only at stations.

Curves.—The sharpest curve is of 818 feet radius.

Gradients.—The ruling gradient is 1 in 200. Between Adirampatnam and Pattukkottai it is 1 in 180 and between Nidamangulam and Mannargudi, 1 in 400.

Contracts—

Dated the 22nd July 1897, between the Secretary of State and the South Indian Railway Company, as to the maintenance and working of the line from Mayavaram to Mutupet.

Government of Madras, Public Works Department, Proceedings No. 402-Ry., dated the 12th March 1900, as to the making over of the line, from Mayavaram to Mutupet, to the Tanjore District Board, and the construction and working, under the terms of the contract of 22nd July 1897, of an extension from Mutupet in the direction of Avadaiyarcovil.

Dated the 7th November 1916, between the Secretary of State and the South Indian Railway Company, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of contract—

(i) **Land.**—Provided by the Government free of cost to the Company.

(ii) **Government aid.**—The railway (which is the property of the Tanjore District Board) was constructed, and is maintained and worked by the South Indian Railway Company, who provide the rolling-stock required for the traffic of the branch line.

(iii) **Terms of working.**— } The line is maintained and worked at the same percentage of its gross

(iv) **Distribution of profits.**— } receipts as obtains half-yearly on the South Indian Railway Company's undertaking as a whole, including the Tanjore District Board's line, plus the cost of making good any damage affecting the Branch, plus 5 per cent of gross receipts for the use of the Company's rolling-stock, plus interest on the Company's capital outlay at joint stations provided for in clause 12 of the agreement.

(v) **Rates and fares.**—

(vi) **Special obligations as to the conveyance of.**—

(a) Mails, troops, police, high Government officials and Government stores.— } As noted under South Indian railway (3' 3½" gauge).

(b) Government hullion and coin, and the persons in charge thereof.— }

(vii) **Power of the Government to determine contract.**— } On 12 months' notice expiring on the 31st December in any year.

(viii) **Power of the Company to determine contract.**— }

(ix) **Term of contract.**—As in (vii) and (viii) above.

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Tanjore District Board railway (3' 3½" gauge)—*concl.*

Statistics of working (Those for the periods prior to 1900 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, to end of each year, i.e., on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
* 1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1900	54.08	26,50,776	2,32,280	97,782	3.60	83	57.96
1901	54.08	32,17,511	2,90,637	1,35,765	4.22	103	58.30
1902	71.11	38,18,302	3,08,879	1,46,764	3.84	103	52.43
1903	99.46	45,70,190	3,90,747	2,09,167	4.58	106	46.47
1904	99.46	46,82,763	5,24,490	2,61,364	5.04	101	50.77
1905	99.46	47,31,090	5,86,680	2,65,302	5.61	113	54.79
1906	103.36	47,98,572	6,01,068	2,92,853	4.95	116	61.56
1907	103.36	47,96,564	6,88,181	2,86,109	5.98	118	54.90
1908	103.36	48,03,788	6,87,571	2,77,134	5.77	128	59.69
1909	103.36	48,08,337	6,84,734	2,70,098	5.62	127	60.56
1910	103.36	48,45,390	7,59,290	2,96,545	6.12	141	69.94
1911	103.36	48,56,852	8,36,516	3,03,851	7.49	156	58.50
1912	103.36	48,69,026	9,06,508	3,64,060	7.90	169	57.57
1st yr. of 1913	103.36	48,90,822	2,27,084	76,630	1.57	176	67.87
1913-14	103.36	52,69,745	9,79,458	3,49,568	6.71	182	64.31
1914-15	111.94	54,26,680	9,51,392	3,31,890	6.17	183	64.61
1915-16	111.94	60,08,137	10,05,288	4,41,256	7.35	178	59.11
1916-17	111.94	66,21,738	10,19,000	4,55,635	6.88	176	57.25
1917-18	111.94	66,21,113	9,41,253	4,73,127	7.15	169	49.73

Tinnevely-Quilon (Travancore) railway (British section) (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tinnevely to Kallidaiakurichi.	1-6-02	19.13	
Kallidaiakurichi to the British frontier near Shenocottai	1-8-06	51.28	
TOTAL			50.41

Details of construction—

Permanent-way.—The line is laid with 50-lb. bull-headed steel rails on cast iron pots and 56-lb. flat-footed steel rails on wooden sleepers over bridges.*Ballast.*—The line is ballasted throughout with broken stone.*Fencing.*—The line is fenced at stations and at a few places where it runs close to villages and public roads.*Curves.*—The sharpest curve is of 1,432½ feet radius.*Gradients.*—The ruling gradient is 1 in 100.

Contracts—

Dated the 27th June 1901 (known as the "Travancore contract" and supplemental to the principal contract of 1890) between the Secretary of State and the South Indian Railway Company, as to the construction, maintenance and working of the Travancore Branch.

Dated the 21st December 1910 (supplemental to the contracts of 1890 and 1901) between the Secretary of State and the South Indian Railway Company, modifying the contract of 1901.

Dated the 23rd April 1911 (supplemental to the contracts of 1890, 1901 and 1910) between the Secretary of State and the South Indian Railway Company, as to the adoption of the Government financial year for the preparation of accounts.

Main provisions of contracts—

- (i) *Land.*—
(ii) *Government aid.*—

As under South Indian railway (3' 3½" gauge).

- (iii)
- Terms of working.*
-

- (iv)
- Distribution of profits.*
-

The line is worked by the South Indian Railway Company at the same proportion of its gross earnings of each half-year as obtains on the whole of the Company's undertaking, including the Travancore

Branch. The "net revenue receipts" of a half-year so arrived at of the Travancore Branch are then applied, in the following manner and order, in payment to the Government of interest—

- (a) on debentures and debenture stock, and
(b) due on any capital advanced by the Government

for the purpose of the branch;

- (c) the surplus, if any, is divisible between the Government and the Company in the proportion in which the residue of net receipts of the undertaking is divisible as noted against (iii) (d) under South Indian railway (3' 3½" gauge).

If the net receipts of the Branch fall short of the interest charges, the deficiency is first to be divided between the Native State and British sections of the line in proportion to the capital cost of the sections, and as between the Secretary of State and the Company so much of the deficiency

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Tinnevely-Quilon (Travancore) railway (British section) (3' 3½" gauge)—*concl'd.*Main provisions of contract—*concl'd.*

as is attributable to the Native State section is to be borne by the Secretary of State, and so much as is attributable to the British section is to be borne by the Secretary of State and the Company in the proportion in which any surplus of net receipts over interest charges would have been divisible. The Company's share of any such deficiency may be deducted by the Secretary of State from its share of any surplus profits due under the principal contract for the same half-year or under this contract or the principal contract for the next succeeding half-year.

As between the Government and the Travancore Durbar, the latter has under-written the guarantees of interest to the extent of the capital cost of the portion of the line in its territory; and it has been agreed that any surplus retained by the Government in accordance with the foregoing shall be divided between them in proportion to the respective lengths of the British and Native State sections of the line, and that the share of any deficiency attributable to the latter shall be borne by the Travancore Durbar.

- (v) Rates and fares.—
 (vi) Special obligations as to the conveyance of,—
 (a) Mails, troops, police, high Government officials and Government stores.—
 (b) Government bullion and coin, and the persons in charge thereof.—
 (vii) Services for any Department of the Travancore Durbar.—
 (viii) Power of the Government to determine contract.—
 (ix) Power of the Company to surrender contract.—
 (x) Term of contract.—

As under South Indian railway (3' 3½" gauge).

Statistics of working—

Year.	Mileage OPEN AT END OF EACH YEAR.		TOTAL CAPITAL OUTLAY, INCLUDING INTEREST, TO END OF EACH YEAR, (a) OUTLAY ON (b) LINES OPEN AND (c) LINES PARTLY OR WHOLLY UNDER CONSTRUCTION.				GROSS EARNINGS.		NET EARNINGS.		PERCENTAGE OF NET EARNINGS TO TOTAL CAPITAL OUTLAY (a) AND (c).		INTEREST CHARGES.		GAIN OR LOSS accruing to each year.		Proportion of expenses to earnings.
	British section.	Native State section.	British section.	Native State section.	GROSS EARNINGS.	NET EARNINGS.	4	5	6	7	8	9	10	11	12	13	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
Miles.	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	
1902	49.50	49.50	31,614.65	75,118.38	17,210	26,030	0.24	1,16,200	2,30,014	—19,207	—2,30,014	81	44.94				
1903	49.50	49.50	38,40,038	1,01,18,508	1,08,038	1,08,038	0.21	1,21,000	3,14,097	—16,599	—80,617	241	41.16				
1904	50.48	50.48	40,40,580	1,15,09,804	3,05,784	1,48,800	0.90	1,38,045	3,05,455	—16,145	—91,438	278	51.04				
1905	50.48	50.48	43,40,925	1,17,54,078	4,80,757	2,40,307	1.05	1,44,178	3,32,112	—13,334	—5,508	218	40.70				
1906	50.48	50.48	47,08,236	1,18,36,747	4,02,643	2,22,479	1.37	1,45,163	3,80,240	—13,009	—50,715	238	46.30				
1907	50.48	50.48	43,90,835	1,16,07,001	5,97,708	3,04,300	1.89	1,55,211	3,97,353	—12,309	—54,910	276	49.94				
1908	50.48	50.48	43,90,979	1,17,36,053	6,42,077	2,83,380	1.91	1,51,508	3,99,750	—10,541	—59,436	281	54.31				
1909	50.48	50.48	43,93,300	1,17,07,248	6,50,018	2,95,520	1.93	1,44,338	3,85,599	—9,094	—54,383	272	54.00				
1910	50.48	50.48	43,92,416	1,16,30,030	6,80,860	3,04,058	1.98	1,45,000	3,86,742	—7,753	—52,836	271	53.79				
1911	50.48	50.48	43,90,594	1,16,34,590	7,00,615	3,47,453	2.10	1,45,305	3,90,802	—7,004	—50,747	266	54.07				
1912	50.48	50.48	41,40,594	1,16,16,094	8,15,045	3,85,321	2.37	1,45,147	4,00,801	—3,119	—40,957	251	53.70				
1913	50.48	50.48	44,10,271	1,16,22,021	1,19,831	73,657	0.45	37,040	1,00,100	—1,191	—16,058	110	61.80				
1914	50.48	50.48	43,10,569	1,16,74,349	0,03,300	3,60,800	2.18	1,16,201	3,31,151	—3,006	—21,821	100	60.63				
1915	50.48	50.48	43,62,272	1,27,03,573	8,92,082	3,85,752	1.65	1,46,450	4,03,700	—5,501	—57,837	158	70.21				
1916	50.48	50.48	43,62,433	1,45,43,176	9,85,038	4,01,076	2.12	1,53,788	4,15,840	—3,404	—32,191	175	69.32				
1917	50.48	50.48	43,72,082	1,53,72,846	10,27,354	4,18,755	2.12	1,46,565	5,35,792	—6,441	—54,500	182	69.24				
1918	50.48	50.48	43,06,451	1,40,41,762	11,44,333	4,77,303	2.20	2,51,310	6,47,573	—4,878	—1,32,370	197	58.35				

* Due to abnormal increase in net earnings.

Tinnevely Quilon (Travancore) railway (Native State section) (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Quilon to Fannal.	1-6-04	28.28		
Fannal to the Frontier of the Travancore State near Shencottah.	20-11-01	29.77		
Trivandrum extension—				
Quilon to Trivandrum.	1-1-10	37.91	58.05	37.91
GRAND TOTAL.				95.96

SOUTH INDIAN RAILWAY SYSTEM—*contd.*Tinnevely-Quilon (Travancore) railway (Native State section) (3' 3½" gauge)—*contd.*

Details of construction—

Permanent-way.—The main line is laid with 50-lb. bull-headed steel rails on cast iron pot sleepers, except for a length of 23.50 miles, between Punalur and Shencottah, where there are wooden sleepers of jarrah, irool and teak. The extension is laid with 35-lb. flat-footed steel rails on hard wood sleepers.

Ballast.—The main line is ballasted with stone and the extension with gravel.

Fencing.—Only the main line is fenced at stations and at a few places where it runs close to villages and public roads.

Curves.—The sharpest curve is of 477 feet radius.

Gradients.—The ruling gradient between Trivandrum and Punalur is 1 in 100 and between Punalur and Shencottah 1 in 50.

Contracts—

The line is worked on the same terms as apply to the Tinnevely-Quilon (Travancore) railway (British section).

Statistics of working—

See under British section.

Morappur-Hosur railway (2' 6" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Morappur to Dharmapuri	18-1-06	18.53	
Dharmapuri to Hosur	15-5-13	54.87	
TOTAL			73.40

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rails laid on cross sleepers of pyinkado.

Ballast.—The line is ballasted with stone in cuttings and moorum in banks with a stone covering broken to 2" gauge.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 67.

Contracts—

The line is the property of Government. A portion of it, from Morappur to Dharmapuri, was worked on behalf of Government by the former Madras Railway Company up to the 31st December 1907. With effect from the 1st January 1908 it was made over to the South Indian Railway Company for maintenance and working as an integral part of their undertaking under the contracts noted under South Indian railway (3' 3½" gauge).

The other portion, from Dharmapuri to Hosur, was constructed by the agency of the South Indian Railway Company from funds provided by the Secretary of State and as such, no portion of the capital expenditure on this section is debitable to the capital account of the South Indian Railway Company. The capital account is kept separate for the Government of India. This section, however, is worked and maintained by the South Indian Railway Company as part of their undertaking under the contract referred to in the previous paragraph.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	18.53	8,39,999	37,142	3,760	0.45	30	89.63
1909	18.53	9,22,100	39,270	8,883	...	41	117.53
1910	18.53	12,56,128	45,796	9,627	0.77	48	78.98
1911	18.53	20,37,238	41,315	36	...	43	59.91
1912	18.53	25,38,828	48,998	1	6.10	51	94.73
1st qtr. of 1913	18.53	28,75,968	11,918	-2,743	...	49	123.02
1913-14	73.40	30,32,238	1,19,739	2,887	0.10	31	97.59
1914-15	73.40	30,17,375	1,32,883	-23,737	...	35	117.90
1915-16	73.40	30,11,243	1,54,913	7,411	0.25	41	95.22
1916-17	73.40	39,30,733	1,71,451	14,690	0.43	45	91.48
1917-18	73.40	29,09,262	1,50,458	1,170	0.04	47	99.35

SOUTH INDIAN RAILWAY SYSTEM—*contd.*

Tirupattur-Krishnagiri railway (2' 6" gauge)—

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tirupattur to Krishnagiri	18-9-05	25-38	25-38

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rails laid on cross sleepers of Malabar teak.

Ballast.—The line is ballasted with stone in cuttings and moorum in banks with a stone covering broken to 2" gauge.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 67.

Contracts—

The line is the property of Government, on whose behalf it was worked by the former Madras Railway Company up to the 31st December 1907. With effect from the 1st January 1908 it was made over to the South Indian Railway Company for maintenance and working as an integral part of their undertaking under the contracts noted under South Indian railway (3' 3½" gauge).

Statistics of working. (These for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expense to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	25-38	10,87,395	53,662	1,231	0-11	41	97-70
1909	25-38	10,86,838	45,692	312	0-03	35	99-32
1910	25-38	11,14,690	57,179	10,061	0-90	48	82-40
1911	25-38	11,01,519	68,298	18,179	1-65	49	72-16
1912	25-38	10,98,576	63,463	19,179	1-75	45	69-53
1st qtr. of 1913	25-38	10,98,617	11,925	-1,661	...	36	114-07
1913-14	25-38	11,13,720	69,912	-5,882	...	46	109-17
1914-15	25-38	11,55,650	65,459	5,199	0-44	50	94-15
1915-16	25-38	11,29,324	68,245	16,248	1-44	42	79-19
1916-17	25-38	11,02,702	77,767	26,168	2-37	59	66-37
1917-18	25-38	10,99,385	92,251	26,306	2-39	70	71-48

Manamadurai-Sivaganga railway (3' 3½" gauge)—

Sanction to the construction of this line by the South Indian Railway Company on behalf of the District Board of Ramnad was conveyed in Railway Board's Notification No. 336, dated the 2nd December 1915, but the commencement of work has been postponed owing to the present abnormal conditions arising out of the war.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Manamadurai to Sivaganga (sanctioned on 2nd December 1915)	12-43	12-43

SOUTH INDIAN RAILWAY SYSTEM—*concl'd.*

Tinnevely-Tiruchendur railway (3' 3½" gauge)—

Sanction to the construction of this line by the South Indian Railway Company on behalf of the District Board of Tinnevely was conveyed in Railway Board's Notification No. 211, dated the 16th July 1915. The work which was in progress has for the present been stopped, owing to the abnormal conditions on account of the war.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tinnevely to Tiruchendur (sanctioned on 16th July 1915)	...	38.18	38.18

Trichinopoly-Pudukkottai railway (3' 3½" gauge) ---

Sanction to the construction of this line by the South Indian Railway Company on behalf of the Pudukkottai Durbar was conveyed in Railway Board's letter No. 186 P.-18, dated the 4th August 1916, but work has not yet been started.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Trichinopoly to Pudukkottai (sanctioned on 4th August 1916)	...	32.00	32.00

ASSAM-BENGAL RAILWAY SYSTEM.

Chairman.—James Meadows Rendel, Esq.

Managing Director.—Lt.-Col. George Huddleston, C.I.E., V.D.

Offices.—Bishopsgate House, 30, Bishopsgate, London, E. C.

Date of registration of the Company.—18th March 1892.

The construction of the Assam-Bengal railway as a State line was sanctioned in May 1891. The Assam-Bengal Railway Company was formed in England in April 1892 and took over the works commenced by the State. The late Noakhali (Bengal) railway, which was worked by the Assam-Bengal Railway Company up to the end of 1905, was purchased by Government and amalgamated with the Assam-Bengal railway from the 1st January 1906.

Lines comprised in the system—

The Assam-Bengal railway system is made up of—

	Open line.	Under construction, or sanctioned for construction	Total.
	Miles.	Miles.	Miles.
(a) Assam-Bengal railway (3' 3½" gauge)	869.41	—	869.41
(b) Mymensingh-Bhairab Bazar railway (3' 3½" gauge).	87.93	15.17	103.10
(c) Ckaparmukh-Silghet railway (3' 3½" gauge)	—	50.81	50.81
(d) Katakhal-fakibazar railway (3' 3½" gauge)	—	23.30	23.30
Total	957.34	87.28	1,044.62

Assam-Bengal railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Chittagong Port to Chittagong	3-11-93	1.73			
Chittagong to Feni	1-7-95	55.90			
Feni to Comilla	1-7-95	32.10			
Comilla to Akhaura	1-1-96	39.41			
Akhaura to Kamrangaj	4-12-96	114.00			
Kamrangaj to Badarpur	4-12-96	12.00			
Badarpur to Damaohara	23-4-99	91.23			
Damaohara to Lumding	1-12-03	110.29			
Lumding to Nagira	1-1-01	141.37			
Nagira to Lakwa	15-11-01	10.71			
Lakwa to Bhojo	1-2-03	13.72			
Bhojo to Tinsukia	1-3-03	41.53			
			573.79		
Branches—					
Noakhali branch—					
Lakmā to Noakhali	15-5-03	30.46			
			30.46		
Chandpur branch—					
Lakmā to Chandpur	1-7-05	31.62			
			31.62		
Tangi branch—					
Akhaura to Ashuganj on the left bank of the Megna	1-4-10	19.05			
Ashuganj Junction wagon ferry	1-4-15	0.29			
Bhairab Bazar to Daulat Kandi	1-9-16	2.25			
Daulat Kandi to Tangi	1-7-14	39.07			
			61.17		
Sylhet branch—					
Kalaura to Fenchuganj Ghat	16-4-12	15.10			
Fenchuganj Ghat to Kusiyara	1-7-16	0.95			
Kusiyara to Sylhet	1-4-15	15.14			
			31.19		
Silchar branch—					
Badarpur to Katakhal	15-6-98	6.27			
Katakhal to Silchar	8-11-98	12.35			
			18.62		
Gauhati branch—					
Gauhati Ghat to Gauhati	1-1-97	1.33			
Gauhati to Jannamukh	1-1-97	74.11			
Jannamukh to Lanka	2-1-99	19.11			
Lanka to Lumding (temporary station)	1-3-99	15.55			
Lumding (temporary station) to Lumding	20-2-00	3.44			
			113.53		
Dikhow Extension—					
Sibsagar Road to Behubar	4-2-18	6.71			
			6.71		
Naginimara extension—					
Behubar to Naginimara	1-9-17	2.29			
			2.29		
GRAND TOTAL	869.41	

*Of this 8 miles between Katli-chara and Damohara were reconstructed in 1915.
+Of this, 7½ miles, between Damohara and Lumding, were reconstructed in 1915-16 and 1916-17.

ASSAM-BENGAL RAILWAY SYSTEM—*contd.*

Assam-Bengal railway (3' 3½" gauge)—*contd.*

Details of construction—

Permanent-way.—The line is laid with 50-lb. flat-footed steel rails, partly on *sál* and *pynkado*, and partly on *bastard sál*, *nageshur*, *Americas* and *Anstralian sleepers*. The *Noakhali* and *Sylhet* branches are laid with 41½-lb. steel rails on *sál* sleepers.

Ballast.—The ballast consists of broken brick, stone and laterite. The whole line has not yet been ballasted.

Fencing.—The line is fenced between Chittagong Port and *Silchar*, *Lákeán* and *Chandpur*, *Akhaura* and *Asbuganj*, *Gaubáti Ghát* and *Gaubáti*, and half a mile from *Gaubáti* towards *Lumding*, and at some stations on the hill section. *Tangi* branch is being fenced.

Curves.—The sharpest permanent curve is of 353 feet radius. Temporary curves up to 20 degrees are in use.

Gradients.—The ruling gradient between Chittagong and Badarpur is 1 in 150; between Badarpur and *Lumding*, 1 in 80, with a 1 in 37 banking section, 8·54 miles long; between *Gaubáti* and *Tinsukia*, and *Kulaura* and *Sylhet*, 1 in 100; between *Láksám* and *Noakhali*, 1 in 200; between *Láksám* and *Chandpur*, 1 in 300; between *Badarpur* and *Silchar*, 1 in 150; and between *Akhaura* and *Tangi*, 1 in 200.

Contracts—

Dated the 26th April 1892 (called the principal contract), between the Secretary of State and the Assam-Bengal Railway Company, as to the construction, management, maintenance and working, by the Company, of their undertaking.

Dated the 12th April 1897 (supplemental to the contract of 1892), between the Secretary of State and the Assam-Bengal Railway Company, as to the raising of £301,000 by means of debentures.

Dated the 6th December 1892, between the Secretary of State and the Assam-Bengal Railway Company, as to the extension of time for the completion of the railway.

Dated the 4th November 1902, between the Secretary of State and the Assam-Bengal Railway Company, relating to the renewal of debentures issued by the Company.

Dated the 29th April 1903 (supplemental to the contract of 1892), between the Secretary of State and the Assam-Bengal Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Dated the 11th April 1906 (supplemental to the contract of 1892), between the Secretary of State and the Assam-Bengal Railway Company, as to the acquisition by the Company of the *Noakhali* (Bengal) railway for the purpose, and as a part, of their undertaking as from 1st January 1906.

Dated the 5th March 1911 (supplemental to the contract of 1892), between the Secretary of State and the Assam-Bengal Railway Company, as to the adoption of the Government financial year for the purposes of accounts.

Main provisions of contracts—

(i) *Land.*—Provided by the Government free of cost to the Company.

(ii) *Government aid.*—Government guarantee interest in sterling at 3 per cent on the Company's share capital of £ 1,500,000. (Up to 30th June 1893 interest was allowed at 3½ per cent.)

(iii) *Distribution of profits.*—The net earnings to be applied in payment to the Government of—

(a) The equivalent in rupees of interest paid on debenture capital; provided that, if the Company's share capital is not less than $\frac{1}{11}$ ths of the total capital expenditure, the rate of interest recovered under this sub-head (on debentures issued previous to 30th June 1898) shall not exceed the rate for the time being applicable to the Company's share capital;

(b) the equivalent in rupees of the guaranteed interest paid to the Company in respect of share capital; and

(c) interest on the capital contributed, or deemed to be contributed, by the Government, at the same rate as the guarantee for the time being on the Company's capital. But if the capital advanced by Government exceed $\frac{8}{11}$ ths of the total capital expenditure for the time being, the rate of interest on the amount of the excess to be subject to agreement.

"Surplus profits", after interest charges have been met, are divided between the Company and the Government in the ratio of the respective amounts of capital expended by them on the undertaking.

(iv) *Rates and fares.*—To be approved by the Government.

(v) *Special obligations as to the conveyance of—*

(a) *Mails, troops, police, high Government officials and Government stores.*—To be conveyed on the same general conditions as obtain on State railways of the same gauge, and at rates to be approved by the Government.

(b) *Government bullion and coin, and the persons in charge thereof.*—To be conveyed at special rates to be approved by the Government.

(vi) *Power of the Government to determine contracts.*—The railway and its appurtenances are absolutely the property of the Government, who may determine the contract on the 31st December 1921, or at the end of any succeeding tenth year by giving 12 months' previous notice.

ASSAM-BENGAL RAILWAY SYSTEM—*contd.*

Assam-Bengal railway (3' 3½" gauge)—*contd.*

Main provisions of contracts—*contd.*

The Government may also determine the contract at any time on six months' previous notice if the Company fail to fulfil its obligations, or if the line be worked at a loss for three consecutive half-years. On the determination of the contract, the Company is to hand over to the Government the railway and all its belongings of every description, on repayment by the Government of the amount in sterling, at the par value, of the share capital paid by the Company to the Government, and of any existing liabilities, including debentures incurred with the sanction of the Secretary of State.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract.*—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Interest.	Gain or loss to the State, pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.	Remarks.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.		
1895	129.49	4,27,47,293	2,11,146	—8,047	...	13,95,476	—14,03,083	64	103.75	* The decrease in net earnings is due to heavy expenditure of an extraordinary character, e.g., heavier renewals of sleepers, repairs to jerry sheds destroyed by fire in 1907 and commission on debentures redeemed 1908.
1896	285.90	5,58,67,217	6,18,785	3,3,238	0.06	23,73,031	—23,30,706	71	91.63	
1897	360.63	6,94,23,486	9,90,610	72,211	0.10	22,56,279	—21,84,065	63	92.71	
1898	379.25	8,32,11,758	13,08,151	54,551	0.07	24,45,375	—23,90,724	83	95.81	
1899	434.06	19,45,43,773	16,09,616	3,22,701	0.37	28,63,084	—25,40,580	75	80.08	
1900	436.26	10,31,71,809	17,09,855	3,64,364	0.28	33,31,300	—25,67,926	75	78.89	
1901	589.21	11,17,19,564	21,34,252	4,26,651	0.41	35,06,252	—30,49,598	70	78.60	
1902	589.31	11,87,04,709	20,06,658	2,51,118	0.25	38,08,387	—35,51,960	68	87.86	
1903	740.38	12,00,28,518	23,39,658	4,35,063	0.35	40,71,450	—36,27,187	71	81.48	
1904	740.38	12,60,09,639	29,53,562	1,05,390	0.08	11,66,535	—10,61,145	77	96.43	
1905	740.38	12,78,56,722	31,14,235	1,25,615	0.10	42,61,306	—41,35,091	88	96.32	
1906	775.28	13,25,30,704	12,30,041	4,27,868	0.30	44,33,082	—10,25,824	104	89.88	
1907	775.28	13,49,01,212	48,90,137	6,40,354	0.47	37,93,377	—31,52,023	122	86.81	
1908	775.28	13,90,59,050	16,96,729	53,310	0.04	41,64,794	—41,11,485	117	98.67	
1909	770.84	14,81,48,488	39,14,931	4,47,461	0.31	43,04,911	—39,17,450	122	90.90	
1910	789.89	14,47,68,076	51,70,082	7,84,033	0.54	44,08,319	—36,24,286	126	84.83	
1911	789.89	14,79,47,599	53,76,143	1,37,710	0.77	45,86,405	—34,44,695	138	79.59	
1912	804.99	15,04,29,095	64,50,146	17,29,637	1.15	46,79,106	—29,49,469	153	73.18	+ Decrease in the mileage is due to the exclusion of the hill section under reconstruction.
1913.	804.99	15,18,32,951	18,08,616	5,96,908	0.39	11,75,440	—5,78,502	173	66.99	
1913-14	811.73	15,70,32,167	70,42,793	22,71,129	1.45	49,09,954	—26,38,825	167	67.75	
1914-15	847.88	16,24,85,225	68,85,473	17,31,408	1.07	51,35,333	—34,01,228	156	74.85	
1915-16	867.92	16,49,71,133	67,42,378	14,90,402	0.90	52,48,908	—37,59,497	161	77.01	
1916-17	821.12	16,68,64,680	67,38,185	14,79,329	0.69	51,39,317	—26,59,888	157	78.04	
1917-18	809.41	16,59,41,111	73,60,661	15,22,922	1.06	54,65,160	—36,42,328	150	75.25	

Mymensingh-Bhairab Bazar railway (3' 3½" gauge)—

Date of registration of the Company—1915.

Sanction to the construction of this line was conveyed in Railway Board's Notification No. 115, dated the 5th May 1915. The line is being constructed by the Mymensingh-Bhairab Bazar Railway Company.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total
1	2	3	4	5
Bhairab Bazar to Kishorganj	20-9-17	31.25		
Kishorganj to Gourigram Junction	1-9-17	30.21		
Mymensingh, via Gaurigram and Shamgunj Junctions, to Netrakona	16-7-17	20.47		
Total open mileage	87.98	
Under construction or sanctioned for construction—				
Shamgunj to Jaria Jhanjal (sanctioned on 5th May 1915;)	...	18.17	19.17	
GRAND TOTAL	107.10

ASSAM-BENGAL RAILWAY SYSTEM—concl'd.**Mymensingh-Bhairab Bazar railway (3' 3½" gauge)—concl'd.****Details of construction—**

Permanent-way.—The permanent-way consists of 50-lb. steel rails, partly of Assam-Bengal railway type and partly of British standard section, laid on sal sleepers.

Ballast.—The line has not been ballasted yet.

Fencing.—Only station yards, level crossings and selected portions of the line are to be fenced.

Curves.—The sharpest curve has a radius of 1,146 feet.

Gradients.—The ruling gradient is 1 in 200 on approaches to bridges with headways for navigation.

Contract.

The line is owned by the Mymensingh-Bhairab Bazar Railway Company by whom it is being constructed. The open portion is being worked by the Assam-Bengal Railway Company under the terms of a contract which is under consideration.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay, including reserve, to end of the year, i.e., outlay on (1) lines open and (2) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from, (+), or share of surplus profits payable to (—), the Government.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.			Rs.		Rs.	
1917-18	87.93	99,32,384	3,10,466	1,55,233	1.56	...	1,55,233	1.56	68	50.00

Chaparmukh-Silighat railway (3' 3½" gauge)—

Date of registration of the Company—1915.

Sanction to the construction of this line by the Assam-Bengal Railway Company, on behalf of the Chaparmukh-Silighat Railway Company was conveyed in Railway Board's Notification No. 276, dated the 5th October 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Chaparmukh to Silighat (sanctioned on 5th October 1915)	...	50.81	50.81

Katakhal-Lalabazar railway (3' 3½" gauge)—

Date of registration of the Company—1915.

Sanction to the construction of this line by the Assam-Bengal Railway Company, on behalf of the Katakhal-Lalabazar Railway Company was conveyed in Railway Board's Notification No. 451-P, dated the 9th March 1916.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Katakhal to Lalabazar (sanctioned on 9th March 1916)	...	28.30	28.30

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM.

Chairman.—Alexander Izat, Esq., C.I.E.

Managing Director.—E. A. Neville, Esq.

Offices.—237, Gresham House, Old Broad Street, London, E.C.

Date of registration of the Company.—23rd October 1882.

Lines comprised in the system.—The Bengal and North-Western railway system is made up of—

(a) Bengal and North-Western railway (3' 3½" gauge)	Miles. 1,341·65
(b) Tirhoot railway (3' 3½" gauge)	804·90
Total	2,046·55

Running powers—

<i>Home line over Foreign lines—</i>	Miles.
Cawnpore to Aishbagh, Cawnpore-Burhwal (3' 3½" gauge) link, Oudh and Rohilkhand railway	<div>for passenger and goods trains.</div> <div>45·08 3·40 34·57 2·18 0·85</div>
Aishbagh to Deliganj, Lucknow-Bareilly (3' 3½" gauge) railway	
Deliganj to Burhwal, Cawnpore-Burhwal (3' 3½" gauge) link, Oudh and Rohilkhand railway	
Benares Cantonment to Benares City, and Benares Cantonment to outer signal on the Benares-Allahabad extension, Oudh and Rohilkhand railway (3' 3½" gauge)	
At Sitapur within the boundary of the Rohilkhand and Kumaon railway	
Total	88·08

Bengal and North-Western railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Rousopore, via Chupra, Savan and Gorakhpur, to Mankapur	15-1-83	221·44		
Mankapur to Gonda	2-4-84	17·86		
Gonda to Colonelganj	29-10-91	17·99		
Colonelganj to Jarwal Road	1-2-92	10·74		
Jarwal Road to Gogra Ghat	19-12-96	2·78		
Gogra Ghat to Chowka Ghat	24-12-98	8·67		
Chowka Ghat to Burhwal	24-11-96	2·88		
			276·76	
Branches and Extensions—				
<i>Dipha Ghat branch—</i>				
Rousopore to Palezaghata	15-1-85	6·10		
			6·10	
<i>Masbrak branch—</i>				
Chupra to Masbrak	20-3-10	26·17		
			26·17	
<i>Maharajganj branch—</i>				
Daronda to Maharajganj	1-1-07	3·90		
			3·90	
<i>Savan—Captainsganj branch—</i>				
Savan to Thawe	1-4-07	17·82		
Thawe to Tamkuhi Road	15-3-13	23·60		
Tamkuhi Road to Captainsganj	26-4-13	38·96		
			79·28	
<i>Bagaha branch—</i>				
Gorakhpur to Chhitauni Ghat	7-2-07	59·88		
Chhitauni Ghat to Bagaha	9-3-12	2·38		
			62·26	
<i>Gorakhpur-Gonda loop—</i>				
Gorakhpur to Uaka Bazar	15-12-86	39·66		
Uaka Bazar to Barhni	15-1-05	30·88		
Barhni to Talsipur	15-1-06	24·04		
Talsipur to Bahrapur	1-6-08	18·15		
Bahrapur to Gonda	15-12-96	23·08		
			135·81	
<i>Jarwa branch—</i>				
Gainsari to Jarwa	12-4-06	9·16		
			9·16	
<i>Ajodhya branch—</i>				
Mankapur to Nawabganj (Gonda)	2-4-84	12·48		
Nawabganj (Gonda) to Ajodhya (Laksmamandi Ghat)	1-12-24	5·05		
			18·53	
<i>Naipalganj Road branch—</i>				
Gonda to Bahraich	2-4-84	37·47		
Bahraich to Naipalganj Road	16-12-86	83·15		
			70·62	
<i>Katarnian Ghat branch—</i>				
Naupura to Mihinpurwa	15-12-96	14·79		
Mihinpurwa to Katarnian Ghat	25-3-03	27·28		
			42·07	
<i>Sitapur branch—</i>				
Burhwal to Sitapur	13-3-11	58·91		
			58·91	
Carried over	782·07

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*Bengal and North-Western railway (3' 3½" gauge)—*contd.*Progress in opening—*concl'd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Brought forward	789'17
<i>Chupra-Benares-Allahabad branch—</i>				
Chupra to Revelganj	18-1-01	7'75		
Revelganj to Manjhi	1-4-02	1'34		
Manjhi to Bakulha	4-3-12	4'57		
Bakulha to Ballia	12-5-09	26'85		
Ballia to Phepna	15-3-09	6'26		
Phepna to Ghazipur Ghât.	10-3-03	32'02		
Ghazipur Ghât to Aunrihar.	15-3-09	26'88		
Aunrihar to Benares	15-3-09	19'87		
Benares to Madhosingh	1-3-09	28'60		
Madhosingh to Jhusi	21-4-09	41'95		
Jhusi to Izat bridge	1-11-12	2'36		
Izat bridge to Allahabad City	8-5-13	2'29		
<i>Mirzapur Ghât extension—</i>			200'76	
Madhosingh to Mirzapur Ghât.	1-3-09	6'62		
Mirzapur Ghât to Chilh	25-10-12	0'67		
<i>Rhatni-Benares chord—</i>			7'56	
Rhatni to Turtipar	15-12-06	17'23		
Turtipar to Mau	8-6-08	26'00		
Mau to Aunrihar	15-3-09	35'81		
<i>Barhaj branch—</i>			70'04	
Salimpur to Barhaj	1-12-97	13'08		
<i>Duhrighat branch—</i>			13'09	
Phepna to Indara	15-3-09	31'39		
Indara to Duhrighat	21-3-01	21'82		
<i>Shahganj branch—</i>			53'01	
Mau to Azamgarh	8-6-08	26'83		
Azamgarh to Shahganj	14-2-03	34'95		
<i>Jaunpur branch—</i>			61'78	
Aunrihar to Jaunpur	21-3-04	36'54		
			20'54	
			452'08	
TOTAL	1,241'65

Details of construction—

Permanent-way.—The main line, the Sitapur branch and the sections from Chupra to Incheape bridge and Rhatni to Turtipar are laid with 50-lb. steel rails mostly on sâi sleepers. The rest of the line north of the Gogra is laid with 4½-lb. steel rails mostly on sâi sleepers. The Ganges-Gogra Doab main lines from Turtipar to Allahabad City and Aunrihar to Incheape bridge are laid with 50-lb. steel rails on sâi sleepers, and the branches with 4½-lb. steel rails on sâi sleepers.

Ballast.—The whole line, except quite new constructions, is ballasted with kunkur, broken brick or shingle.

Fencing.—The main line and the section from Chupra to Revelganj are fenced.

Curves.—The sharpest curve is of 900 feet radius on the Gorakhpur division.

Gradients.—The ruling gradient is 1 in 300. On the various river ghât lines the gradients are steeper.

Contracts—

Dated the 12th December 1882 (called the original contract), between the Secretary of State and the Bengal and North-Western Railway Company, as to the construction and working by the Company of the Bengal and North-Western railway.

Dated the 22nd February 1886 (supplemental to and modifying in some respects the contract of 1882), between the Secretary of State and the Bengal and North-Western Railway Company.

Dated the 18th July 1890, between the Secretary of State and the Bengal and North-Western Railway Company, as to the taking over and working by the Company of the State railways known as the Tirhoot railway in conjunction with the Company's railway.

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*

Bengal and North-Western railway (3' 3½" gauge)—*contd.*

Contracts—*concl.*

- Dated the 19th December 1891 (supplemental to the contracts of 1882, 1886 and 1890), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for the further extension of the Company's system of railways and for the exercise by the Company of running powers for through traffic over the Cawnpore-Burhwal (3' 3½" gauge) link of the Oudh and Rohilkhand railway.
- Dated the 12th December 1895 (supplemental to the contracts of 1890 and 1894), *between the Secretary of State and the Bengal and North-Western Railway Company*, modifying in some respects the contract of 1890 relating to the Tirhoot railway.
- Dated the 23rd July 1896 (supplemental to the contracts of 1882, 1886, 1890, 1894 and 1895), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for further extensions of the Company's railway and of the Tirhoot railway.
- Dated the 15th January 1903 (supplemental to the contracts of 1882, 1886, 1891 and 1896), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for further extensions of the Company's railway.
- Dated the 24th April 1903 (supplemental to the contracts of 1882, 1890 and 1895), *between the Secretary of State and the Bengal and North-Western Railway Company*, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.
- Dated the 14th December 1905 (supplemental to the contracts of 1882, 1890, 1895, 1896 and 1903), *between the Secretary of State and the Bengal and North-Western Railway Company*, continuing with modifications the contract of 1890 relating to the Tirhoot railway and modifying in some respects the contract of 1882 relating to the Company's railway.
- Dated the 7th October 1907 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, and 1905), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for further extensions of the Company's railway.
- Dated the 1st October 1908 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, 1905 and 1907), *between the Secretary of State and the Bengal and North-Western Railway Company*, for providing for a further extension of the Company's railway from Chupra to Mashrak.
- Dated the 9th July 1909 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, 1905, 1907 and 1908), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for a further extension of the Company's railway, from Burhwal to Sitapur.
- Dated the 13th October 1910 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, 1905, 1907, 1908 and 1909), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for extensions of the Company's railway connecting the Company's Main lines with the Company's Doab lines and with the Tirhoot railway, respectively, by bridges over the Gogra and Gundak rivers.
- Dated the 7th December 1910 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, 1905, 1907, 1908, 1909 and 13th October 1910), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for a further extension of the Company's railway from Thawe to Captainganj.
- Dated the 13th March 1914 (supplemental to the contracts of 1882, 1886, 1890, 1894, 1895, 1896, 15th January and 24th April 1903, 1905, 1907, 1908, 1909, 13th October and 7th December 1910), *between the Secretary of State and the Bengal and North-Western Railway Company*, providing for the accounts for purposes of these contracts being prepared from 1st April 1913 for the financial year instead of for the calendar year.
- Bengal and North-Western Railway Company's Act of 1914, authorising the formation of a "Capital Redemption Fund" out of the general revenues of the Company; the sums at credit of this fund to be utilised in purchasing and cancelling the Company's first or second preference stock.

Main provisions of contracts—

- (i) *Land*.—Provided by the Government free of cost for the Company's railway; and at the cost of capital for the Tirhoot railway undertaking.
- (ii) *Government aid*.—Nil.
- (iii) *Terms of working*.—The Company's railway and the Tirhoot railway undertaking are worked conjointly; but the accounts of each are kept separate and distinct, except those relating to working expenses, other than maintenance, Abstract A.

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*

Bengal and North-Western railway (3' 3½" gauge)—*contd.*

Main provisions of contracts—*contd.*

In addition to the ordinary working expenses and usual contributions to the State Railway and Company's Provident Institutions, the working expenses for each half-year include interest at 4 per cent per annum on all outlay up to the 31st December 1904 expended on "rolling-stock," "steamers and barges and landing stages," "stores," and "stations and offices, station machinery, staff quarters and all other works including permanent-way at Sonapore" for joint use, and on all outlay subsequent to that date up to the close of each half-year incurred on the same matters and on "workshops and store buildings, etc." or any other works used for joint purposes. The interest so charged is to be credited to the respective revenue accounts of the Company's railway and the Tirhoot railway undertaking in the ratio of the contributions of capital made to the joint accounts by each.

The working expenses of the open system, exclusive of the charges for maintenance of ways and works and stations, other than those for general supervision, are divided between the Company's railway and the Tirhoot railway undertaking in proportion to their respective gross earnings.

The charges for maintenance of way, works and stations, other than the charges for general supervision are appropriated and allotted to the Company's railway or the undertaking on the basis of the actual expenditure incurred by each.

- (iv) *Distribution of profits.*—As to the Company's railway, under the original contract of 1882 any surplus over 6 per cent was to be equally divided between the Government and the Company; but this provision was rescinded by the contract of the 22nd February 1886, which leaves the profits entirely in the hands of the Company.

As to the open system, after deducting half-yearly from the gross earnings of the Company's railway and of the undertaking, respectively, the working expenses noted under (iii), the balance of the gross earnings (termed net revenue) in the case of the Company's line belongs to the Company, and in the case of the Tirhoot railway undertaking is applied in the following manner and order:—

- (a) in payment to the Company of interest accruing in each half-year, after the expiration of the period during which interest is chargeable to capital, at 4 per cent per annum on one half of the capital raised and expended by the Company for the purposes of the railway crossing the Gondak river by a bridge, from Bagaha to Chhitani, including interest paid out of capital during construction;
- (b) in payment to the Government from the aggregate net revenue for the entire year of interest accruing in such year at 5 per cent per annum on all money advanced or expended by the Government for the purposes of the open lines of the undertaking which have not been repaid to the Government;
- (c) the residue if not in excess of 10 lakhs going to Government and the Company in the proportion of $\frac{4}{11}$ th to the former and $\frac{7}{11}$ th to the latter; if in excess of 10 lakhs, then as to 10 lakhs in the aforesaid proportion and as to the balance in the proportion of $\frac{1}{3}$ th to the Government and $\frac{2}{3}$ th to the Company.

The difference between the net revenue of the Company's railway belonging and payable to the Company and the aggregate advances made to the Company, in any half-year, is to be adjusted as soon as known by payments in India between the Government and the Company as the case may require.

- (v) *Rates and fares.*—As to the Company's line—to be approved by the Government, who may require the charge for salt, coal and food grains for full-wagon loads carried not less than 100 miles to be reduced to any rate not below $\frac{1}{4}$ th pie per maund per mile and for passengers not below 2 pies per mile.

As to the open system—for the carriage of through passengers and goods over the Company's railway, of all through and local passengers and goods over the Tirhoot railway undertaking, and of all passengers and goods from and to the undertaking or any connected railway carried over the Company's railway or any foreign railway connected therewith, the Government have the power to fix and vary the classification for passengers and goods and the maxima and minima fares and rates for the several classes of passengers and goods, respectively. Until otherwise fixed no rate for goods is to be higher than one pie or lower than $\frac{1}{8}$ th pie per maund per mile.

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*Bengal and North-Western railway (3' 3½" gauge)—*contd.*Main provisions of contracts—*consd.*(vi) *Special obligations as to the conveyance of.*—

(a) Mails and post office servants on duty.—To be carried free on the Company's railway; and on the Tirhoot railway on the same general conditions and at the same rates as may be in force on the 3' 3½" gauge State railways.

(b) Troops, police, high Government officials and Government stores.—As to the Company's railway, to be conveyed on the same general conditions as those in force on the 3' 3½" gauge State railways, and at rates to be approved by the Government. As to the Tirhoot railway undertaking, to be conveyed on the same general conditions and at the same rates as may be in force on State railways of the 3' 3½" gauge.

(c) Government bullion and coin, and the persons in charge thereof.—To be conveyed at special rates approved from time to time by the Secretary of State.

(vii) *Power of the Government to determine the contracts relating to the Company's railway.*—The line and all its appurtenances become the property of Government on the termination of the contracts. If the contracts terminate by the efflux of time the Government is to pay to the Company the value of rolling-stock, movable machinery, stores, etc. The Government may determine the contract after 50 years (*i.e.*, on the 31st December 1932), on one year's previous notice of intention to purchase, paying 25 times the average yearly net earnings, less the share of surplus profits belonging to the Government on the assumption that section 39 (5) of the contract of 1882 had been in actual operation for the five years immediately preceding the purchase. And at any time prior to the 31st December 1912, the Government have the right and option to elect that, upon the determination of the contract of 1882 by notice of purchase on the 31st December 1932, they will in lieu of making the aforesaid payment, pay to the Company a sum of money equal to 25 times the average yearly net earnings, less the share of surplus profits belonging to the Government during the five years immediately preceding the 31st December 1912, on the assumption that section 39 (5) of the contract of 1882 had been in actual operation during the same five years. These terms do not apply to the Doab lines referred to in the contracts of 1896, 1907 and 1910, in respect of which the Government undertake to pay to the Company, in the event of purchase, a sum equal to the capital raised and expended thereon with their sanction, including interest paid out of capital during construction. One-half of the capital raised and expended by the Company for the Manjhi Ghat-Bakulha section, including interest paid out of capital during construction, is to be treated as capital attributable to the Doab lines; the other half, and the whole of the capital for the Bagaha-Chhitauni section, including interest paid out of capital during construction, is to be treated as capital attributable to the Company's main line. The Government may also determine the contract at any time, at six months' notice, if the Company fail to observe its obligations, on paying the value of rolling-stock, stores, etc., and fair value of the line, less the value of the same treated as a reversionary sum absolutely payable on the 31st December 1931.

(viii) *Power of the Government to determine the contracts relating to the Tirhoot railway undertaking.*—If the original contract with the Company, dated the 12th December 1882, terminate for any reason prior to the expiry of the term of the contracts relating to the Tirhoot railway undertaking, then the latter also, *ipso facto*, terminate at the same time. The Government may also terminate the Tirhoot railway contracts at any time, on 6 months' notice, if the Company fail to observe its obligations. The Government may also terminate the Tirhoot railway contracts on the 31st December 1919*, on 6 months' notice: or, at the same date and by the like notice, the

* Since extended to 1932, vide P. S. No. 76-
Railway, dated the 3rd July 1914, from the Secretary of State.

Government may modify or alter the terms with the approval of the Company as from the 31st December 1919*; but if the Company do not agree to the proposed modifications or alterations

then the contracts will terminate on the 31st December 1919*. On the determination of the Tirhoot railway contract the Government will resume possession of the undertaking, and any capital sums which may have been raised by the Government and expended on the Company's lines, or raised and expended by the Company on the undertaking, are to be considered as debts due from the Company and the Government respectively.

(ix) *Power of the Company to surrender contracts.*—Nil.

(x) *Term of contracts relating to the Company's railway.*—39 years, *i.e.*, until the 31st December 1921, subject to (vii).

(xi) *Term of contracts relating to the Tirhoot railway undertaking.*—28 years, *i.e.*, from 1st January 1905 to the 31st December 1932, subject to (viii).

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*Bengal and North-Western railway (3' 3½" gauge)—*concl'd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Interest divided between the Government and the company in the ratio of gross earnings.	Payments received for working the Tirhoot railway.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expense to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.		Rs.	
1884 . . .	75-00	1,52,47,428	77,670	—20,221	—	—	26,221	—	29	133-76
1885 . . .	303-00	2,01,86,980	12,05,541	5,89,206	—	—	5,89,206	2-92	72	51-18
1886 . . .	378-00	2,32,16,102	16,34,074	8,09,168	—	—	8,09,168	3-40	106	56-36
1887 . . .	378-00	2,56,22,684	19,44,002	8,37,004	—	—	8,37,004	3-27	90	56-64
1888 . . .	378-00	2,61,51,593	22,00,848	9,88,844	—	—	9,88,844	3-78	102	55-35
1889 . . .	378-00	2,63,41,572	22,11,824	10,53,064	—	—	10,53,064	4-00	103	52-35
1890 . . .	376-00	2,68,81,916	22,08,768	12,21,020	—	*24,245	12,45,965	4-63	101	44-72
1891 . . .	401-00	2,76,68,542	24,70,909	15,36,509	—	89,184	18,18,074	5-85	111	37-43
1892 . . .	414-50	2,83,88,821	23,39,077	15,75,066	—	87,060	16,87,637	5-94	125	44-36
1893 . . .	414-50	2,84,61,234	26,14,516	16,87,809	—	66,842	16,42,478	5-79	114	39-74
1894 . . .	414-50	2,97,24,887	26,17,242	16,82,706	—	72,358	17,60,257	8-16	115	35-51
1895 . . .	414-50	3,12,95,704	25,71,936	—	—	72,099	17,55,675	5-61	112	34-55
1896 . . .	478-03	3,43,36,114	26,96,035	16,70,172	—	71,614	17,41,786	5-07	113	36-40
1897 . . .	485-55	4,10,32,267	27,55,718	17,24,277	—	74,905	17,99,182	4-38	105	37-43
1898 . . .	586-25	4,66,78,822	35,31,890	19,74,920	—	75,685	20,50,805	4-39	112	40-73
1899 . . .	743-00	5,10,06,783	43,44,361	26,76,911	—	61,940	27,32,851	5-99	118	38-53
1900 . . .	743-00	5,24,73,913	43,64,006	24,79,433	—	49,363	25,23,996	4-82	106	43-18
1901 . . .	743-00	5,50,91,690	53,66,794	30,97,372	—	76,653	31,74,225	5-76	134	42-29
1902 . . .	747-75	5,84,82,525	55,60,238	29,72,163	—	76,671	30,46,854	5-92	166	46-55
1903 . . .	812-96	6,21,09,547	61,08,433	36,53,672	—	1,04,369	36,58,341	6-37	145	37-82
1904 . . .	870-89	6,43,92,183	67,16,933	43,86,406	—	1,16,834	44,45,330	6-90	147	35-56
1905 . . .	901-32	6,77,55,556	61,79,116	34,34,310	*37,627	1,69,446	36,46,183	5-37	117	43-81
1906 . . .	932-18	7,13,86,823	77,02,976	40,92,609	—9,028	2,01,060	42,81,731	6-00	142	46-29
1907 . . .	1,014-80	7,50,01,758	89,89,894	49,72,741	—25,044	2,04,275	51,51,972	6-87	154	44-78
1908 . . .	1,018-79	7,91,13,230	79,80,289	43,74,335	+45,015	1,58,939	45,78,889	5-79	162	44-78
1909 . . .	1,091-56	8,14,62,601	80,85,633	43,59,478	+31,817	84,411	44,49,707	5-77	142	45-95
1910 . . .	1,117-14	8,62,16,595	84,58,223	46,85,946	+58,610	2,01,270	51,46,032	5-27	148	42-23
1911 . . .	1,175-84	9,31,80,852	93,29,672	57,59,988	+41,140	2,35,109	60,36,167	6-48	162	42-01
1912 . . .	1,177-27	9,68,79,261	1,12,40,175	73,19,469	+38,037	3,09,961	76,67,497	7-91	184	34-93
1st q. of 1918	1,200-00	9,81,80,363	29,13,331	16,67,611	+1,676	1,67,495	20,26,762	2-97	187	35-89
1913-14	1,240-12	9,69,44,245	1,06,80,006	63,55,474	+1,19,400	2,96,483	68,01,337	8-87	166	40-21
1914-15	1,286-87	9,91,40,377	1,08,11,900	65,71,963	+65,754	2,58,000	68,93,023	6-95	169	39-55
1915-16	1,240-92	9,90,50,582	1,02,15,346	60,74,091	+85,587	2,34,486	63,94,164	6-46	158	40-72
1916-17	1,241-67	9,98,81,177	1,18,37,675	89,49,567	+60,586	2,89,133	72,79,338	7-38	183	41-80
1917-18	1,341-63	9,78,24,372	1,21,89,319	67,12,592	+40,998	2,19,361	69,72,991	7-13	186	44-59

* For the second-half of 1900 only as the line was taken over for working from the 1st July 1900.

Tirhoot railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Sonapore to Hajipur	1-8-87	3-23		
Hajipur to Baohwara	1-4-00	41-32		
Baohwara to Barauni Junction	1-5-88	10-05		
Barauni Junction to Thana Bihpur	1-3-00	68-17		
Thana Bihpur to Katarah	1-3-01	17-84		
Katarah to Kureola	10-7-02	3-75		
Kureola to Katihar Junction	7-3-01	28-75		
Branches and Extensions—				
Hajipur-Muzaffarpur branch—				
Hajipur to Muzaffarpur	26-10-84	52-83	169-11	
Somaria Ghât extension—				
Barauni Junction to Somaria Ghât	1-5-83	5-06	39-83	
Baohwara-Bagaha branch—				
Baohwara to Dulsing Sarai	1-5-83	6-10	5-08	
Dulsing Sarai to Samastipur	1-11-75	14-75		
Samastipur to Muzaffarpur	24-2-77	31-51		
Muzaffarpur to Motihari	1-3-83	50-90		
Motihari to Bettiah	30-12-83	27-06		
Bettiah to Narkatiaganj	17-1-06	22-75		
Narkatiaganj to Bagaha	1-5-07	24-74		
Bagaha to Gndak bridge East bank	9-8-11	1-11	178-32	
Carried over	—	—	—	585-84

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*contd.*Tirhoot railway (3' 3½" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Brought forward	385.84
<i>Hajipur extension—</i>				
Hajipur to Hajipur Ghat	26-10-64	1.89	1.89	
<i>Razaul branch—</i>				
Sagauli to Razaul	1-3-99	17.87	17.87	
<i>Samastipur-Darbhanga-Narkatiaganj loop—</i>				
Samastipur to Darbhanga	1-11-75	23.40		
Darbhanga to Sitamarhi	1-7-90	41.79		
Sitamarhi to Riga	1-1-91	5.75		
Riga to Dhang	1-7-91	7.60		
Dhang to Bairagnia	1-3-92	5.25		
Bairagnia to Narkatiaganj	20-12-07	58.75		
			141.94	
<i>Bhikna Thoree branch—</i>				
Narkatiaganj to Bhikna Thoree	12-2-06	22.11	22.11	
<i>Darbhanga-Bhaptiabi branch—</i>				
Darbhanga to Jhanjharpur	1-3-83	23.66		
Jhanjharpur to Ghogardiha	8-4-86	13.68		
Ghogardiha to Nirmali	8-4-86	6.24		
Nirmali to Bhaptiabi	18-11-87	10.00		
			53.58	
<i>Bhaptiabi-Pertabganj (old) branch—</i>				
Bhaptiabi to Baghopur	1-10-88	6.91		
Baghopur to Pertabganj Ghat	1-10-88	4.43		
			11.34	
<i>Jaynagar branch—</i>				
Sakri to Jaynagar	14-1-05	30.20		
			30.20	
<i>Bhaptiabi Mansi branch—</i>				
Bhaptiabi to Makhana Bazar	1-3-97	44.33		
Makhana Bazar to Mansi	15-12-07	15.71		
			60.04	
<i>Bajinathpur branch—</i>				
Saharsa to Bajinathpur	15-3-08	4.55		
			4.55	
<i>Monghyr branch—</i>				
Sahobpur Kamal to Monghyr Ghat	7-3-00	6.04		
			6.04	
<i>Bhagalpur branch—</i>				
Thana Bihpur to Mahadeopur Ghat	16-11-01	11.36		
Mahadeopur Ghat to Barari Ghat (Steamer service).		
Barari Ghat to Bhagalpur Kachery	15-3-06	8.50		
Bhagalpur Kachery to Bhagalpur station, E. I. Ry.	23-12-10	1.44		
			16.30	
<i>Samastipur-Rusera-Khagaria extension—</i>				
Samastipur to Rusera Ghat	21-12-12	17.72		
Rusera Ghat to Hasanpur Road	7-5-15	10.81		
Hasanpur Road to Khagaria	1-11-15	24.27		
			52.80	
				418.66
TOTAL OPEN MILEAGE	804.00
<i>DOUBLE LINE—</i>				
Barauni junction to Basbhwara	22-9-06	10.05	10.05	

Details of construction—

Permanent way.—The line is laid with 50-lb. and 41½-lb. flat-footed steel rails on *sāl*, *pynkado*, and *jarrah* sleepers and cast iron sleepers of Denham-Olipherts' pattern.

Ballast.—The line, except the Bhikna Thoree branch, is ballasted with kunkur or broken brick.

Fencing.—The line, except new branches, is fenced with stone posts and 4 wires.

Curves.—The sharpest curve, which is on the main line, is of 2,000 feet radius.

Gradients.—The ruling gradient of the line is 1 in 300, except on 3.42 miles between Samastipur and Pertabganj, where the gradient is 1 in 200 and on the Bhikna Thoree branch where it is 1 in 80. Or various river ghat lines the gradients are steeper.

BENGAL AND NORTH-WESTERN RAILWAY SYSTEM—*cond.*Ti rhoot railway (3' 3½" gauge)—*cond.*

Contracts—
Main provisions of contracts— } As noted under Bengal and North-Western railway.

Statistics of working (Those for the periods prior to 1905 will be found in Appendix 38 to the Railway Administration Report for 1907—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Interest divided in the ratio of gross earnings.	Payment made to the Bengal and North-Western Railway Company for working the line.	Total income.	Percentage of total income on total capital outlay given in column (8).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11	12	13
	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1905.	565.45	6,21,36,962	61,81,754	35,85,050	—37,627	1,89,446	83,87,977	5.45	25,54,563	+ 10,33,414	190	42.45
1906.	614.30	6,73,40,339	66,80,394	38,97,510	+ 9,028	2,01,060	37,05,278	5.50	23,17,307	+ 13,87,971	199	41.52
1907.	763.54	7,18,99,253	75,39,243	42,21,002	+ 25,941	2,04,275	40,41,771	5.61	23,80,668	+ 16,61,103	192	43.68
1908.	774.68	7,38,81,590	81,08,853	44,81,501	—45,015	1,58,939	42,77,547	5.83	24,68,465	+ 18,09,062	204	45.14
1909.	774.69	7,42,61,067	75,33,573	40,09,582	—31,817	58,411	39,19,354	5.28	24,73,136	+ 14,46,218	188	46.92
1910.	776.13	7,46,12,530	83,14,066	48,01,820	—38,810	2,01,276	45,41,734	6.00	24,92,047	+ 20,49,687	206	42.24
1811.	709.04	7,56,10,762	80,15,376	52,68,260	—41,149	2,35,109	49,92,011	6.60	25,53,319	+ 24,38,692	223	40.91
1912.	791.51	7,42,44,847	95,50,685	64,75,631	—36,057	3,09,961	61,25,086	7.83	26,48,419	+ 34,76,617	230	34.15
1st qtr. of 1913.	791.51	7,86,39,331	96,02,230	16,91,806	—21,676	1,37,495	15,32,629	1.95	7,16,614	+ 8,16,015	283	34.99
1913-14.	789.19	8,07,86,897	1,02,64,997	64,76,738	—1,19,400	2,96,483	60,60,856	7.60	27,76,371	+ 32,90,185	250	36.90
1914-15.	788.45	8,17,15,012	95,03,765	58,14,830	—88,754	2,58,006	54,88,070	6.72	28,48,125	+ 26,43,945	222	36.32
1915-16.	825.62	8,13,00,448	90,11,906	56,14,514	—85,587	2,84,496	52,84,441	6.91	28,30,356	+ 21,64,085	217	39.71
1916-17.	812.06	8,06,18,583	88,92,860	61,54,482	—60,586	3,80,188	58,24,713	7.22	29,66,899	+ 31,57,814	224	37.79
1917-18.	804.00	8,01,18,173	99,07,091	53,46,681	—40,938	2,19,361	50,86,382	6.35	27,89,261	+ 22,97,121	223	

BENGAL DOOARS RAILWAY SYSTEM.

Chairman—Robert Miller, Esq.

Secretary—F. J. Horne, Esq.

Office—Gresham House, Old Broad Street, London, E. C.

Date of registration of the Company.—30th July 1891.

Lines comprised in the system—The Bengal Dooars railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Bengal Dooars railway (3' 3½" gauge)	38.40	...	38.40
(b) Bengal Dooars railway extensions (3' 3½" gauge)	116.66	5.31	121.97
Total	155.06	5.31	160.37

The lines were constructed for opening up the Western Dooars and for the development of the tea industry.

Bengal Dooars railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line —				
East Bank of the Teesta (Barua Ghât) to Dam Dim	15-1-98	31.00		
Branch —			31.00	
Lalaguri to Ramshai	11-6-93	5.40		
			5.40	
TOTAL	66.40

Details of nonstruction—

Permanent-way.—The line is laid with 4½-lb. flat-footed steel rails on s&l sleepers.

Ballast.—The line is ballasted throughout with stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 1,432 feet radius.

Gradients.—The ruling gradient is 1 in 150.

Contracts and Agreement—

Contract, dated the 27th April 1891 (called the principal contract), between the Secretary of State and Messrs. Octavius Steel and Company, Promoters, Bengal Dooars Railway Company, as to the construction, maintenance, management and working of the Bengal Dooars Railway Company's original line, including the ferries connected therewith.

Agreement, dated the 27th April 1891, between the District Board of Jalpaiguri and Messrs. Octavius Steel and Company, Promoters, Bengal Dooars Railway Company, as to the payment of a subsidy by the Board to the Company.

Contract, dated the 2nd March 1893 (supplemental to the contract of 1891), between the Secretary of State and the Bengal Dooars Railway Company, as to the construction, management, maintenance and working of certain extensions of the Company's then existing railways.

Contract, dated the 27th September 1900 (supplemental to that of 1893), between the Secretary of State and the Bengal Dooars Railway Company, as to the extension of time for the completion of the line to Hantupara.

Contract, dated the 7th November 1901 (supplemental to those of 1893 and 1900), between the Secretary of State and the Bengal Dooars Railway Company, as to the extension of time for the completion of the line to Bagrakote.

Contract, dated the 16th April 1903 (supplemental to the contract of 1893), between the Secretary of State and the Bengal Dooars Railway Company, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.

Contract, dated the 1st May 1914 (supplemental to the contract of 1893), between the Secretary of State and the Bengal Dooars Railway Company, as to the adoption of the Government financial year for the preparation of Accounts.

Contract, dated the 6th July 1916 (supplemental to the contract of 1893), between the Secretary of State and the Bengal Dooars Railway Company, as to the construction, management, maintenance and working of the Chales-Matelli Extension as a part of the undertaking.

BENGAL DOOARS RAILWAY SYSTEM—contd.**Bengal Dooars railway (3' 3½" gauge)—contd.****Main provisions of contracts and agreement—**

- (i) *Land*.—Provided by the Government free of cost to the Company.
- (ii) *Government aid*.—Original line: The District Board of Jalpaiguri pay to the Company, out of the District Fund, an annual subsidy of such amount, not exceeding Rs. 4,000, as may be required to make up the net profits in each year to 5 per cent on the capital sum expended.
Original line and Extensions: *Nil*. (It is, however, provided that, on the request of the Company, the Government shall take over the original line and extensions, and shall work and maintain them through the agency of the Eastern Bengal railway, at 40 per cent of the gross receipts in each half-year, paying the remaining 60 per cent over to the Company.)
- (iii) *Terms of working*.— } The whole of the profits go to the Company. (If, on a request
(iv) *Distribution of profits*.— } made by the Company, the lines be worked by the Eastern Bengal
railway the Government retain in each half-year 40 per cent of the gross earnings, the remaining 60 per cent being paid to the Company after deduction of the income-tax payable to Government.)
- (v) *Rates and fares*.—Original line, *i.e.*, the Main Line from Barnes Ghât to Mal Junction; the Eastern branch of the Main Line from Lalaguri Junction to Raishai; and the Western branch of the Main Line from Mal Junction to Dam Din; also the Eastern Extension from Mal Junction to Madaribag; and the Western Extension from Dam Din to Bagrakote:—Certain maxima rates and fares for goods (other than food grains, salt, coal for construction, working and maintenance, and construction and revenue stores excluding coal), passengers, luggage, carriages, horses and parcels have been fixed. For food grains, salt, coal for construction, working and maintenance, and for construction and revenue stores, certain maxima and minima have been fixed. If the gross receipts of the original railway and of the two (Eastern and Western) Extensions shall in any one year have reached 12 per cent on the combined capital outlay of those lines, Government may reduce the maxima rates and fares by a figure up to 25 per cent, except in the case of the special rates for food grains, salt, coal for construction, working and maintenance, and construction and revenue stores excluding coal, and for third class passengers. Southern Extension, *i.e.*, from Barnes Junction to Lalmanirhat:—Certain maxima and minima rates and fares have been fixed for goods, passengers, carriages, horses and dogs. Luggage, parcels and bullion are carried at the rates passed by the Railway Conference.
- (vi) *Special obligations as to the conveyance of*—
- (a) Mails, troops, police, high Government officials and Government stores.—Mails to be carried under the same terms and conditions as mails were at the date of contract of 1891 being carried on the Eastern Bengal railway, the Government having power to fix the timing of one train each way daily for the carriage of mails. Postal officials travelling on duty to be given free passes.
- (b) Government bullion and coin, and the persons in charge thereof. — Not specified.
- (vii) *Power of the Government to determine contract*.—If the Company fail to work the Original line and the Extensions for six consecutive months, the Government may determine the contract by paying to the Company a sum equal to their actual expenditure up to the date of notice. In the event of the Company failing in any of its obligations for constructing and opening the Chalsa-Matelli Extension, Government have power to take over this Extension also on certain terms.
The Secretary of State has the right to purchase the Original line and the Extensions on the 31st December 1919, and at the end of any succeeding seventh year, by giving 12 months' previous notice. In the event of such purchase the price to be paid for the Original line is to be a cash payment of one and two-fifths of the amount of the invested capital liabilities of the Company; while the price for the Eastern, Southern and Western Extensions is to be a cash payment in England in sterling of a sum equal to 25 years' purchase of the average of the net earnings of the Extensions during the last preceding 5 years, and that for the Chalsa-Matelli Extension a sum equal to 25 years' purchase of the average yearly net earnings during the period which shall have elapsed since opening, provided that such sums shall not exceed by more than 20 per cent, nor be less than, the total capital expenditures and capital liabilities of the Company in sterling as expended on the Extensions or incurred with the sanction of the Government.
- (viii) *Power of the Company to surrender contract*.—Nil.
- (ix) *Term of contract*.—None specified.

BENGAL DOOARS RAILWAY SYSTEM—*contd.*Bengal Dooars railway (3' 3½" gauge)—*contd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including outlay, to end of each year, i.e., outlay on (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Subsidy from District Board.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.			
1893	38.40	18,40,991	1,14,812	57,639	312	...	57,639	3.12	69	49.80
1894	38.40	22,84,223	2,05,286	1,04,201	437	4,000	1,08,201	4.74	100	49.20
1895	38.40	23,26,170	2,53,537	1,27,139	548	4,000	1,31,139	5.65	125	48.73
1896	38.40	24,33,813	2,70,454	1,31,814	542	...	1,31,814	5.42	138	51.26
1897	38.40	25,78,592	2,86,467	1,45,299	563	...	1,45,299	5.63	145	49.27
1898	38.40	26,08,050	2,89,080	1,44,620	130	4,000	1,48,620	4.15	135	57.40
1899	38.40	26,26,718	2,73,068	1,18,417	451	4,000	1,22,417	4.66	137	56.63
1900	38.40	26,42,695	2,72,734	1,80,160	717	...	1,80,160	7.17	168	43.06
1901	38.40	26,44,976	3,10,930	1,78,391	667	...	1,78,391	6.67	156	43.27
1902	38.40	26,50,627	2,73,310	1,71,455	647	...	1,71,455	6.47	144	37.27
1903	38.40	26,60,547	2,69,547	2,21,932	836	...	2,21,932	8.36	156	27.70
1904	38.40	26,64,612	3,15,277	2,56,651	963	...	2,56,651	9.63	173	25.58
1905	36.19	27,25,891	3,70,343	2,40,585	915	...	2,40,585	9.15	196	32.60
1906	36.40	27,38,098	4,08,823	2,90,703	1086	...	2,90,703	10.86	216	27.30
1907	36.40	27,56,335	4,20,706	3,81,722	1033	...	3,81,722	10.33	222	32.03
1908	36.40	27,70,317	4,37,232	3,81,102	1202	...	3,81,102	12.02	231	29.59
1909	36.10	28,40,534	4,49,811	3,51,527	1248	...	3,51,527	12.48	236	20.65
1910	36.40	29,73,769	4,89,573	3,73,313	1255	...	3,73,313	12.55	257	23.84
1911	36.40	31,18,391	4,913.86	3,88,565	1240	...	3,88,565	12.40	261	21.76
1912	36.40	31,71,542	5,11,776	4,16,179	1312	...	4,16,179	13.12	266	23.13
1st qr. 1913	36.40	31,76,031	1,13,010	77,510	244	...	77,510	2.44	259	31.41
1913-14	36.40	32,04,399	5,91,292	4,36,329	1362	...	4,36,329	13.62	312	26.16
1914-15	36.40	33,37,555	5,76,720	4,21,695	1281	...	4,21,695	12.81	305	26.90
1915-16	36.40	33,16,175	6,06,284	4,47,987	1348	...	4,47,987	13.48	310	25.27
1916-17	36.10	33,16,000	6,09,348	4,87,185	1470	...	4,87,185	14.70	340	20.18
1917-18	36.40	33,14,942	6,36,781	5,74,792	1432	...	5,74,792	14.32	336	23.41

Bengal Dooars railway extensions (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Eastern extension—				
Mal to Chalsa	1-4-01	5.10		
Chalsa to Chongmari	1-10-03	13.45		
Chongmari to Dalgoun	23-5-03	15.84		
Dalgoun to Madanihat	14-6-03	9.31		
			41.00	
Southern extension—				
Batlies Junction to Baura	20-4-00	23.20		
Baura to Bhotomari	21-10-00	16.70		
Bhotomari to Lalmanichat	20-11-00	20.60		
			65.80	
Western extension—				
Dam Dint to Oollahari	1-5-01	3.30		
Oodlabari to Bugrukot	1-1-02	3.46		
			6.76	
* TOTAL OPEN MILEAGE				116.56
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Chalsa to Matelli (sanctioned on 28th September 1918)		5.81	5.81	5.31
GRAND TOTAL				121.87

Details of construction—

Permanent way.—The line has been laid with 4½-lb. flat-footed steel rails on all sleepers.**Ballast.**—The line is ballasted throughout with stone.**Fencing.**—The line is unfenced.**Curves.**—The sharpest curve is of 955 feet radius.**Gradients.**—The ruling gradient of the Southern extension is 1 in 200 and of the Eastern and Western extensions, 1 in 100.**Contracts and Agreement—****Main provisions of contracts and agreement—**

As noted under Bengal Dooars railway (3' 3½" gauge).

BENGAL DOOARS RAILWAY SYSTEM—*concl'd.*Bengal Dooars railway extension: (3' 3½" gauge)—*concl'd.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.	Remarks.
1	2	3	4	5	6	7	8	9
	Miles.	Rs.	Rs.	Rs.	...	Rs. 14		
1900 . .	66'00	47,11,832	16,191	72'82		The net earning for 1900, 1901, 1902 and 1st half of 1903 were credited to interest on capital during construction.
1901 . .	74'30	62,26,954	1,76,389	47	60'92	
1902 . .	77'76	72,66,165	2,53,634	63	65'99	
1903 . .	116'56	80,10,365	3,46,666	79,199	0'99	61	69'78	
1904 . .	116'56	84,97,572	4,15,170	1,08,689	1'28	68	73'65	
1905 . .	116'56	87,92,080	5,12,343	1,97,824	2'25	85	61'39	
1906 . .	116'56	89,99,516	5,83,852	2,91,256	3'24	96	50'10	
1907 . .	116'56	90,79,826	6,04,183	1,43,585	1'58	99	78'23	
1908 . .	116'56	90,88,887	6,19,972	3,14,329	3'46	102	49'31	
1909 . .	116'56	91,86,145	6,08,413	3,14,541	3'44	160	48'28	
1910 . .	116'56	92,06,724	6,56,433	3,45,725	3'75	109	47'40	
1911 . .	116'56	93,48,461	7,07,739	3,60,021	3'65	117	46'13	
1912 . .	116'56	94,48,641	8,92,405	5,01,116	5'81	147	43'85	
1st gr. of 1913 . .	116'56	94,82,828	2,00,414	1,06,086	1'12	158	49'84	
1913-14 . .	116'56	95,55,690	10,40,680	5,25,144	5'92	176	46'07	
1914-15 . .	116'56	99,98,439	10,21,995	5,09,685	5'10	169	50'13	
1915-16 . .	116'56	1,08,48,389	10,35,813	5,06,966	4'83	171	50'86	
1916-17 . .	116'56	1,07,40,183	11,06,188	5,16,194	4'81	183	53'47	
1917-18 . .	116'56	1,08,54,886	10,72,838	5,01,811	4'62	177	53'27	

BHAVNAGAR STATE RAILWAY SYSTEM.

Lines comprised in the system.—The Bhavnagar State railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	TOTAL.
	Miles.	Miles.	Miles.
(a) Bhavnagar State railway (3' 3½" gauge)	306.31	54.30	360.61
(b) Dhrangadra railway (5' 3½" gauge)	43.71	—	43.71
Total	349.09	54.30	403.39

Bhavnagar State railway (3' 3½" gauge)—

This line was constructed by Government Agency for the Native State of Bhavnagar (after which it is named). It was worked up to the 31st March 1911 by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working as one undertaking the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad Porbandar railway. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked independently as a separate and distinct railway.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Bhavnagar Docks to Wadhwan Junction	20-12-30	*104.79	104.79		*Includes 1.31 miles of Dock estate line which is worked for goods traffic only.
Branches—					
Dhasa branch—					
Dholia to Dhasa	19-1-31	15.33	15.33		
Kundla extension—					
Dhasa to Liliamota	1-10-11	20.80			
Liliamota to Savar Kundla	17-3-12	15.00	35.80		
Palitana branch—					
Sihor to Palitana	16-11-10	18.92	16.92		
Jasdan extension—					
Botad to Vinchhia	15-5-13	18.41			
Vinchhia to Jasdan	15-9-13	15.06	33.47		
TOTAL, OPEN MILEAGE	—	—	—	206.31	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION.					
Savar Kundla to Mahuva } sanctioned on 16th } Dongar to Port Albert Victor } June 1915. }	—	—	54.30	54.30	
GRAND TOTAL.	—	—	—	260.61	

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on creosoted pine, deodar and jodha teak sleepers. The line between Bhavnagar City and mile 73/19 on the main line has been renewed with 50-lb. flat-footed rails, except in station yards. The Jasdan extension is laid with 40-lb. flat-footed rails and the Palitana and Kundla extensions, with second-hand 4½-lb. flat-footed rails, except 1.85 miles near Liliamota, which are laid with new 40-lb. flat-footed rails.

Ballast.—The line is ballasted with broken stone, with the exception of the length between Chuda and Wadhwan, which is ballasted with kunkur. Newly opened lines are ballasted with stone in cuttings and moorum in banks.

Fencing.—The line is practically unfenced.

Curves.—The sharpest curve is of 1,000 feet radius.

Gradients.—On the main line the ruling gradient is 1 in 200, except for about 10 chains near the Ranpur Bhogawa bridge where it is 1 in 100. Between Sihor and Palitana it is 1 in 100; between Dhasa and Savar Kundla, 1 in 125 and between Botad and Jasdan, 1 in 150.

Agreement—

Nil.—The line is owned and worked by the Bhavnagar State.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1911	157.95	90,53,431	14,58,471	9,07,436	10.14	178	87.79
1912	173.17	1,09,63,813	14,65,875	7,71,271	7.08	163	47.36
1st qt. of 1913	172.46	1,09,92,709	3,67,171	1,93,685	1.76	164	47.35
1913-14	206.31	1,12,27,183	14,63,284	7,58,766	6.58	185	48.80
1914-15	206.31	1,20,68,075	15,43,840	8,23,088	6.85	144	46.12
1915-16	206.31	1,21,19,365	14,93,420	7,81,522	6.45	119	47.07
1916-17	206.31	1,22,06,352	16,39,443	6,46,223	4.95	153	48.26
1917-18	206.31	1,23,62,479	17,65,940	10,52,256	8.51	163	46.41

BHAVNAGAR STATE RAILWAY SYSTEM—*concl'd.*

Dhrangadra railway (3' 3½" gauge)—

This line was constructed for the Native State of Dhrangadra (after which it is named). It was worked up to the 31st March 1911 by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working as one undertaking the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad-Porbandar railway. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked by the Bhavnagar State railway.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Wadhwan Junction to Dhrangadra	1-6-98	20.43	
Dhrangadra to Halvad	1-1-15	19.72	
Dhrangadra Quarry branch	1-9-15	2.56	
TOTAL	42.71

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed steel rails laid on deodar and jodoka sleepers.

Ballast.—The ballast used is of broken sandstone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 700 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

Provisional agreement, dated the 22nd February 1911, between the Bhavnagar and Dhrangadra States, as to the maintenance, management and working of the Dhrangadra railway.

Main provisions of agreement—

- (i) *Land.*—Provided by the Dhrangadra Durbar free of cost.
- (ii) *Government aid.*—Nil.
- (iii) *Terms of working.*—
- (iv) *Distribution of profits.*—
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of—*
- (a) Mails, troops, police, officials and Government stores.—
- (b) Bullion and coin.—
- (vii) *Power of Government to determine agreement.*—Not specified.
- (viii) *Power of Durbar to determine agreement.*—
- (ix) *Power of Bhavnagar State railway to determine agreement.*—
- (x) *Term of agreement.*—To be fixed hereafter.

Forty per cent of gross earnings (subject to a biennial revision), plus 5 per cent for hire of rolling-stock and, in addition, actual expenditure on the maintenance of way, works and stations. This forty per cent is subject to reduction to 35 per cent when the earnings per mile per week exceed Rs. 50.

The same as arc, for the time being, in force on the Bhavnagar State railway.

Not specified pending new agreement.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	20.83	5,85,164	53,131	17,756	3.03	.49	66.58
1909	20.83	5,85,705	60,202	18,564	3.17	.56	69.16
1910	20.83	5,86,766	83,692	34,203	5.83	.77	59.18
1911	20.83	5,85,335	93,689	43,546	7.44	.86	53.51
1912	20.83	5,85,335	73,811	32,286	5.23	.69	56.26
1st qr. of 1913	20.83	5,86,866	20,408	6,399	1.09	.76	68.66
1913-14	20.83	5,81,236	87,181	42,643	7.24	.81	51.06
1914-15	42.71	11,97,322	1,15,044	52,780	5.25	.55	48.94
1915-16	42.71	14,07,179	1,51,106	72,155	5.13	.68	52.35
1916-17	42.71	13,93,557	1,19,768	41,623	2.99	.54	65.35
1917-18	42.71	14,12,125	1,46,083	57,761	4.09	.67	60.26

171
BURMA RAILWAYS SYSTEM.

Chairman.—Lieut.-Colonel Alfred Glynn Begbie.

Managing Director.—Walter Home, Esq., C.I.E.

Office.—199, Gresham House, Old Broad Street, London, E.C.

Date of registration of the Company.—21st July 1896.

Lines comprised in the system.—The Burma railways system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Burma railways (3' 3½" gauge)	1,341 85	...	1,341 85
(b) Burma railways extensions (3' 3½" gauge)	186 93	...	186 93
(c) Southern Shan States railway (3' 3½" gauge)	62 68	34 25	106 93
Total	1,598 46	34 25	1,632 71

Burma railways (3' 3½" gauge).—

The Burma Railways Company was formed in 1896 for the purpose of taking over the working of the then existing system of State railways (3' 3½" gauge) in Burma and extending it by the construction of other lines, particularly one from Mandalay to Kunlong. The railways taken over by the Company from Government on the 1st September 1896 comprised the following lines:—Rangoon to Promo on the Irrawaddy river; Rangoon to Mandalay, and thence to the bank of the Irrawaddy, opposite Sagaing and Sagaing to Myitkyina and a branch to Katha, whence there is communication by river with Bhamo.

Progress in opening.—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	REMARKS.
1	2	3	4	5	6
IRRAWADDY SECTION—					
Rangoon to Promo	1-5-77	161 00	161 00		
SITTANG SECTION—					
<i>Main Line—</i>					
Rangoon to Nyaunglebin	4-2-84	93 00			
Nyaunglebin to Toungoo	1-7-85	75 00	168 00		
<i>Branches—</i>					
Suburban line.*	1-3-80	6 00			
Malagon to Bankat†	15-7-00	100			
	25-8-11	170	10 70		
MANDALAY SECTION—					
<i>Main Line—</i>					
Toungoo to Pyinmana	1-5-88	20 00			
Pyinmana to Yamethin	15-11-88	49 00			
Yamethin to Mandalay	1-3-89	112 00	230 00		
<i>Branches—</i>					
Myingyan branch—					
Thazi to Meiktila	10-5-93	12 89			
Meiktila to Myingyan	15-11-93	57 21	70 10		
<i>Mandalay Shore branch—</i>					
Mandalay to Mandalay shore*	13-4-89	2 50	2 50		
MU VALLEY SECTION—					
<i>Main line—</i>					
Myohang to Amarapura shore	22-11-81	6 00			
Sagaing to Shwebo	1-7-81	53 05			
Shwebo to Wundwin	4-4-82	29 46			
Wundwin to Nankun	1-11-84	15 48			
Nankun to Mohnyin	21-10-85	74 85			
Mohnyin to Mogoke	1-3-86	82 34			
Mogoke to Myittha	1-1-88	56 03	337 28		
<i>Branches—</i>					
Sagaing-Alon branch—					
Ywathang to Alon	15-4-00	70 46	70 46		
<i>Katha branch—</i>					
Naba to Katha	2-10-95	15 00	15 00		
MANDALAY-KUNLONG SECTION—					
Myohang to Sedaw	1-1-98	13 45			
Sedaw to Maungmye	1-4-00	20 10			
Maungmye to Nawnghio	20-5-00	34 10			
Nawnghio to Hsipaw	1-6-04	53 25			
Hsipaw to Lashio	1-3-03	50 94	177 84		
Carried over	1,430 89	

* Worked for goods traffic only.
† Worked for passenger traffic only.

BURMA RAILWAYS SYSTEM—*contd.*Burma railways (3' 3½" gauge)—*contd.*Progress in opening—*contd.*

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Brought forward					
BASSEIN-HENZADA-LETPADAN SECTION—				1,230.89	* Worked for good traffic only.
Suburban line at Bassein*	15-1-04	3.18			
Bassein to Henzada	15-12-02	82.25			
Henzada to Henzada shore	20-3-03	2.46			
Tharaway on the east bank of the Irrawaddy river to Letpadan	30-3-03	23.07			
			110.96		
			110.96		
TOTAL					
DOUBLE LINE—				1,841.85	
Irrawaddy section—					
Rangoon to Kemmendinge	30-10-89	3.50			
Kemmendinge to Insein	10-1-90	5.50			
Insein to Hlaing	25-8-05	7.02			
Hlaing to Moggyohyt	1-10-07	3.25			
Moggyohyt to Hnawbi	23-11-07	4.13			
Hnawbi to Wanathazung	11-2-08	5.00			
			29.30		
Sittang section—					
Rangoon to Pazundaung	1-6-01	0.70			
Pazundaung to Thingangyan	19-4-05	3.40			
Thingangyan to Togyanggyale	2-1-10	2.71			
Togyanggyale to Towaingyi	30-11-07	4.08			
Towaingyi to Ledaunggan	23-11-07	4.71			
Ledaunggan to Dabon	10-1-08	6.79			
Dabon to Tongyi	3-1-30	7.75			
Tongyi to Kyauktan	4-1-09	4.06			
Kyauktan to Payathonzen	15-2-09	8.26			
Payathonzu to Pogu	4-1-09	3.51			
			45.87		
Pegu-Pyintazan section—					
Pegu to Shwehlo	10-8-11	5.57			
Shwehlo to Payagyi	26-5-11	4.91			
Payagyi to Pyinlongyi	22-5-11	7.93			
Pyinlongyi to Kadok	1-8-11	6.25			
Kadok to Panngdawthi	2-10-11	4.73			
Panngdawthi to Deiku	26-5-11	5.30			
Deiku to Pyintazan	3-8-11	6.73			
			41.32		
Mandalay section—					
Myohauing to Mandalay	3-10-99	2.45			
			2.45		
TOTAL, DOUBLE LINE					
	118.94	

Details of construction—

Permanent-way.—The rails in use on the system are 60-lb., 50-lb. and 4½-lb. flat-footed steel. The sleepers throughout are of Burma teak, pyinkado, Thitya, Engyin and Australian hard woods, pyinkado largely predominating.

Ballast.—The ballast used is either shingle or broken stone.

Fencing.—The main line, from Promé to Rangoon and Rangoon to Mandalay, and the Bassein-Henzada line are fenced. The Mu Valley line is generally unfenced, except at stations. The Lashio, Myingyan and the Sagaing-Alon branches are unfenced, except at certain stations.

Curves.—On the main line (Rangoon to Mandalay), the sharpest curve has a radius of 573 feet, on the Rangoon-Promé section, of 1,148 feet. The sharpest curves on the Bassein-Henzada, Letpadan-Tharaway, Thazi-Myingyan and Sagaing-Alon branches have radii of 955, 1,432, 1,273 and 2,865 feet, respectively; on the Lashio branch, of 337 feet; on the Mu Valley line, from Sagaing to Myitkyina, including the Katha branch, of 573 feet.

Gradients.—The ruling gradient on the main line from Promé to Rangoon and Rangoon to Mandalay and Myohauing to Amarapura shore is 1 in 200, except for a short length at mile 124 on the Promé branch, where it is 1 in 150; on the Mu Valley section, from Sagaing to Kanbalu, 1 in 200 uncompensated, from Kanbalu to Naba 1 in 100, and Naba to Myitkyina, 1 in 100 uncompensated, with a banking section, from Mawhan to Mohnyin, of 1 in 60 uncompensated. On the Lashio branch it is 1 in 25 compensated between Sedaw and Thondaung, and 1 in 40 compensated, between Thondaung and Lashio; on the Myingyan branch, 1 in 100 uncompensated; on the Sagaing-Alon branch 1 in 150 uncompensated; and on the Katha branch 1 in 50 uncompensated. Between Letpadan and Tharaway and Henzada and Bassein, it is 1 in 200.

Contracts—

Contract, dated the 9th March 1897 (called the principal contract), between the Secretary of State and the Burma Railways Company, as to taking over the Burma railways, the construction of other railways and their maintenance, management and working.

Contracts—consolid.

Telegram from the Secretary of State, dated the 15th February 1918, stating that advances or over drafts will not be granted after 31st March 1918 at a rate of interest lower than 5½ per cent.

(d) interest on capital overdrawn by Company at 3½ per cent per annum up to the 31st March 1913, at 4 per cent per annum from 1st April 1913 to 31st March 1915, at 4½ per cent per annum from 1st April 1915 to 31st March 1918 and at 5½ per cent per annum thereafter.

(iv) *Rates and fares.*—Maxima and minima for the different classes and descriptions of services and terminals to be approved by the Government.

BURMA RAILWAYS SYSTEM—*contd.*Burma railways (3' 3½" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*(v) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.—To be conveyed on the same general conditions as on other 3' 3½" gauge State railways, and at rates to be approved by the Government.

(b) Government bullion and coin, and the persons in charge thereof.—To be conveyed at special rates approved by the Government.

(vi) *Power of the Government to determine contract.*—The Government may, by giving 12 months' previous notice, determine the contract as to the Company's undertaking on the 31st December 1928, or on the 31st December 1935, or on the 31st December 1941, or on the 31st December of any succeeding tenth year. On the determination of the contract from any cause, the Government is to repay to the Company in sterling at par the capital raised by the latter, and also to take over the liability of the Company in respect of the debenture stock.

As to the determination of the contract of the 22nd February 1907, as to the construction and working of new branches, see Burma Railways Extensions (3' 3½" gauge).

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract [if not determined under (vi) or (vii)].*—None specified.

Statistics of working (Those for the periods prior to 1897 will be found in Appendix 88 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (a) lines open and (b) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (8).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	Rs.
1897.	898-50	8,73,31,800	86,78,403	38,82,673	4-45	38,31,674	* 1,18,696	—62,697	188	55-25
1898.	936-13	9,24,03,609	89,01,451	37,88,523	4-10	39,49,899	1,94,988	—3,56,364	185	57-87
1899.	969-34	10,11,17,047	85,23,724	35,78,407	3-54	88,55,209	1,67,935	—4,24,737	179	59-45
1900.	1,124-00	11,03,96,535	1,10,22,947	45,94,824	4-43	88,40,025	4,22,384	+ 6,28,414	195	55-52
1901.	1,177-75	11,99,22,498	1,18,85,329	49,89,656	4-18	40,41,106	4,58,924	+ 5,09,624	198	58-02
1902.	1,250-50	12,70,23,590	1,25,02,671	52,72,688	4-15	43,34,523	4,49,065	+ 4,28,795	203	57-82
1903.	1,336-97	13,01,81,575	1,36,14,478	52,19,322	4-01	44,06,500	4,37,976	+ 3,74,846	195	61-26
1904.	1,340-15	13,54,32,801	1,51,02,418	55,70,709	4-32	44,71,325	6,90,759	+ 14,08,783	217	56-49
1905.	1,340-15	13,55,91,056	1,57,75,857	61,81,063	4-56	45,35,574	6,02,907	+ 10,42,162	228	60-92
1906.	1,340-15	13,97,87,368	1,57,82,205	58,81,913	4-19	48,13,409	5,28,858	+ 7,10,556	226	62-74
1907.	1,340-15	14,60,55,112	1,66,16,416	69,81,493	4-09	48,49,484	5,21,825	+ 10,60,154	238	64-80
1908.	1,340-15	15,13,95,482	1,79,07,641	71,74,075	4-74	46,84,383	7,61,052	+ 17,18,890	257	59-94
1909.	1,340-15	15,59,28,745	1,83,49,539	66,59,920	4-89	44,35,597	9,70,297	+ 12,83,712	263	63-70
1910.	1,340-15	16,04,00,604	1,85,32,674	71,00,233	4-46	49,30,511	11,39,494	+ 10,81,128	266	61-26
1911.	1,841-85	18,49,65,768	1,92,44,330	66,72,090	4-05	49,01,881	9,71,526	+ 7,08,583	276	65-83
1912.	1,841-85	17,01,08,909	2,02,44,872	81,76,037	4-81	51,39,866	14,53,577	+ 15,62,594	290	59-61
1st qtr. of 1913.	1,841-85	17,10,28,173	68,77,451	89,30,035	2-80	13,07,826	10,02,157	+ 16,30,052	394	42-56
1913-14.	1,841-85	17,48,43,821	2,24,77,985	1,04,50,706	5-98	54,01,568	21,70,845	+ 28,78,833	322	53-50
1914-15.	1,841-85	17,73,23,413	2,10,50,550	94,60,286	5-34	55,36,857	17,75,528	+ 21,43,401	310	56-32
1915-16.	1,841-85	17,80,91,834	1,99,85,892	84,33,960	4-74	56,05,925	14,11,122	+ 14,16,216	282	57-80
1916-17.	1,841-85	17,91,23,927	2,23,30,383	1,08,30,219	6-05	54,39,534	22,06,833	+ 31,84,852	322	51-43
1917-18.	1,841-85	17,84,94,701	2,32,74,705	1,04,85,350	5-87	56,39,287	20,72,780	+ 27,75,203	319	52-93

* From 1st September 1896 to 31st December 1897.

* The surplus profits for 1917-18 were divided between Government and the Company in the proportion of £2,750,000 to 5,000,000 which works out to a ratio of 23 : 12.

Burma railways extensions (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
<i>Pegu Moulmein extension—</i>				
Pegu to Nyaukkahe (Sittang River)	15-4-07	121-27		
Nyaukkahe (Sittang River) to Kyaikto	15-8-07	...		
Kyaikto to Kawkadut	14-9-07	...		
Kawkadut to Martaban (opposite Moulmein)	25-9-07	...		
<i>Hensada-Kyangin extension—</i>				
Hensada to Danbi	1-7-07	19-50		
Danbi to Kyangin	14-12-06	53-16		
			65-06	
TOTAL				196-83

BURMA RAILWAYS SYSTEM—contd.**Burma railways extensions (3' 3½" gauge)—contd.****Details of construction—**

Permanent-way.—The permanent-way consists of 50-lb. flat-footed steel rails laid principally on *pynlado* sleepers.

Ballast.—The ballast consists obisfly of broken stone and shingles.

Fencing.—The Pegu-Moulmein extension is fenced but not the Henzada-Kyangin extension. Level crossings are provided with either gates or chains and posts.

Curves.—The radius of the sharpest curve on the Pegu-Moulmein section is 1,058 feet and that on the Henzada-Kyangin section is 1,432 feet.

Gradients.—The ruling gradient is 1 in 300 on the Pegu-Moulmein extension; and 1 in 200 on the Henzada-Kyangin extension, uncompensated.

Contracts—

Contract, dated the 22nd February 1907 (supplemental to the contracts of 1897 and 1903, noted under Burma railways, 3' 3½" gauge), between the Secretary of State and the Burma Railways Company, as to the construction, maintenance, management and working as State railways of the Pegu-Moulmein and Henzada-Kyangin extensions and the Daga loop line.

Contract, dated the 7th April 1913, (read as part of the supplementary contract of 22nd February 1907), between the Secretary of State and the Burma Railways Company, defining the manner in which the earnings of the Burma Railways Extensions shall be ascertained and in particular the proper apportionment of receipts and expenditure in connection with through traffic and of expenses of stations common to the Burma Railways and Extensions.

Contract, dated the 3rd October 1916 (supplemental to, and modifying, the contract of 22nd February 1907) between the Secretary of State and the Burma Railways Company, as to the exclusion of the Daga loop line from the list of State railways mentioned in the contract of 22nd February 1907.

Main provisions of contracts—

- (i) **Land.**—As under 'Burma railways (3' 3½" gauge).
- (ii) **Government aid.**—All moneys required for the purposes of the extensions shall be supplied by the Secretary of State according to such arrangements as shall, from time to time, be made between the Secretary of State and the Company.
- (iii) **Terms of working.**— } Separate half-yearly accounts are kept for (a) the whole of the Company's system and (b) for each of the extensions, except in regard
- (iv) **Distribution of profits.**— } to the Revenue Abstracts B. to G., inclusive, and sub-head I of Abstract A. which are for the system as a whole. The total working expenses of the whole system, are divided between each of the extensions and the rest of the Company's system in the ratio of their respective gross earnings, and the share of expenses so attributed, together with the maintenance expenditure relating exclusively thereto under sub-heads II to VII of Abstract A. are deemed to be the actual working expenses of each. The extensions have also to bear proportionate charges in respect of interest on capital cost of workshop buildings and plant and joint station expenses. After deducting from the gross earnings the working expenses so arrived at, the balance forms the "net revenue receipts."

This net revenue receipts for each complete financial year are applied in payment of interest at 3½ per cent per annum on the total capital outlay on each extension (including the value of land), and the mileage share of interest on the main line stores and stores suspense balances; and the residue, if any, is divided between the Government and the Company in the proportion of 3ths to the former and 4ths to the latter.

- (v) **Rates and fares.**—As under Burma railways (3' 3½" gauge).
 - (vi) **Special obligations as to the conveyance of.—**
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—
 - (vii) **Power of the Government to determine contract.**— } This contract may be determined on twelve
 - (viii) **Power of the Company to surrender contract.**— } months' notice given by either party to the other on the 30th June 1919, or on the 30th June of any subsequent fifth year. If the principal contract [noted under Burma railways (3' 3½" gauge)] shall at any time be determined by virtue of its provisions, then this contract shall also thereupon cease and determine. On the failure by the Company effectually to remedy any breach of this contract or of its stipulations or provisions within six months after due notice shall have been given by the Secretary of State in England, he may, on the expiration of six months or later, determine the contract by giving to the Company in England notice in writing of such determination.
- Upon the determination of the contract the Company shall give possession to the Government of the new lines, all property belonging thereto and all moneys then payable, after which the Government shall indemnify the Company against all debts and liabilities as may have been incurred with the sanction of Government and be then subsisting on account of the new lines.

- (ix) **Term of contract [if not determined under (vii) and (viii)].**—Not specified.

BURMA RAILWAYS SYSTEM—*concl.*Burma railways extensions (3' 3½" gauge)—*concl.*

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1907	184.77	1,64,71,233	1,68,518	70,441	0.43	2,10,268	...	-1,39,822	82	58.20
1908	186.93	1,99,85,700	9,01,008	4,55,558	2.28	6,96,054	...	-2,40,406	93	60.44
1909	186.93	2,11,46,681	11,19,902	4,27,510	2.02	6,97,884	...	-2,70,374	115	61.88
1910	186.93	2,13,87,484	12,92,969	4,76,061	2.22	7,10,276	...	-2,35,215	138	68.26
1911	186.93	2,15,48,179	14,26,970	5,23,234	2.43	7,23,480	...	-2,05,246	147	68.33
1912	186.93	2,18,53,911	16,48,154	6,95,299	3.17	7,42,258	9,885	-58,794	170	67.84
1st qr. of 1913	186.93	2,19,56,590	5,53,883	2,81,408	1.28	1,83,586	23,163	+71,850	228	60.19
1913-14	186.93	2,20,24,165	21,84,418	10,16,827	4.62	7,85,057	78,717	+1,73,053	235	53.45
1914-15	186.93	2,21,11,074	16,42,874	5,11,240	2.31	7,71,298	...	-2,60,044	180	68.68
1915-16	186.93	2,20,45,399	17,87,183	6,61,927	3.00	7,86,222	2,185	-1,08,490	181	62.33
1916-17	186.93	2,20,28,676	20,89,109	9,73,908	4.42	7,96,180	76,935	+1,71,085	219	53.93
1917-18	186.93	2,16,36,878	20,56,706	9,59,431	4.28	7,89,577	74,150	+1,02,704	212	54.87

Southern Shan States railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Thazi to Kywedatson	15-6-12	18.05		
Kywedatson to Yinnabin	20-8-14	8.95		
Yinnabin to Kalaw	15-12-14	39.49		
Kalaw to Aungban	18-2-15	7.19		
TOTAL OPEN MILEAGE	63.68	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
• Aungban to Yawngbwe (sanctioned on 23rd July 1909)	34.25		
			34.25	
GRAND TOTAL	108.93

Details of construction—

Permanent way.—The permanent way consists of 60-lb. and 50-lb. flat-footed steel rails laid on pynkade, Thiya, Engzin and steel transverse peaked sleepers.

Ballast.—The ballast consists of stone and shingle.

Fencing.—Except at stations, the line is unfenced.

Curves.—The radius of the sharpest curve on the open section is 338.69 feet.

Gradients.—The ruling gradient on the open portion is 1 in 25.

Contracts—

The construction of the line up to Aungban was carried out for the State by the Burma Railways Company which is also working the open section pending the execution of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1912	18.05	83,91,876	11,080	7,297	0.09	25	26.52
1st qr. of 1913	18.05	97,06,486	5,797	5,835	0.04	77,336	...	-73,701	28	37.38
1913-14	28.00	1,32,95,785	28,090	-6,046	...	4,06,028	...	-4,12,074	28	...
1914-15	70.25	1,52,66,096	87,018	5,899	0.04	4,90,719	...	-4,83,720	24	58.10
1915-16	69.68	1,53,87,886	8,89,169	21,414	0.14	5,85,702	...	-5,14,928	94	38.82
1916-17	69.68	1,53,61,017	8,88,109	55,277	0.36	5,09,225	...	-4,64,658	98	33.65
1917-18	69.68	1,54,33,735	4,39,863	27,919	0.15	5,39,343	...	-5,10,206	131	91.78

CHICKJAJUR-CHITALDRUG RAILWAY (3' 3½" gauge).

This line was sanctioned for construction by the Mysore Durbar in Foreign and Political Department Letter No. 138-I.B, dated the 28th January 1914. Work is in progress.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Chickjajur to Chitaldrug (sanctioned on 28th January 1914)	...	21.07	21.07

DIBRU-SADIYA RAILWAY SYSTEM.

Chairman.—The Lord Ribblesdale.

Secretary.—S. Maclean Jack, Esq.

Offices.—Blomfield House, 85, London Wall, London, E.C.

Date of registration of the Company.—30th July 1881.

Lines comprised in the system.—The Dibru-Sadiya railway system is made up of—

	Miles
(a) Dibru-Sadiya railway (3' 3½" gauge)	86.02
(b) Lolo and Tikak-Margherita Colliery railway (3' 3½" gauge)	5.50
Total	91.52

Dibru-Sadiya railway (3' 3½" gauge).—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—	4			
Lower steamer ghāt on the left bank of the Brahmaputra river, near Dibrugarh Bazar, eastward as far as the Dinjan stream	15-8-82	15.00		
Dinjan stream to Makum Junction	16-7-83	23.50		
Makum Junction to Dum Duma	2-5-84	10.00		
Dum-Duma to Talap	5-2-85	6.00	34.50	
Makum branch—			23.00	
Makum Junction to Dihing bridge	2-5-84	23.00		
Saikhoa extension—			8.52	
Talap to Saikhoa Ghāt	1-5-10	8.52		
GRAND TOTAL	86.02

Details of construction—

Permanent-way.—Of the main line and Makum branch, 27½ miles are laid with 60-lb. and the remainder with 50 and 4½-lb. flat-footed steel rails laid on sāl, mahor and uriam sleepers and on cast-iron plates of the Denham-Olipherts' type. The Saikhoa extension is laid for 3½ miles with 50-lb. rails and for the remainder with 4½-lb. rails on uriam sleepers.

Ballast.—The main line is ballasted throughout, and the branch line partially, with broken stone.

Fencing.—The line is unfenced, with the exception of a short length at Dibrugarh.

Curves.—The sharpest curve is of 700 feet radius.

Gradients.—The ruling gradient is 1 in 150 on the main line and 1 in 100 on the Saikhoa extension.

Contracts—

Dated the 26th May 1880 (called the principal contract) between the Secretary of State and the Assam Railway Company, subsequently called the Assam Railways and Trading Company, as to the construction, maintenance, management and working of the Dibru-Sadiya railway with branches.

Dated the 25th July 1881 (supplemental to that of 1880) between the Secretary of State and the Assam Railways and Trading Company, modifying the contract of 1880 and providing that the Company shall have the preferential option for the construction and working of any other line(s), in the Luekingpore District—an option which has since been surrendered in consideration of an undertaking by the Secretary of State that the Government right of purchase shall not be exercised until after 1910, vide letter from the India Office to the Company's London Board, No. 2193, dated the 13th December 1898.

Letter No. 1758 P.W., dated the 31st March 1905, from the Honourable the Chief Commissioner of Assam to the Government of India in the Department of Commerce and Industry;

Telegram No. R. P. 5, dated the 11th May 1905, from the Railway Board to the Honourable the Chief Commissioner of Assam;

Dated the 23rd October 1914 (supplemental to those of 1880 and 1881) between the Secretary of State and the Assam Railways and Trading Company, as to the maintenance and working of the Saikhoa extension, the alteration in the dates for the exercise of the option of purchase of the Company's railway and the adoption of the Government Financial year for the preparation of accounts.

Main provisions of contracts—

(i) **Land.**—Provided by the Government free of cost to the Company.

(ii) **Government aid.**—Annual subsidy on the main line for 20 years from the date of opening, not exceeding Rs. 80,000 in any one year, or such smaller sum as, added to net earnings of the main line, will make up 5 per cent on the paid-up capital (exclusive of cost of Makum Branch). Annual subsidy on the Makum branch for 20 years from the date of opening, not exceeding Rs. 20,000 in any one year, or such smaller sum as, added to the net earnings of the branch, will make up 5 per cent on the capital cost.

Annual subsidy on the Saikhoa extension for 10 years from the date of opening at the rate of Rs. 600 per mile.

DIBRU-SADIYA RAILWAY SYSTEM—*contd.*Dibru-Sadiya railway (3' 3½" gauge)—*concl'd.*Main provisions of contracts—*concl'd.*

The subsidies are subject to deduction if the Company fail to keep the line in good order and properly equipped, and to work it.

(Note.—The period of subsidy, for the main line and Makum branch, terminated as from the 30th June 1903, *vide* letter from the Honourable the Chief Commissioner of Assam to the Public Works Department, to the Examiner of Public Works Accounts, Assam, No. 1739-P. W./2898, dated the 11th June 1894.)

(iii) *Distribution of profits.*—All the profits go to the Company.

(iv) *Rates and fares.*—To be approved by the Government. If, after five years from the date of opening of the main line, the net profits of the Company exceed 12 per cent of their paid-up capital, the Government may require the Company to make such reduction in their rates and fares as shall not lead to a diminution of the net profits below 12 per cent.

(v) *Special obligations as to the conveyance of.*—

(a) Mails, troops, high Government officials and Government stores.—To be conveyed at rates to be agreed upon from time to time, not exceeding those now paid in the district concerned.

(b) Government hulkion and coin, and the persons in charge thereof.—Not specified.

(vi) *Power of the Government to determine contract.*—If the Company fail, for a period extending over six months, to observe its obligations, the Government may determine the contract and call upon the Company to restore the land, &c., made over to it. The Government has the option of purchasing the railway, and its rolling-stock and other equipments and property of the Company, on the 5th February 1921, or at intervals of ten years thereafter, on giving one year's notice and paying 20 per cent in excess of the value of the property as a dividend-paying investment.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract (if not determined under (vi) or (vii)).*—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Subsidy from local Government.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908	77.50	93,24,383	10,24,770	4,47,121	4.80	...	4,47,121	4.80	254	56.37
1909	77.50	95,04,084	11,09,879	4,84,171	5.08	...	4,84,171	5.08	275	56.37
1910	89.02	97,10,646	11,20,004	4,46,417	4.59	...	4,46,417	4.59	278	69.16
1911	86.02	1,03,06,041	11,88,873	4,30,708	4.18	5,112	4,35,820	4.23	261	68.77
1912	86.02	1,05,29,497	13,08,470	5,01,887	5.29	5,112	5,66,999	5.38	293	57.06
1st gr. of 1913	86.02	1,06,58,110	3,57,078	1,58,859	1.49	...	1,58,859	1.49	319	55.51
1913-14	86.02	1,09,70,068	16,54,970	6,08,160	5.50	5,112	6,08,272	5.54	303	55.49
1914-15	80.02	1,11,89,228	12,32,241	4,86,264	4.37	5,112	4,93,376	4.42	259	63.31
1915-16	80.02	1,14,49,380	14,18,609	5,51,050	4.83	5,112	5,56,162	4.87	317	61.16
1916-17	80.02	1,16,14,769	14,26,339	5,57,818	4.81	5,112	5,62,925	4.85	319	60.10
1917-18	86.02	1,17,38,173	14,40,869	5,06,091	4.28	5,112	5,05,203	4.34	622	69.29

Ledo and Tikak-Margherita Colliery railway (3' 3½" gauge) —

This line was constructed by the Assam Railways and Trading Company in 1883, under the sanction of a concession granted in an Indenture made with the Secretary of State on the 30th July 1881, and was used originally only for the purpose of bringing coal from the mines on the south bank of the Dihing river to connect with the Dibru-Sadiya railway. It was constituted a railway and its working was taken over by the Dibru-Sadiya railway from the 1st January 1907.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Dihing bridge to Ledo	17-2-84	5.50	5.50

Details of construction—

Permanent-way.—The line is laid with 50-lb. flat-bottomed steel rails on urium sleepers.

Ballast.—The line is ballasted with broken stones.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 800 feet radius.

Gradients.—The ruling gradient is 1 in 100.

DIBRU-SADIYA RAILWAY SYSTEM—*concl'd.*Ledo and Tikak-Margherita Colliery railway (3' 3½" gauge)—*concl'd.*

Contract—

Letter, from the Government of India in the Public Works Department, No. 623 R.T., dated the 6th August 1896, as to the carriage of goods over the Company's Colliery line and for the through booking of the same with stations on the Dibru-Sadiya railway.

Resolution by the Government of India in the Public Works Department, No. 234 R.T., dated the 11th March 1897, as to the application of the general rules for working open lines of railway to the Company's Colliery line.

Contract, dated the 26th February 1903, between the Secretary of State and the Assam Railways and Trading Company, as to the grant of a new lease to the Company for working the coal mines in the Makum coal-fields for a period of 30 years from the 30th July 1901 and for the exercise of the privileges granted in connection therewith.

Main provisions of contract—

- (i) *Land.*—Mines and premises leased to the Company at a fixed half-yearly rental, or in lieu of such rent a certain royalty on the out-put of coal.
- (ii) *Government aid.*—Nil.
- (iii) *Terms of working.*—All charges for working the open line system are divided between the Dibru-Sadiya railway and the Colliery branch in proportion to their respective gross earnings. For hire of rolling-stock provided by the Dibru-Sadiya railway, 5 per cent of gross earnings are charged to the Colliery.
- (iv) *Rates and fares.*—Certain station to station goods rates have been approved in the Government of India letter noted above.
- (v) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—
 } Not specified.
- (vi) *Power of the Government to determine contract.*—The Government may determine the contract and take possession of the mines if the Company fail to fulfil its obligations. On the termination of the contract the Government may purchase buildings and works at a fair valuation.
- (vii) *Power of the Company to determine contract.*—The Company may determine the contract if the mines become destroyed or are rendered unfit through any extraordinary casualty. On the termination of the contract the Company is to take away all machinery, etc., belonging to the mines and the railways or tramways constructed for the purpose of working the mines, unless the Government shall be willing to purchase the same.
- (viii) *Power of the Company to surrender contract.*—Nil.
- (ix) *Term of contract.*—30 years from 30th July 1901.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1903	5.50	16,94,069	69,175	30,486	1.80	156	55.93
1909	5.50	16,94,069	79,905	34,891	2.06	219	56.33
1910	5.50	16,94,069	80,288	35,441	1.91	281	56.61
1911	5.50	16,94,069	83,118	36,429	1.80	291	68.30
1912	5.50	16,94,069	96,354	41,937	2.48	359	58.72
1st qr. of 1913	5.50	16,94,069	22,965	10,138	0.60	391	55.86
1913-14	5.50	16,94,069	92,068	40,821	2.41	329	55.66
1914-15	5.50	16,94,069	99,609	38,190	2.25	348	61.45
1915-16	5.50	16,94,069	96,690	37,755	2.32	338	60.26
1916-17	5.50	16,94,069	94,080	36,149	2.13	329	61.33
1917-18	5.50	16,94,069	91,878	32,856	1.94	333	65.37

GONDAL-PORBANDAR STATE RAILWAY SYSTEM.

Lines comprised in the system.—The Gondal-Porbandar State railway system is made up of—

	Open line. Miles.
(a) Gondal-Porbandar State railway (3' 3½" gauge)	148'01
(b) Jetalpar-Bajkot railway (3' 3½" gauge)	46'21
(c) Khijadiya-Dhari railway (3' 3½" gauge)	37'22
Total	231'44

Gondal-Porbandar State railway (3' 3½" gauge)—

This line was constructed by Government agency for the Native States of Gondal and Porbandar (after which it is named). It was worked up to the 31st March 1911 by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working as one undertaking the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad-Porbandar railway system. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked independently as a separate railway by the Coalition of the Gondal and Porbandar States.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.	Remarks.
1	2	3	4	5	6
Main line—					
Dhama to Dhoraji	19-1-81	78'80			
Dhoraji to Porbandar	1-10-89	89'07			
Porbandar to Porbandar Bandar	15-3-80	*1'55	168'81		*Is worked for goods traffic only.
Quarry branch—					
Ranawao to Quarry	17-12-89	*3'70	3'70		
Total.				168'01	

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on creosoted pine, deodar, jodke, teak and steel peaked sleepers.

Ballast.—The line is ballasted with broken stone.

Fencing.—The line is practically unfenced.

Curves.—The sharpest curve is of 716 feet radius.

Gradients.—The ruling gradient is 1 in 200, except on Ranawao quarry line where it is 1 in 67.

Agreement—

Nil.—The line is owned and worked by the Gondal and Porbandar States.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.*	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings*
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1911	148'01	66,86,812	9,14,880	4,94,616	6'92	119	46'99
1912	148'01	68,02,516	8,94,189	4,46,293	6'22	116	50'00
1st qtr. of 1913	148'01	68,91,364	8,01,847	1,83,987	10'08	157	39'06
1913-14	148'01	71,22,316	9,85,364	5,15,919	0'86	128	47'65
1914-15	148'01	72,52,416	9,85,145	4,40,485	5'78	125	54'37
1915-16	148'01	73,77,592	10,13,769	5,53,081	6'84	132	47'77
1916-17	148'01	74,77,144	10,41,098	4,80,728	6'08	135	53'82
1917-18	148'01	75,47,347	11,96,312	5,77,924	7'13	155	51'09

* Excluding outlay on the lines, Porbandar to Porbandar Bandar and Ranawao to quarry.

Jetalpar-Bajkot railway (3' 3½" gauge).—

This line was constructed and was, up to the 31st March 1911, worked by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working as one undertaking the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad-Porbandar railway system. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked by the Administration of the Gondal-Porbandar State railway.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Jetalpar to Bajkot Junction	12-4-98	46'21	46'21

GONDAL-PORBANDAR STATE RAILWAY SYSTEM—*contd.*

Jetalsar-Rajkot railway (3' 3½" gauge)—*concl'd.*

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on creosoted pine, deodar and jodha teak sleepers, except for five miles where the rails are laid on steel trough sleepers.

Ballast.—The ballast used is of broken stone.

Fencing.—The line is unfenced except between Rajkot Para and Rajkot Junction.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 175.

Agreement—

Memorandum of conditions for separate working, from 1st April 1911, of the Kathiawar railways sanctioned in the Government of India, Foreign Department, letter No. 431-I.B., dated the 23rd February 1911, to the address of the Secretary to the Government of Bombay, Political Department.

Terms and conditions, dated the 14th December 1913, prescribed by the Railway Board, as to the maintenance, management and working of the Jetalsar-Rajkot railway.

Main provisions of agreement—

- (i) **Land.**—Provided, at the cost of capital, by the Native States through whose territories the line passes.
- (ii) **Government aid.**—Nil. The line is the property of the States of Junagad, Gondal and Rajkot and the Talukdar of Jotpur, who supply funds for any necessary additions thereto chargeable to the capital account. It is maintained and worked by the agency of the Gondal-Porbandar State railway, which provides the rolling-stock and other appliances, etc., necessary thereunto.
- (iii) **Terms of working.**— } 40* per cent of gross earnings (subject to a biennial revision) are
- (iv) **Distribution of profits.**— } * 35 per cent in those half-years in which the retained by the working
gross earnings per mile per week exceed Rs. 50. agency, plus actual
expenditure on maintenance of way works and stations, police charges, and 5 per cent of gross
earnings for hire of rolling-stock supplied by the working agency.
- (v) **Rates and fares.**—
- (vi) **Special obligations as to the conveyance of.**— } The same as those in force on
(a) Troops, police, high Government officials and stores.— the Gondal-Porbandar State
(b) Bullion and coin.— railway.
- (vii) **Power of the Government to determine agreement.**—The Railway Board shall exercise the powers of an arbitrator.
- (viii) **Power of the Proprietors to determine agreement.**—Nil.
- (ix) **Term of agreement.**—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	46'21	16,00,937	2,40,987	1,11,178	6'94	104	55'12
1909	46'21	16,09,140	2,44,104	1,01,805	6'35	104	56'29
1910	46'21	16,13,886	2,74,888	1,34,701	7'72	114	54'63
1911	46'21	16,15,639	2,92,000	1,29,650	8'04	122	53'50
1912	46'21	16,14,833	3,51,069	1,82,072	11'27	146	46'14
1st qr. of 1913	46'21	16,18,930	1,11,588	62,961	15'56	186	48'58
1913-14	46'21	16,20,100	4,07,551	2,18,347	13'51	170	46'30
1914-15	46'21	16,26,567	4,09,160	2,11,178	12'98	170	46'39
1915-16	46'21	16,33,978	4,40,225	2,31,636	14'13	183	47'38
1916-17	46'21	16,33,978	4,79,144	2,50,053	14'03	199	51'90
1917-18	46'21	16,33,255	5,19,197	2,70,792	16'38	216	47'85

GONDAL-PORBANDAR STATE RAIL WAY SYSTEM—contd.**Khijadia-Dhari railway (3' 3½" gauge)—**

The construction of this line by the Baroda Durbar was sanctioned by the Secretary of State for India in his despatch No. 16 Railway, dated the 7th February 1913.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Khijadia to Gavadka	1-9-13	18.39	
Gavadka to Chhalala	10-3-14	9.14	
Chhalala to Dhari	27-5-16	11.09	
TOTAL	37.22

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb flat-footed steel rails laid on jarrah sleepers.

Ballast.—The line is ballasted with moorum.

Fencing.—The station platforms only are fenced.

Curves.—The sharpest curve has a radius of 2,865 feet.

Gradients.—The ruling gradient is 1 in 200.

Agreement—

The line was constructed by the Baroda Durbar at its own cost and made over to the Gondal-Porbandar State railway for working from 1st March 1913 under the following terms:—

Main provisions of agreement—

- (i) *Land.*—Provided at the cost of capital.
- (ii) *Government aid.*—Nil. The line is the property of the Baroda Durbar and is worked by the Gondal-Porbandar State railway.
- (iii) *Terms of working.*—40* per cent of gross earnings (subject to a biennial revision) are retained by the working agency, *plus* actual expenditure on maintenance of way, works and stations, police charges, interest and maintenance charges of the joint works and joint station expenses at Khijadia Junction and 5 per cent of gross earnings for hire of rolling-stock supplied by the working agency.
- (iv) *Distribution of profits.*—The whole of the net earnings are paid over to the Baroda Durbar.
- (v) *Rates and fares.*—
- (vi) *Special obligations as to the conveyance of.*—
- (a) Mails, troops, police, high Government officials and Government stores.—
- (b) Government bullion and coin, and the persons in charge thereof.—
- (vii) *Power of the Government to determine agreement.*—
- (viii) *Power of the Proprietors to determine agreement.*—
- (ix) *Term of agreement.*—5 years from 22nd May 1913.

The same as those in force on the Gondal-Porbandar State railway.

Nil.

Statistics of working—

Year	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.		Rs.		Rs.	
1st yr. of 1913	18.39	2,25,655	1,000	650†	0.28	15	35.00
1913-14	25.53	13,65,967	23,940	14,940†	1.09	33	48.36
1914-15	25.53	16,64,236	40,441	23,550	1.42	37	52.34
1915-16	25.53	19,12,337	47,522	2,710	0.14	36	94.30
1916-17	37.22	19,55,078	60,132	18,420	0.94	38	73.36
1917-18	37.23	19,54,370	82,997	18,018	0.67	43	86.24

†Excluding expenses on maintenance of way, works and stations borne directly by the Baroda Durbar in its capital accounts.

JAMNAGAR RAILWAY (3' 8½" gauge).

This line was constructed for the Navanagar State and was, up to the 31st March 1911, worked by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working as one undertaking the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad-Porbandar railway. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked independently as a separate railway.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Rajkot Junction to Jamnagar	8-4-97	50.20		
Jamnagar to Bedi Bandar	8-4-97	4.93		*Worked for goods traffic only.
TOTAL	54.23	

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. flat-footed steel rails on creosoted pine, deodar and jodku teak sleepers.

Ballast.—The ballast used is of broken stone.

Fencing.—The line is unfenced, except at the approaches to the Victoria bridge near Jamnagar and to the south of the Jamnagar station yard.

Curves.—The sharpest curve is of 1,000 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Agreement—

Nil.—The line is owned and worked by the Navanagar State.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	54.22	23,26,945	2,26,715	1,34,911	5.97	84	47.23
1909	54.22	24,34,854	2,37,240	1,15,995	4.99	84	51.11
1910	54.22	23,82,069	2,44,143	1,20,318	5.16	87	50.72
1911	54.22	33,27,124	2,45,800	1,17,260	5.04	87	52.30
1912	54.22	24,35,655	2,38,486	98,643	4.22	85	58.64
1st qtr. of 1913	54.22	26,53,825	78,911	11,274	1.75	112	47.70
1913-14	54.22	25,53,951	2,91,732	1,55,756	6.62	103	46.62
1914-15	54.22	23,70,808	5,01,245	1,09,005	4.62	107	68.62
1915-16	54.22	23,96,173	3,28,354	1,45,755	6.08	115	54.92
1916-17	54.22	24,08,946	3,43,360	1,46,915	6.97	122	57.89
1917-18	54.22	24,25,991	3,74,024	1,76,308	7.23	133	52.61

JODHPUR-BIKANER RAILWAY SYSTEM.

Lines comprised in the system.—The Jodhpur-Bikaner railway system is made up of—

	Open line.	Under construction or sanctioned for construction.	Total.
	Miles.	Miles.	Miles.
(a) Jodhpur-Bikaner railway (Jodhpur section) (3' 3½" gauge)	606.75	77.83	686.58
(b) Jodhpur-Bikaner railway (Bikaner section) (3' 3½" gauge)	497.66	122.03	619.69
(c) Jodhpur-Hyderabad railway (British section) (3' 3½" gauge)	123.98	...	123.98
(d) Mirpur Khas-Jhado railway (3' 3½" gauge)	50.43	...	50.43
(e) Mirpur Khas-Khadro railway (3' 3½" gauge)	49.50	...	49.50
(f) Pipar-Bilara Light railway (2' 0" gauge)	25.25	...	25.25
Total	1,355.57	299.86	1,655.43

Jodhpur-Bikaner railway (Jodhpur section) (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Kuchaman Road to Merta Road	13-3-93	73.00		
Merta Road to Jodhpur	8-4-91	64.00		
Jodhpur to Luni Junction	9-3-85	20.00		
Luni Junction to Balotra	22-3-87	50.00		
Balotra to Barmer	15-5-99	80.00		
Barmer to the Jodhpur Frontier	22-12-00	74.44		
			341.44	
Branches and extensions—				
Pachpadra branch—				
Balotra to Pachpadra	22-3-87	10.00		
			10.00	
Marwar Railway Junction extension—				
Luni Junction to Marwar Pali	17-6-84	25.00		
Marwar Pali to Marwar Railway Junction	27-7-82	19.00		
			44.00	
Phalodi branch—				
Jodhpur to Osian	21-9-13	84.28		
Osian to Marwar Lohawat	17-3-14	27.22		
Marwar Lohawat to Phalodi	12-5-14	17.69		
			70.19	
Merta City branch—				
Merta Road to Merta City	18-1-05	8.95		
			8.95	
Bhagu extension—				
Merta Road to Nagaur	16-10-91	35.00		
Nagaur to Bhagu	9-12-91	24.50		
			59.50	
Marwar Frontier extension—				
Begana to Marwar Frontier	16-9-09	61.11		
			61.11	
Ladnu Extension—				
Jaswantgarh to Ladnu	20-12-15	4.56		
			4.56	
TOTAL OPEN MILEAGE	608.75
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Marwar Junction to Sandrao (sanctioned on 10th July 1914).	77.83		
			77.83	
GRAND TOTAL	686.58

Details of construction—

Permanent-way.—About 11 miles of the line are laid with 36-lb. flat-footed iron rails, 189 miles with 36-lb. 45 miles with 41½-lb. and 363 miles with 50-lb. flat-footed steel rails. The sleepers are steel trough, deodar, sal, maiyang and creosoted pine.

Ballast.—On the greater portion of the line the ballast consists of coarse sand, knnkur and broken stone.

Fencing.—With the exception of a few stations, the line is unfenced.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradients.—The ruling gradient is 1 in 150, except at mile 0-1 on the Phalodi branch where the steepest gradient is 1 in 130.

JODHPUR-BIKANER RAILWAY SYSTEM—*contd.*Jodhpur-Bikaner railway (Jodhpur section) (3' 3½" gauge)—*concl'd.*

Agreements—

Dated the 13th July 1889 } *between the Government of India and the Bikaner and Jodhpur Durbars,*
 Dated the 30th July 1889 } *respectively, as to the construction (at the cost of the two Durbars for the*
portions in their respective territories), management, maintenance and working of the Jodhpur-
Bikaner railway.

Dated the 22nd December 1900, *between the Government of India and His Highness the Maharaja of*
Jodhpur and the Council of Regency, Bikaner, as to the construction (at the cost of the Jodhpur
Durbar and of the Government of India for the portions in their respective territories) of a railway
from Balotra to Hyderabad, and for the management, maintenance and working thereof by the
Jodhpur-Bikaner railway, as modified by—

Letter from the Government of India in the Public Works Department, to the Agent to the
Governor General for Rajputana, No. 255 R.T., dated the 6th March 1900, and the
reply thereto;

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 1637
R.T., dated the 20th August 1908; and

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 2197
R.S., dated the 26th October 1908, and the reply thereto.

Main provisions of agreements—

- (i) *Land.*—Provided free of cost—that in Jodhpur territory by the Jodhpur Durbar and that in Bikaner territory by the Bikaner Durbar.
- (ii) *Government aid.*—Nil. The Jodhpur-Bikaner railway is the exclusive property of the two Native States—the portion in Jodhpur territory belonging to the Jodhpur Durbar, that in Bikaner territory to the Bikaner Durbar—each of which provides the funds requisite for its own line.
- (iii) *Distribution of profits.*—Each of the two Durbars receives all the profits derived from the working of the portion of the line situated in its territory.
- (iv) *Rates and fares.*—Certain maxima and minima have been fixed, between the limits of which the Railway Administration can vary the rates and fares quoted for goods and coaching traffic.
- (v) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, police, high Government officials and Government stores. } Not specified; but
 - (b) Government bullion and coin, and the persons in charge thereof. } certain rates and fares were approved by executive orders of the Durbars.
- (vi) *Power of the Government to determine agreements.*
- (vii) *Power of the Durbars to determine agreements.* } None specified.
- (viii) *Term of agreements.*—

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 36 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	463.80	1,42,85,467	19,38,235	8,65,023	6.06	80	55.14
1909	525.00	1,43,06,908	21,10,217	10,19,529	7.13	77	51.69
1910	525.00	1,44,92,736	26,90,468	15,39,763	10.69	99	42.40
1911	525.00	1,47,54,392	35,12,004	20,39,415	13.82	129	41.93
1912	525.00	1,52,37,742	38,58,597	21,32,276	13.14	141	44.74
1st qr. of 1913	525.00	1,59,18,945	8,56,544	5,09,500	3.01	123	40.46
1913-14	566.50	1,84,10,723	35,84,107	17,48,754	9.48	118	51.21
1914-15	604.19	1,95,50,053	30,69,518	14,66,772	7.50	98	52.21
1915-16	608.75	1,99,91,257	44,82,377	26,14,214	13.08	142	47.48
1916-17	608.75	2,04,66,528	45,70,630	23,73,863	12.09	144	45.37
1917-18	608.75	2,04,41,538	53,18,464	32,85,831	16.07	176	40.89

JODHPUR-BIKANER RAILWAY SYSTEM—*contd.*

Jodhpur-Bikaner railway (Bikaner section) (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Bhagu to Bikaner	9-12-91	47.60		
Bikaner to Dulmera	2-6-88	32.00		
Dulmera to Lunkransar	1-1-01	8.32		
Lunkransar to Saratgarh	9-9-02	63.43		
Saratgarh to Bhatinda		88.00		
			249.45	
Hisar Extension—				
Manwar Frontier to Sujangarh	16-9-00	1.42		
Sujangarh to Ratangarh	3-2-10	28.56		
Batangarh to Churu	22-5-10	26.61		
Churu to Hisar	8-7-11	79.96		
			135.95	
Bikaner-Ratangarh Chord—				
Bikaner to Ratangarh	24-11-12	84.97		
			84.97	
Sardarshahr extension—				
Hisar (2 miles from Ratangarh) to Sardarshahr	1-3-16	27.29	27.29	
TOTAL OPEN MILEAGE				
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Hanumangarh to Sadulpur	Sanctioned on 22nd October 1915.	105.00		497.66
Bikaner to Kolayat		27.03		
			132.03	
				132.03
GRAND TOTAL				629.69

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails of 60 lbs. per yard for about 263 miles, 41½ lbs. per yard for about 5 miles, and 36 lbs. per yard for 230 miles laid on steel trough, wooden and set sleepers.

Ballast.—The ballast consists of coarse sand and small kunkur, except on the Saratgarh-Bhatinda section where it is broken brick and kunkur.

Fencing.—The line is unfenced, except at a few stations.

Curves.—The sharpest curve is of 95.5 feet radius.

Gradients.—The ruling gradient is 1 in 150.

Agreements—

Main provisions of agreements—

} As noted under Jodhpur-Bikaner railway (Jodhpur section).

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1902	245.35	75,07,922	7,74,735	3,49,859	4.66	61	54.84
1909	251.35	75,86,367	7,82,156	3,16,844	4.10	60	59.49
1910	306.04	82,04,896	10,61,570	6,07,372	7.40	67	42.79
1911	385.40	97,82,232	14,03,926	8,18,468	8.37	70	41.70
1912	470.37	1,06,06,784	16,53,041	8,56,360	8.09	68	46.07
1st qr. of 1913	470.37	1,07,55,915	5,30,710	8,16,338	2.94	87	40.39
1913-14	478.37	1,10,81,983	16,72,368	9,71,270	8.80	77	48.18
1914-15	479.37	1,17,65,712	17,65,677	8,82,778	7.50	72	50.00
1915-16	497.68	1,21,34,077	20,46,094	10,51,032	8.66	83	51.08
1916-17	497.68	1,20,57,874	19,13,490	8,49,179	7.04	74	55.66
1917-18	497.68	1,21,44,654	18,39,443	10,18,736	8.42	71	44.68

JODHPUR-BIKANER RAILWAY SYSTEM—*contd.*

Jodhpur-Hyderabad railway (British section) (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	REMARKS.
1	2	3	4	5
Hyderabad to Shadipalli	18-8-92	35.49		The line from Hyderabad to Shadipalli was originally on the 5' 6" gauge but was converted to and opened on the 3' 3½" gauge on the 20th October 1901.
Shadipalli to the Jodhpur Frontier	23-12-00	68.49		
TOTAL			123.98	

Details of construction—

Permanent-way.—The section is laid with 50-lb. flat-footed steel rails on deodar creosoted pine, sal, jarrah and maiyang sleepers.

Ballast.—The ballast is of kukkur, stone and broken brick.

Fencing.—With the exception of a few stations and about 34 miles, between Shadipalli and Chhor, the line is unfenced.

Curves.—There are no curves with a radius of less than 1,000 feet.

Gradients.—The ruling gradient is 1 in 150.

Agreement and contracts—

Agreement, dated the 22nd December 1900, between the Government of India and His Highness the Maharaja of Jodhpur and the Council of Regency, Bikaner, as to the construction (at the cost of the Jodhpur Durbar and of the Government of India for the portions in their respective territories), of a railway from Balotra to Hyderabad, and for the management, maintenance and working thereof by the Jodhpur-Bikaner Railway Administration, as modified by—

Letter from the Government of India in the Public Works Department, to the Agent to the Governor General for Rajputana, No. 255 R.T., dated the 6th March 1900, and the reply thereto;

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 1537 R.T., dated the 20th August 1908; and

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 2197 R.S., dated the 26th October 1908, and the reply thereto.

Contract, dated the 13th July 1911, between the Secretary of State and the Sind Light Railways, Limited, as to the construction, management, maintenance and working, by the Administration of the Jodhpur-Bikaner railway (or any State, or other agency), of the Mirpur Khas-Jhudo railway.

Contract, dated the 16th September 1912, between the Secretary of State and Their Highnesses the Maharajas of Jodhpur and Bikaner, as to the management, maintenance and working, by the Administration of the Jodhpur-Bikaner railway, of the Mirpur Khas-Jhudo railway.

Main provisions of agreement and contracts—

- (i) *Land.*—Provided by the Government at the cost of capital.
- (ii) *Government aid.*—The line is the property of the Government, who provide all expenditure for capital, and is managed, maintained, stocked and worked by the Administration of the Jodhpur-Bikaner railway as part of that system.
- (iii) *Terms of working.*—The working expenses of the amalgamated undertaking, excluding the cost of maintenance (but including rent of joint works and interest at 4½ per cent on funds provided for the purchase of stores required for the maintenance and working of the combined undertakings) are divided, in the ratio of the gross earnings of each, between the British and Native State sections. Maintenance charges are the actual expenditure on each section for direct charges; and for joint charges such as the salary, allowances and other expenses of the Chief Engineer, the proportion due in the ratio of the gross earnings. In addition to the working expenses mentioned above, the Government pay to the Jodhpur and Bikaner Durbars in each half-year for the provision of rolling-stock a sum equal to 5 per cent of the share of the cost of the whole of the joint-stock of the system which is attributable to the Jodhpur-Hyderabad railway—the book value of the stock being divided between the several sections of the system in proportion to the gross earnings of each for the period, for the purpose of determining the amount on which the percentage shall be made. The charge for the stock which cannot be considered as joint (*i.e.*, the stock which does not ply on each section nor is profit earning) shall be 5 per cent on the cost divided between the sections using it in proportion to the mileage on which it runs on each section.

JODHPUR-BIKANER RAILWAY SYSTEM—*contd.*Jodhpur-Hydrabad railway (British section) (3' 3½" gauge)—*concl'd.*Main provisions of agreement and contracts—*concl'd.*

- (iv) *Distribution of profits.*—After payment of the working expenses indicated under (iii), the balance of the gross earnings, if any, is paid to the British Government.
- (v) *Rates and fares.*—Certain maxima and minima have been fixed, between the limits of which the Railway Administration can vary the rates and fares quoted for goods and coaching traffic.
- (vi) *Special obligations as to the conveyance of.*—
- | | |
|---|--|
| (a) Mails, troops, police, high Government officials and Government stores. | } To be conveyed on the same conditions and at the same rates as may be in force from time to time on other railways of the same gauge belonging to the Government of India. |
| (b) Government bullion and coin, and the persons in charge thereof. | |
- (vii) *Power of the Government to determine agreement.*— } The agreement is terminable, only on the 1st April or the 1st October in any year, on 12 months' notice given by either party to the other.
- (viii) *Power of the Durbars to surrender agreement.*— }
- (ix) *Term of agreement.*— }

Statistics of working (Those for the periods prior to 1902 will be found in Appendix 38 to the Railway Administration Report for 1907.)

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay, given in column (3).	Interest.	Gain or loss to the State, pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.			Rs.	Rs.	
1902	123-98	40,45,972	5,94,008	2,18,814	5-41	1,59,771	+ 59,043	78	50-06
1903	123-98	40,43,338	5,84,004	2,62,379	6-49	1,60,178	+ 1,02,200	91	53-08
1904	123-98	39,58,081	6,43,729	3,45,007	8-72	1,51,649	+ 1,90,161	101	46-82
1905	123-98	39,07,948	7,23,089	3,09,002	9-30	1,58,622	+ 2,10,589	112	49-95
1906	123-98	40,70,835	8,91,456	5,11,938	12-58	1,57,778	+ 3,54,169	138	49-57
1907	123-98	40,23,073	8,05,017	3,87,618	8-90	1,21,068	+ 2,55,650	125	53-54
1908	123-98	42,81,148	7,59,479	3,34,028	7-80	1,49,807	+ 1,94,221	118	56-02
1909	123-98	42,93,099	8,19,444	3,49,584	6-28	1,41,400	+ 1,28,431	127	57-10
1910	123-98	42,32,783	9,00,091	3,80,017	8-99	1,49,724	+ 2,37,703	140	57-72
1911	123-98	42,01,767	12,02,552	8,94,934	16-54	1,42,970	+ 5,51,964	187	43-29
1912	123-98	42,16,491	13,58,833	6,84,332	16-22	1,45,742	+ 5,37,490	210	49-45
1st of 1913	123-98	42,42,650	3,23,858	1,99,608	4-70	40,484	+ 1,59,124	201	38-37
1913-14	123-98	43,71,982	18,02,806	6,30,706	14-43	1,45,927	+ 6,84,779	202	51-59
1914-15	123-98	44,21,306	9,81,884	3,64,428	8-21	1,53,847	+ 2,10,579	152	62-98
1915-16	123-98	44,45,252	12,72,371	5,08,194	13-48	1,53,046	+ 4,44,173	197	52-96
1916-17	123-98	45,86,499	14,26,398	6,80,256	14-73	1,49,822	+ 5,13,374	221	38-72
1917-18	123-98	45,17,798	20,08,227	11,18,516	24-78	1,56,010	+ 9,67,106	311	44-90

Mirpur Khas-Jhudo railway (3' 3½" gauge)—

Date of registration of the Company.—14th February 1908.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Jamrao Junction to Jhudo	18-4-09	20-43	50-43

Details of construction—

Permanent-way.—The permanent-way consists of about 33 miles of 56-lb. and about 17 miles of 41½-lb. flat-footed steel rails laid on deodar sleepers.

Ballast.—The line is not ballasted.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 1,206 feet radius.

Gradients.—The ruling gradient is 1 in 150.

JODHPUR-BIKANER RAILWAY SYSTEM—contd.

Mirpur Khas-Jhudo railway (3' 3½" gauge)—contd.

Agreement and contracts—

Agreement, dated the 22nd December 1900, between the Government of India and His Highness the Maharaja of Jodhpur and the Council of Regency, Bikaner, as to the construction (at the cost of the Jodhpur Durbar and of the Government of India for the portions in their respective territories) of a railway from Balotra to Hyderabad, and for the management, maintenance and working thereof by the Jodhpur-Bikaner Railway Administration, as modified by—

Letter from the Government of India in the Public Works Department, to the Agent to the Governor General for Rajputana, No. 255 R.T., dated the 6th March 1900, and the reply thereto;

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 1537 R.T., dated the 20th August 1908; and

Letter from the Railway Board to the Agent to the Governor General for Rajputana, No. 2197 R.S., dated the 26th October 1908, and the reply thereto.

Contract, dated the 13th July 1911, between the Secretary of State and the Sind Light Railways, Limited, as to the construction, management, maintenance and working, by the Administration of the Jodhpur-Bikaner railway (or any State, or other agency) of the Mirpur Khas-Jhudo railway.

Contract, dated the 16th September 1912, between the Secretary of State and Their Highnesses the Maharajas of Jodhpur and Bikaner, as to the management, maintenance and working, by the Administration of the Jodhpur-Bikaner railway, of the Mirpur Khas-Jhudo railway.

Contract, dated the 9th June 1913, between the Secretary of State and the Sind Light Railways, Limited, as to the construction of the Mirpur Khas-Khadro railway and its maintenance, management and working as a part of the Mirpur Khas-Jhudo railway.

Contract, dated the 5th December 1913, between the Secretary of State and Their Highnesses the Maharajas of Jodhpur and Bikaner, as to the maintenance, management and working, by the agency of the Jodhpur-Bikaner Railway Administration, of the Mirpur Khas-Khadro railway as an integral part of the Mirpur Khas-Jhudo railway.

Contract dated the 22nd August 1916, between the Secretary of State of the 1st part, Sind Light Railways, Limited of the 2nd part, His Highness the Maharaja of Jodhpur of the 3rd part and His Highness the Maharaja of Bikaner of the 4th part, as to the adoption of financial year and half year as from 1st April 1915.

Main provisions of agreement and contracts.—

- (i) *Land*.—Provided by the Government free of cost to the Company, except that the bank constructed by the Jamrao Canal Department, parallel to and alongside the Jamrao Canal, upon which the railway runs for a distance of about 16 miles, remains the property of the Canal Department, subject to the right of the Company to have the said railway running thereon and other provisions relating to the canal and bridges thereover, etc.
- (ii) *Government aid*.—The railway is the property of the Sind Light Railways, Limited, at whose cost it was constructed by the Administration of the Jodhpur-Bikaner railway, who manage, maintain, stock and work it, under agreement with the Government, in conjunction with and as part of the British section of the Jodhpur-Hyderabad railway.
- (iii) *Terms of working*.— } As between the Government and the Sind Light Railways, Limited,
- (iv) *Distribution of profits*.— } the Government undertake the management, maintenance, provision of rolling-stock and working, through State, or other, agency (that at present employed being the Administration of the Jodhpur-Bikaner railway), for 40 per cent of the gross earnings of the Mirpur Khas-Jhudo railway; the remainder, being the net earnings of the branch, is paid by the working agency to the Company.

As between the Government and the Administration of the Jodhpur-Bikaner railway, the Company's line is managed, maintained, stocked and worked by the Jodhpur-Bikaner Railway Administration in conjunction with, and as if it had originally been a part of, the British section of the Jodhpur-Hyderabad railway, and were subject to the provisions of the agreement of the 22nd December 1900 so far as they are not inconsistent with the contract of 1911 between the Government and the Company; provided that the difference (if any) between the following sums, viz.:—

(a) the proportion (viz., 60 per cent) of the gross earnings of the Mirpur Khas-Jhudo railway in each half-year payable, under the combined effect of the contracts of 13th July 1911 and 16th September 1912, by the working agency to the Company, and

(b) the sum which would have been payable to the Government as the excess of the gross earnings, over working expenses, of the Mirpur Khas-Jhudo railway in terms of the agreement of the 22nd December 1900, if that railway had been originally subject thereto as part of the British section of the Jodhpur-Hyderabad railway and if the gross earnings thereof, ascertained by separate accounts, had been treated as separate from those of the other portion of the Jodhpur-Hyderabad railway so as to bear its own share of working expenses under that agreement in the same half-year, adjusted by payment of such difference by the Government to the Jodhpur-Bikaner Railway Administration or vice versa, as the case may be, according as the sum payable by the Railway Administration to the Company is greater or less than that which would have been payable by the Railway Administration to the Government as stated under (b) above.

JODHPUR-BIKANER RAILWAY SYSTEM—*contd.***Mirpur Khas-Jhudo railway (3' 3½" gauge)—*concl'd.*****Main provisions of agreement and contracts—*concl'd.*****(v) Rates and fares.—****(vi) Special obligations as to the conveyance of.—**

(a) Mails, troops, police, high Government officials and Government stores.

(b) Government bullion and coin, and the persons in charge thereof.

As noted under Jodhpur Hyderabad railway (British section) (3' 3½" gauge).

(vii) **Power of the Government to determine contract.**—Government may determine the contract by "Notice of purchase" either on the 31st December 1928, or on the 31st December in the last year in any subsequent period of ten years, on giving twelve months' notice.

On the termination of the contract Government takes possession of the railway and all its appurtenances on the payment to the Company of a sum equal to 25 times the amount of the average net earnings of the railway during the three years immediately preceding the date of that event provided that such sum shall not exceed by more than 20 per cent, nor be less than, the total capital expenditure.

(viii) **Power of the Company to surrender contract.**—Nil.

(ix) **Term of contract.**—Until determined under (vii).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
1909	Miles.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
1910	50.43	7,37,231	43,585	38,121	5.54	25	40.00
1911	50.43	7,39,900	98,463	89,078	8.20	38	40.00
1912	50.43	7,30,329	66,238	57,787	8.02	37	40.00
1913	50.43	7,32,627	1,16,670	79,002	9.69	44	40.00
1st yr. of 1913	50.43	7,32,771	48,383	29,089	4.02	74	40.00
1913-14	50.48	7,24,398	1,46,194	84,119	11.61	53	40.00
1914-15	50.43	7,24,396	1,31,013	90,408	11.19	51	40.00
1915-16	50.43	7,24,396	1,26,507	75,934	10.48	48	40.00
1916-17	50.43	7,31,806	1,38,055	82,017	11.21	52	40.00
1917-18	50.43	7,31,806	1,74,208	1,04,525	14.28	68	40.00

Mirpur Khas-Khadro railway (3' 3½" gauge)—**Progress in opening—**

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mirpur Khas to Khadro	1-1-12	49.50	49.50

Details of construction—

Permanent way.—The line is laid with 60-lb. iron rails for 9 miles and 36-lb. flat-footed steel rails for 40½ miles. The sleepers used are deal throughout.

Ballast.—The line is not ballasted.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 995 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Contracts—

Dated the 9th June 1913, between the Secretary of State and the Sind Light Railways, Limited, as to the construction of the Mirpur Khas-Khadro railway and its maintenance, management and working as a part of the Mirpur Khas-Jhudo railway.

Dated the 5th December 1913, between the Secretary of State and Their Highnesses the Maharajahs of Jodhpur and Bikaner, as to the maintenance, management and working, by the agency of the Jodhpur-Bikaner Railway Administration, of the Mirpur Khas-Khadro railway as an integral part of the Mirpur Khas-Jhudo railway.

Main provisions of contracts—

The same as noted under Mirpur Khas-Jhudo railway (3' 3½" gauge) except as follows:—

Power of the Government to determine contract.—Government may determine the contract by 'Notice of purchase' either on the 31st December in the twenty-first year after the opening of the line for traffic, or on the 31st December in the last year of any subsequent period of 10 years, paying

JODHPUR-BIKANER RAILWAY SYSTEM—concl.**Mirpur Khas-Khadro railway (3' 3½")—concl.****Main provisions of contracts—concl.**

to the Company 25 times the amount of the average yearly net earnings of the railway during the 3 years immediately preceding the purchase, provided that such sum shall not exceed by more than 20 per cent, nor be less than, the total capital expenditure.

Government may also determine the contract and purchase the railway in the following events:—

- (a) If it is considered desirable that the gauge of the railway should be altered;
- (b) If it is considered desirable to convert the railway into a line of through communication; and
- (c) If it is considered desirable to extend the line (without altering the gauge or making the railway part of a through route) and the Company is unable or unwilling to supply the necessary capital for the purpose;

on payment to the company 25 times the average net earnings during the 3 years preceding the purchase or 115 per cent of the capital expenditure whichever shall be the greater, but if the purchase occurs within less than 3 years from the opening of the line the price shall be 115 per cent of the capital expenditure.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1912	49.80	8,24,749	60,432	30,359	4.10	23	40.80
1st qr. of 1913	49.50	8,22,116	28,941	16,165	1.97	42	40.80
1913-14	49.50	8,23,222	83,334	50,000	6.08	32	40.00
1914-15	49.50	8,22,603	62,806	41,884	5.09	27	40.00
1915-16	49.50	8,23,096	79,237	42,142	5.12	27	40.00
1916-17	49.80	8,28,096	85,512	51,182	6.22	33	40.00
1917-18	49.50	8,28,096	94,447	56,738	6.89	37	40.00

Pipar-Bilara Light railway (2' 0" gauge)—

The line was constructed originally as a steam tramway, to which the provisions of the Indian Railways Act were applied on the 6th July 1912.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Pipar Bowl to Bhavi	25-11-10	19.00	
Bhavi to Bilara	1-3-12	6.25	
TOTAL	25.25

Details of construction—

Permanent-way.—The permanent-way consists of 21-lb. steel rails on deodar sleepers.

Ballast.—The line is ballasted with earth.

Fencing.—The line is not fenced.

Curves.—The radius of the sharpest curve is 478 feet.

Gradients.—The ruling gradient is 1 in 600—except in the sections from mile 6.38 to mile 6.76 and from mile 7 to mile 7.53, where the gradient is 1 in 100 in cuttings.

Agreement—

Nil.—The line was constructed and is owned by the Jodhpur Durbar by whom it was worked up to the 3rd February 1913. From the 4th February 1913, the working was taken over by the Jodhpur-Bikaner Railway Administration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1910	19.00	1,93,787	1,732	682	0.32	17	63.51
1911	19.00	2,61,535	15,006	5,246	2.08	16	67.20
1912	25.00	2,74,857	29,884	5,509	2.00	18	78.06
1st qr. of 1913	25.00	2,71,986	5,582	2,159	0.79	18	63.16
1913-14	25.25	2,78,957	28,156	1,823	0.63	20	34.94
1914-15	25.25	2,75,897	25,187	1,402	0.56	19	62.67
1915-16	25.25	2,90,305	33,679	12,472	4.20	26	62.26
1916-17	25.25	2,90,147	23,638	4,832	1.67	19	31.08
1917-18	25.25	2,90,147	29,087	4,216	1.45	15	79.01

JUNAGAD STATE RAILWAY (8' 3½" gauge).

This line was constructed by Government agency for the Native State of Junagad (after which it is named). It was, up to the 31st March 1911, worked by an Administrative Coalition of the States of Bhavnagar, Gondal, Junagad and Porbandar, which was formed for the purpose of working, as one undertaking, the railways which, prior to that date, were comprised in the Bhavnagar-Gondal-Junagad-Porbandar railway. The Coalition ceased to exist on the 1st April 1911, on and from which date the line is being worked independently as a separate and distinct railway.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Jetalsar to Junagad	1-9-88	16.00		
Junagad to Veraval Docks	1-2-89	51.30		
			67.30	
Branches—				
<i>Saradiya branch—</i>				
Shapur to Manavadar	15-2-10	15.86		
Manavadar to Bantva	25-12-10	3.45		
Bantva to Saradiya	15-3-15	7.00		
			26.31	
<i>Visavadar branch—</i>				
Junagad to Bilkha	20-5-12	13.64		
Bilkha to Visavadar	15-2-13	12.92		
			26.56	
<i>Dungarpur quarry line</i>	10-12-12	0.73		
			0.73	
TOTAL OPEN MILEAGE	120.90
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION—				
Veraval to Una (sanctioned on 16th June 1915)	56.91	56.91	56.91
GRAND TOTAL	177.81

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed steel rails on cross-sorted pine, deodar and jodoka teak sleepers. A length of 29½ miles, Jetalsar to Lushala, of the main line, except in station yards, has been relaid with 50 lb. rails.

Ballast.—The main line, Jetalsar to Veraval, is ballasted with stone. The Junagad-Visavadar and Shapur-Saradiya branches are ballasted with moorum on banks and stone in cuttings.

Fencing.—The line is practically unfenced.

Curves.—The sharpest curve is of 1,200 feet radius.

Gradients.—The ruling gradient is 1 in 100 which occurs on the approaches to the Oojat River on the main line, and also on the approach to Sorath Vanthali station on the Saradiya branch.

Agreement—

Nil.—The line is owned and worked by the State of Junagad.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1911	88.96	48,05,266	4,45,926	2,06,461	4.30	96	53.70
1912	100.50	55,92,589	5,38,065	2,65,510	4.75	102	50.12
1st qr. of 1913	113.42	57,12,741	1,62,434	84,436	1.48	110	48.02
1913-14	113.42	60,44,338	6,18,701	2,97,380	4.92	105	51.93
1914-15	115.90	62,46,354	6,31,293	2,74,418	4.68	105	52.98
1915-16	120.90	64,08,751	6,96,563	3,40,106	5.33	111	51.15
1916-17	120.90	66,00,644	7,48,301	3,66,837	5.54	119	50.77
1917-18	120.90	75,58,583	6,14,345	1,74,236	2.67	129	79.60

MORVI RAILWAY (3' 3½" and 2' 6" gauges).

The whole line was originally on the 2' 6" gauge. In 1905 the length between Wadhwan and Rajkot was converted to the 3' 3½" gauge—from Wadhwan to Than Road, 31·84 miles, on a new alignment and onwards to Rajkot, 42·60 miles, on the original alignment with a few unimportant diversions. The line between Vankaner and Morvi was retained on the 2' 6" gauge.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
3' 3½" gauge— Wadhwan to Rajkot Junction	4-3-05	73·94	78·94	
2' 6" gauge— Vankaner to Morvi	24-3-87	15·70		
Quarry branch	23-12-05	3·19	18·89	
Total	

Details of construction—

Permanent-way.—The permanent-way on the 3' 3½" gauge section consists of 4½-lb. flat-footed steel rails on half-round teak-sleepers; and that on the 2' 6" gauge section of 29-lb. flat-footed steel rails on steel trough and creosoted pine sleepers.

Ballast.—The line is ballasted with moorum (disintegrated trap).

Fencing.—The line is unfenced.

Curves.—The sharpest curve on the 3' 3½" gauge is of 950 feet radius; and that on the 2' 6" gauge is of 500 feet radius.

Gradients.—The ruling gradient of the greater part of the railway is about 1 in 200 with a 1 in 150 banking section.

Contract—

Nil.—The line was constructed by His Highness the Thakore Sahib of Morvi, at his own expense, and is maintained and worked by him.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	92·83	66,42,725	5,08,202	2,82,464	6·08	105	45·43
1909	92·83	67,95,407	4,71,830	2,12,900	4·44	98	54·88
1910	92·83	49,91,020	5,22,105	2,96,286	5·94	109	44·00
1911	92·83	49,91,296	6,36,082	4,32,320	8·47	132	38·57
1912	92·83	51,21,785	7,24,917	4,54,877	8·67	150	37·23
1st qr. of 1913	92·83	51,14,001	1,90,819	1,40,141	2·74	158	36·57
1913-14 . . .	92·83	52,11,157	7,76,902	5,09,049	9·65	161	35·25
1914-15 . . .	92·83	52,63,719	7,66,981	4,86,346	9·24	159	36·50
1915-16 . . .	92·83	53,80,449	7,73,044	4,92,318	9·15	160	36·21
1916-17 . . .	92·83	53,60,305	8,68,311	6,23,172	11·63	180	32·26
1917-18 . . .	92·83	53,76,628	9,76,455	7,14,137	13·23	202	28·86

MYSORE-ARSIKERE RAILWAY (3' 3½" gauge).

The construction of this line by the Mysore Durbar was sanctioned by the Government of India in the Foreign Department, in their letter No. 3474-I.B., dated the 29th October 1913.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mysore to Arsikere	3-1-18	102.95	102.95

Details of construction—

Permanent way.—The permanent way consists of 50-lb., with a small percentage of 33 and 30-lb., flat footed steel rails, B. S. section, laid mostly on Mysore teak sleepers.

Ballast.—The ballast consists of either stone, gravel or sand. Approaches to bridges and most of the cuttings are ballasted with stone and the banks with good gravel or moorum.

Fencing.—The line is unfenced except at important stations and level crossings.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—1 in 95 compensated.

Agreement—

Nil.—The line is owned and worked by the Mysore Government.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay, including suspense to end of the year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1917-18	102.95	81,11,605	65,817	6,582	0.08	52	90.00

DKHAMANDAL RAILWAY (3' 3½" gauge).

Sanction to the construction of this line by the Baroda Durbar was conveyed in Railway Board's Notification No. 156, dated the 5th June 1913. Work has been stopped on this line for the present pending certain further orders of the Government of India.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Kuranga to Arthars (sanctioned on 5th June 1913)	37.03	37.03

ROHILKUND AND KUMAON RAILWAY SYSTEM.

Chairman.—Alexander Izat, Esq., C.I.E.

Secretary.—E. A. Neville, Esq.

Office.—237, Gresham House, Old Broad Street, London, E.C.

Date of registration of the Company.—6th October 1882.

Lines comprised in the system.—The Rohilkund and Kumaon railway system is made up of—

	Miles.
(a) Rohilkund and Kumaon railway (3' 3½" gauge)	258.72
(b) Lucknow-Bareilly railway (3' 3½" gauge)	312.43
(c) Pownan Light railway (2' 6" gauge)	38.86
Total	610.01

Running powers—

Home line over foreign line:—

Over Ramganga bridge, between Bareilly and Bahratganj, Oudh and Rohilkund railway.	} for passenger and goods trains.	0.52
Over Ramganga bridge, between Dalpatpur and Moradabad, Oudh and Rohilkund railway.		
		0.40
		0.92

Foreign line over home line:—

Bengal and North-Western railway, Daliganj to Aishbagh, for passenger and goods trains	3.40
--	------

Rohilkund and Kumaon railway (3' 3½" gauge)—

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Bhojepura to Kathgodam	12-10-84	53.92		
Extensions—			53.92	
<i>Kasganj extension—</i>				
Bareilly to Soron	29-1-06	54.95		
Soron to Kasganj	4-1-85	9.00		
			63.95	
<i>Ramnagar extension—</i>				
Moradabad to Got	10-5-08	4.19		
Got to Kashipur	11-1-08	26.86		
Kashipur to Ramnagar	1-4-07	17.14		
			48.19	
<i>Kashipur extension—</i>				
Lalkua to Kashipur	15-12-07	36.00		
			36.00	
<i>Shahjahanpur extension—</i>				
Pilibhit to Bialpur	24-2-11	23.14		
Bialpur to Carewganj	18-1-12	31.12		
Shahjahanpur to Shahjahanpur.	18-3-16	2.40		
			56.66	
GRAND TOTAL				258.72

Details of construction—

Permanent way.—The permanent way consists of 4½ and 50-lb. steel rails on sal, Australian and deodar sleepers. The lines from Lalkua to Ramnagar, Moradabad to Kashipur and Pilibhit to Carewganj are laid with 4½-lb. steel rails on sal and deodar sleepers.

Ballast.—The ballast consists of broken brick and shingle.

Fencing.—The line is partially fenced.

Curves.—There are no curves with a radius of less than 716 feet.

Gradients.—The ruling gradient between Bhojepura and Kathgodam is 1 in 280, except near the hill where it is 1 in 70; between Bareilly and Kasganj, 1 in 400; between Moradabad and Ramnagar, 1 in 400, except near the hills where it is 1 in 125; between Lalkua and Kashipur, 1 in 200, except for a short distance near Lalkua where it is 1 in 100; and between Pilibhit and Carewganj, 1 in 400.

Contracts—

Dated the 12th October 1882 (called the original contract), between the Secretary of State and the Rohilkund and Kumaon Railway Company, as to the construction, maintenance, management and working of the railway from Bhojepura to Kathgodam.

ROHILKUND AND KUMAON RAILWAY SYSTEM—*contd*

Rohilkund and Kumaon railway (3' 3½" gauge)—*contd.*

Contracts—*contd.*

- Dated the 8th September 1890 (called the principal contract), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the working of the Company's line and the construction, maintenance, management and working of certain State lines.
- Dated the 31st December 1892 (supplemental to the contract of 1890 and called the capital advance contract), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, for the advance of capital for the State line and as to debentures.
- Dated the 5th February 1901 (supplemental to the contracts of 1892, 1890 and 1892), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, prolonging and continuing the contract of 1890, subject to certain modifications thereof and of the contracts of 1882 and 1892.
- Dated the 24th April 1903 (supplemental to the contracts of 1882 and 1890), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the adoption of 1s. 4d. per rupee as the "prescribed" rate of exchange.
- Dated the 15th July 1901 (supplemental to the contracts of 1882, 1890, 1901 and 1903), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the construction, maintenance, management and working of certain Branch railways and the purchase of existing Branch lines.
- Dated the 18th July 1906, *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the provision of moneys for capital expenditure on the Pownan Steam Tramway, and the acquisition by the Company of interests in that Tramway, and other matters.
- Dated the 24th March 1909 (supplemental to, and in modification of, the contracts of 1882, 1890, 1892, 1901, 1903, 1904 and 1906), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the raising of capital for the purposes both of the Company's lines and of the Lucknow-Bareilly railway, and for the construction, maintenance, management and working of the Pilibhit-Barnes railway, extensions of the Dudhwa branch with a permanent bridge over the Saran river, and the Pilibhit-Shahjahanpur railway.
- Dated the 3rd July 1911 (supplemental to the contracts of 1882, 1890, 1892, 1901, 1903, 1904, 1906 and 1909), *between the Secretary of State and the Rohilkund and Kumaon Railway Company*, as to the adoption of the Government financial year for the preparation of the accounts.

Main provisions of contracts—

- (i) *Land*.—Land for the Company's railway constructed in pursuance of the original contract was provided by the Government free of cost to the Company, subject to the condition that the Company pays, on demand, to Government the cost price of land purchased by Government for the purposes of the Company's railway. Land for the railway from Gola Gokaran Nath to Pilibhit, and for all the other State lines provided by the Government after the 1st January 1891 is charged to capital subsequent to the date of the principal contract. Land for Branch railways and Branch line works is provided free, except and excluding land required for quarrying ballast, brickfields or kindred purposes.
- (ii) *Government aid*.—Government guaranteed interest at 4 per cent per annum in sterling on the capital up to £200,000 expended on the Company's original railway until its opening throughout for public traffic but for no longer than and including 1st January 1885; thereafter a subsidy of Rs. 20,000 half-yearly for ten years from the date of opening, which ceased on the 31st December 1894.

In the case of the *Lucknow-Bareilly* railway the Government guarantee the principal and interest in respect of debentures for the nominal amount of £147,000 issued by the Company in order to raise the sum of £160,000 (the sum actually realised being £160,837).

[NOTE.—Of these, debentures for £40,000 and £32,000 were paid off from advances by the Secretary of State in England on 1st July 1911 and 1st July 1915, respectively.]

The Company reimburses the Government any amount by which the interest payable under the guarantee may exceed Rs. 96,000 in any one year.

All sums advanced by the Government after the 31st December 1900 bear interest at the rate of 3½ per cent per annum.

- (iii) *Terms of working*.—The Lucknow-Bareilly railway is worked in conjunction with the Company's own line, a joint account of working expenses being kept. Joint working expenses account includes—

- (1) any item of capital expenditure not exceeding Rs. 1,000 classed as "minor work" subject to a maximum charge on such account of Rs. 15 per mile of railway open per half-year, and
- (2) a payment to Government of Rs. 20 per mile of railway open to traffic per half-year for audit and supervision.

The joint working expenses of the open system are divided between—

- (a) the Company's original line and "the Additional Main Line Works,"
- (b) the Lucknow-Bareilly railway and "the State Line Works," and
- (c) "the Branch Railways" and "the Branch Line Works,"

ROHILKUND AND KUMAON RAILWAY SYSTEM—*contd.*

Rohilkund and Kumaon railway (3' 3½" gauge)—*contd.*

Main provisions of contracts—*contd.*

in proportion to the respective gross earnings of those three classes.

- (iv) *Distribution of profits.*—The earnings of the Company's original line and "the Additional Main Line Works," after payment of all working expenses, are applied in the following order :—

- (a) in payment of contribution to Provident Fund contingent on net earnings,
- (b) in payment of interest on the Company's Main Line Stock (being part of the Joint Debenture Stock),
- (c) in payment of interest on borrowed capital, and
- (d) in payment of interest at 6 per cent per annum on the *bond file* paid-up share capital of the Company.

The surplus is divided equally between the Government and the Company.

The net earnings of "the Branch Railways" and of "the Branch Line Works" belong absolutely to the Company, without any right of the Secretary of State to participate therein, subject only to the payment thereof of contribution to Provident Fund contingent on net earnings and interest on the Company's Branch Line Stock (being part of the Joint Debenture Stock).

The net earnings of the Lucknow-Bareilly railway and "the State Works", *i.e.*, of the undertaking, are applied in the following order :—

- (a) in payment of contribution to Provident Fund contingent on net earnings,
- (b) in payment of the interest at 4 per cent per annum on the State Stock (being part of the Joint Debenture Stock), except interest on such portion of the State Stock as may for the time being be appropriated for lines under construction, which latter is charged to capital till the close of the half-year next after the opening of lines to traffic,
- (c) in payment of the interest on the debentures of £147,000 issued by the Company in 1890 and of interest at 4 per cent per annum on any further capital supplied by the Company or advanced by the Government for the purposes of the undertaking (3½ per cent per annum on Government advances subsequent to the 31st December 1900),
- (d) in payment to the Government of interest at 4 per cent per annum on the value at cost price of the railways, rolling-stock, plant, machinery and land handed over to or retained by the Company on the 1st January 1901 (standing to debit of Part I of the Capital Account), and
- (e) the residue is divided between the Government and the Company in the ratio of their respective shares of capital in the undertaking.

[Note 1.—The State Stock (part of Joint Debenture Stock), excluding and except so much of it as is appropriated for the construction of the Pilibhit-Baramdep railway, does not participate in profits either as Government capital or as Company's capital.]

[Note 2.—The amount advanced by the Secretary of State to pay off debentures for £22,000 (part of £147,000 note (ii) above and note in connection therewith) does not affect the capital of either the Secretary of State or the Company for the purposes of division of surplus profits of the Lucknow-Bareilly railway.]

(v) Rates and fares.—

Maxima :— Company's lines :—

Passengers :—

Goods :—

1st class, 3 annas per mile.
Lower class, 4½ pias per mile.

Luggage, 2 pias per maund per mile.

Edible grains, 4rd pie per maund per mile.
Other goods, 2 pias per maund per mile.

Parcels and live-stock at rates not exceeding 50 per cent over rates on the East Indian railway.

On the Branch railways food grains and salt are to be carried at rates, not less than the minimum for goods, as the Government may fix; and fuel for distances exceeding 100 miles on the Branch railways, or on any part thereof together with any part of the other railways belonging to or worked by the Company at a rate not exceeding 4th pie per maund per mile.

Lucknow-Bareilly railway and branches :—

The Government to authorise, from time to time, maximum and minimum rates, and to prescribe the classification of passengers and goods, as well as the extent to which, within the maxima and minima, the Company may vary such rates.

For traffic between the joint line (Bareilly-Bhojpepura) and the Company's own line, the rates in force on the latter may be levied, except in the case of food grains and salt, and of fuel carried

ROHILKUND AND KUMAON RAILWAY SYSTEM—contd.

Rohilkund and Kumaon railway (3' 3½" gauge)—contd.

Main provisions of contracts—contd.

for distances exceeding 100 miles; for the former the rates will not be less than the minimum for goods fixed by Government, and for the latter the rates will not exceed 4th pie per manud per mile.

(vi) Special obligations as to the conveyance of.—

- (a) Mails.—On the Company's original line, to be conveyed on payment of Rs. 5,000 half-yearly. On the extensions of the Company's original line (Additional Main Line Works), the Company is to receive a reasonable remuneration in lieu of the sum of Rs. 5,000 above noted.

On the Lucknow-Bareilly railway and branches, on the same general conditions as are for the time being in force on other 3' 3½" gauge State railways, and at rates to be approved by the Government.

- (b) Troops, police, high Government officials and Government stores.—

On the Company's lines, at the ordinary tariff rates charged to the public.

On the Lucknow-Bareilly railway and branches, on the same general conditions as are for the time being in force on other 3' 3½" gauge State railways, and at rates to be approved by the Government.

- (c) Government bullion and coin, and the persons in charge thereof.—

On the Company's lines at special rates to be from time to time agreed upon between the Government and the Company.

On the Lucknow-Bareilly railway and branches, at special rates to be approved by the Government.

(vii) Power of the Government to determine contract.—

Contract of 1882: The Government may terminate the contract at the end of the 50th year, *i.e.*, on the 31st December 1932, by giving 12 months' notice. If the contract terminate by such notice, or by the efflux of time, the Government are to pay to the Company 25 times the average net earnings, less the Government share of surplus profits, during the 5 years immediately preceding either the date of the termination or (at the option of the Government) the 31st December 1912.

[Note.—The cost of making good any shortcomings which render the value of the line not commensurate with the capital expended may be deducted from the purchase price payable.]

The Government may also determine the contract at any time on 6 months' notice (called the "Notice of Determination") if the Company fail to observe its obligations, on payment of the value of the permanent-way, stock and plant, or may call upon the Company to accept the same in lieu of payment, in which latter case the Company must remove its property within 9 months from the termination of the contract, otherwise it becomes the property of the Government.

Contract of 1890: If the original contract with the Company, dated the 12th October 1882, terminate for any reason, then the contract for the working of the Lucknow-Bareilly railway *ipso facto* terminates at the same time. The Government may terminate the contract on the 31st December 1932, or on the 31st December in any subsequent year, by giving 12 months' notice. The Government may also determine the contract on 6 months' notice (called the "Notice of Determination") if the Company fail to observe its obligations.

On the determination of the contract the Government will resume possession of the State railway, and at their option will either repay the capital that has been received from the Company for the purposes of the undertaking, or will take over the liability of the Company in respect of such capital. If the capital is repaid, the payment may, at the option of the Government, be made either in England or in India.

Contract of 1904: If the original contract with the Company, dated the 12th October 1882, terminate either by "Notice of Purchase" or by the efflux of time, then the contract of 1904 terminates at the same time, in which case the Government are to pay to the Company 25 times the average net earnings of the Lalkua-Kashipur-Moradabad-Ramnagar branches during the 5 years immediately preceding the termination, provided such sum does not exceed by more than 20 per cent, nor be less than, the capital expenditure on those railways.

[Note.—The cost of making good any shortcomings which render the value of the line not commensurate with the capital expended may be deducted from the purchase price payable.]

The Government may also determine the contract at any time on 6 months' notice (called the "Notice of Determination") if the Company fail to observe its obligations, on payment of the value of the permanent-way, stock and plant, or may call upon the Company to accept the same in lieu of payment, in which latter case the Company must remove its property within 9 months from the termination of the contract, otherwise it becomes the property of the Government.

Contract of 1909: By clause 18 of the contract of the 24th March 1909, if either the contract of 1890 be determined from any cause or that of 1909 be determined by "Notice of Purchase" as far as each relates to "the State lines", but not further or otherwise, then the other of the two contracts *ipso facto* terminates at the same time.

ROHILKUND AND KUMAON RAILWAY SYSTEM—*contd.*

Rohilkund and Kumaon railway (3' 3½" gauge)—*contd.*

Main provisions of contracts—*contd.*

By clause 19 of the contract of the 24th March 1909, that contract so far as it relates to "the Scheduled Company's Works" (the Pilibhit-Shahjahanpur line), in common with the contract of 1904 terminates *ipso facto* with the determination by "Notice of Purchase" of the Company's original contract of the 12th October 1882, the Government, however, only having the power to purchase "the Company's original line", "the Branch railways" and "the Scheduled Company's Works" collectively, not any of them separately from the other or others of them.

By clause 20 of the contract of the 24th March 1909—

- (a) the contract of 1909 so far as it relates to "the Additional Main Line Works" terminates *ipso facto* with the determination by "Notice of Determination" of the Company's original contract of the 12th October 1882,
- (b) the contract of 1909 so far as it relates to "the Branch Line Works" terminates *ipso facto* with the determination by "Notice of Determination" of the contract of 1904, except as noted above against clauses 18 and 20 of the contract of 1909 and also except as provided for in clause 77 of the contract of 1890, the several powers of the Government to determine by "Notice of Determination" the contracts respectively of 1882, 1890 and 1904, and also that of 1909 so far as they relate to "the State Line Works" to "the Additional Main Line Works" and to "the Branch Line Works", remain separate and unaffected, and are exercisable as to any one or parts thereof independently and without prejudice as to the continuance of the others or parts thereof, in the event of the Company failing to observe its obligations contained in the contract or part of the contract which it is sought to determine: provided that the powers of the Government to determine, by "Notice of Determination", the contract of 1909 so far as it relates to "the Additional Main Line Works" and to "the Branch Line Works" are exercisable separately in respect of any line or branch forming an independent part of such works, if the Company fail to observe its obligations in regard thereto.

(viii) Power of the Company to surrender contract.—Nil.

(ix) Term of contract.—Those of 1882, 1901 and 1909, up to the 31st December 1981; that of 1890, up to the 31st December 1932.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.	REMARKS.
1	2	3	4	5	6	7	8	9
1884	Miles 55-00	Rs. 19,40,266	Rs. 36,543	Rs. 1,733	0-69	51	95-28	Net earnings from 1885 to 1894 include an annual subsidy of Rs. 40,000.
1885	55-00	21,71,124	2,39,572	80,153	3-69	68	66-40	
1886	55-00	22,52,962	3,00,101	1,23,832	5-50	86	58-75	
1887	55-00	22,91,619	3,19,274	1,16,890	5-10	92	63-42	
1888	55-00	23,40,100	3,31,062	1,32,120	6-07	96	57-46	
1889	55-00	21,66,621	3,72,870	1,60,135	6-68	107	56-98	
1890	55-00	21,17,052	5,14,894	1,51,063	6-25	90	52-04	
1891	53-92	20,49,458	3,85,064	1,60,081	7-81	112	58-43	
1892	53-92	20,38,575	4,35,648	1,97,760	9-61	127	54-30	
1893	53-92	20,82,280	4,75,909	1,83,180	8-90	124	56-99	
1894	53-92	20,80,410	4,39,313	2,15,191	10-34	134	53-15	
1895	53-92	20,78,351	4,04,504	1,52,209	7-32	118	62-37	
1896	53-92	20,79,803	4,26,005	1,53,821	7-40	125	63-96	
1897	53-92	21,26,428	4,33,720	1,72,319	8-13	124	59-83	
1898	53-94	21,32,552	4,62,608	1,50,758	10-50	135	52-24	
1899	53-92	21,48,133	4,65,623	1,10,820	10-89	136	49-74	
1900	53-92	21,53,125	4,87,572	2,28,048	10-50	128	47-58	
1901	53-92	22,60,438	3,84,714	2,06,886	9-50	112	45-38	
1902	53-92	23,36,911	4,10,626	2,15,717	9-34	120	46-83	
1903	53-92	25,89,790	4,33,147	2,30,403	8-81	121	46-65	
1904	53-92	43,55,572	1,18,787	3,24,468	5-15	122	46-41	
1905	53-92	93,34,359	4,40,664	1,54,126	1-65	129	65-02	The decrease in net earnings in 1905 is due to the heavy outlay on relaying the main line.
1906	117-87	1,16,53,510	8,03,607	3,65,181	3-18	124	54-56	
1907	117-87	1,38,55,065	10,67,928	5,08,596	4-45	158	48-67	
1908	202-85	1,56,37,271	11,44,073	5,56,193	4-43	102	51-21	
1909	202-06	1,86,93,877	12,70,920	6,26,911	4-57	121	50-71	
1910	202-06	1,52,28,920	13,66,150	7,62,425	5-00	128	48-56	
1911	225-20	1,39,24,548	14,73,598	7,99,809	5-03	128	45-72	
1912	235-32	1,62,90,858	16,99,870	11,81,734	4-94	144	59-37	
1st yr. of 1913	235-32	1,63,05,789	4,88,833	2,59,541	1-73	107	58-76	
1913-14	256-32	1,67,73,684	18,84,583	10,67,858	6-80	141	43-68	
1914-15	256-62	1,89,35,647	15,58,478	7,39,633	4-37	117	59-54	
1915-16	258-54	1,69,99,923	17,95,863	9,13,098	5-37	128	47-09	
1916-17	258-72	1,69,41,847	18,90,718	11,11,576	6-55	141	41-30	
1917-18	258-72	1,63,16,023	21,63,763	12,19,547	7-25	161	45-76	

ROHILKUND AND KUMAON RAILWAY SYSTEM—*contd.*

Lucknow-Bareilly railway (3' 3½" gauge).

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Lucknow to Sitapur	15-11-86	55.00		
Sitapur to Lakhimpur	15-4-87	26.50		
Lakhimpur to Gola Gokaran Nath	15-12-87	21.50		
Gola Gokaran Nath to Pilibhit	1-4-91	57.55		
Pilibhit to Bhojepsura	15-11-84	24.00		
Bhojepsura to Bareilly	12-10-84	10.00		
Branches and extensions—			100.55	
Bareilly grain siding	1-4-94	1.75		
Kaurialaghat extension—			1.75	
Mailani to Sarda	1-1-93			
Sarda to Sobela	10-3-93	30.78		
Sobela to Sonaripur	18-3-94			
Sonaripur to Kaurialaghat	2-1-11	20.54		
Chandan Choki extension—			51.32	
Dudhwa to Chandan Choki	1-4-08	7.57		
Gauri Phanta extension—			7.57	
Dudhwa to Gauri Phanta	15-1-14	14.40		
Barmdee extension—			14.40	
Pilibhit to Barmdeo	15-3-12	38.75		
			38.75	
GRAND TOTAL	312.48

Details of construction—*Permanent-way.*—The permanent-way consists of 4½-lb. and 50-lb. steel rails on sal sleepers.*Ballast.*—The ballast consists of broken brick, kunkur and shingle.*Fencing.*—The line is partially fenced.*Curves.*—There is only one curve with a radius of less than 1,000 feet.*Gradients.*—The ruling gradient between Lucknow and Bareilly is 1 in 500, except near Lucknow and Bareilly, where it is 1 in 200; between Mailani and Kaurialaghat, 1 in 400 and between Dudhwa and Chandan Choki, 1 in 100.**Contracts—****Main provisions of contracts—** } As noted under Rohilkund and Kumaon railway (3' 3½" gauge).

ROHILKUND AND KUMAON RAILWAY SYSTEM—contd.

Lucknow-Bareilly railway (3' 3½" gauge)—contd.

Statistics of working. (Those for the periods prior to 1891 will be found in Appendix 88 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including response, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Company's share of surplus profits (based on terms of contract) attributable to each year.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	Rs.	
1891	198-98	79,17,848	4,95,068	1,72,145	2-17	2,72,055	—	—99,910	56	65-28
1892	198-32	81,68,804	8,82,848	2,71,601	8-36	3,07,681	10,638	—45,588	68	58-79
1893	222-05	88,89,802	7,28,478	2,75,541	3-26	3,26,776	3,405	—36,734	67	82-47
1894	231-17	85,92,158	9,72,869	3,94,240	4-59	3,45,323	24,180	+24,737	88	59-45
1895	231-17	87,32,466	8,25,034	3,13,116	3-59	3,46,546	15,843	—59,314	74	64-00
1896	231-17	89,05,482	8,27,659	3,02,071	3-37	3,48,285	13,415	—60,829	75	66-30
1897	231-17	90,02,774	8,27,371	3,35,776	3-61	3,61,550	11,570	—97,344	75	59-48
1898	231-17	94,90,475	10,54,088	5,90,290	5-27	3,64,852	18,058	+67,290	94	51-03
1899	231-17	94,97,48	12,72,160	6,33,355	6-07	3,65,537	1,28,640	+1,42,175	114	50-81
1900	231-17	99,31,432	12,53,801	6,51,957	6-57	3,73,097	1,34,915	+1,43,945	407	48-00
1901	231-17	1,01,82,343	19,72,529	7,58,124	7-44	3,91,796	75,769	+2,90,559	123	44-75
1902	231-17	1,12,98,019	14,63,292	7,93,568	6-21	4,23,528	67,704	+2,78,338	132	47-05
1903	237-04	1,15,01,911	14,03,269	7,48,689	6-51	4,53,895	53,222	+2,41,642	126	46-45
1904	237-04	1,17,14,505	14,96,129	7,97,671	6-81	4,48,326	61,424	+2,87,917	138	46-68
1905	237-04	1,17,99,857	15,47,488	8,20,292	6-96	4,58,448	65,048	+3,05,196	138	46-96
1906	237-04	1,20,00,658	16,55,250	8,36,782	8-97	4,57,546	65,252	+3,19,942	148	49-46
1907	237-04	1,24,50,395	16,97,182	9,07,863	7-29	4,19,611	73,220	+4,16,023	150	46-56
1908	237-04	1,27,50,545	18,15,542	7,89,747	6-12	4,50,365	49,511	+2,81,871	131	81-07
1909	237-04	1,43,82,316	17,17,401	7,84,740	5-46	4,11,181	44,700	+9,28,919	159	54-31
1910	237-04	1,60,00,737	18,25,185	10,15,746	6-32	4,75,538	69,864	+4,59,524	148	46-18
1911	257-57	1,72,02,079	19,40,458	10,41,694	6-07	5,07,263	74,720	+4,62,821	152	46-27
1912	296-32	1,83,58,312	22,07,946	13,87,532	7-45	5,66,969	1,21,088	+8,90,430	137	39-70
1913	296-32	1,87,59,973	6,65,878	4,06,008	2-18	1,65,812	32,297	+2,07,809	43	89-03
1913-14	298-02	1,91,50,007	22,50,219	12,45,837	6-49	6,81,031	74,936	+4,56,870	148	44-64
1914-15	312-51	2,03,30,297	19,40,856	9,79,920	4-35	7,07,500	19,655	+1,62,675	119	54-66
1915-16	312-51	2,09,77,094	20,17,355	10,15,377	5-05	7,39,732	34,141	+2,41,504	124	49-67
1916-17	312-51	1,98,31,634	23,98,460	13,90,009	7-01	7,21,891	87,524	+5,50,104	143	42-05
1917-18	312-45	1,99,51,236	27,04,847	15,02,723	7-57	7,21,984	1,63,282	+6,67,477	196	44-44

Powayan Light railway (2' 6" gauge)

The line was constructed originally by the Powayan Steam Tramway Company and the maintenance and working were taken over by the Rohilkund and Kumaon Railway Company from 17th December 1900. Date of registration of the Company.—22nd April 1887.

Progress in opening—

	Sections of railway.		Date of opening.	Miles.	Total.
	1	2			
Shahjahanpur to Powayan	.	.	17-6-80	17-16	
Powayan to Khotar	.	.	19-5-91	13-58	
Khotar to Mailani	.	.	25-12-94	7-92	
TOTAL	38-66

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails, weighing 24-lb. to the yard, laid on slt sleepers.

Ballast.—The line is ballasted with earth.

Fencing.—The line is unfenced except at Shahjahanpur station.

Curves.—There are no curves with a radius of less than 300 feet.

Gradients.—The line is not graded.

Local Government orders and contracts—

Powayan Steam Tramway Company Order, 1889, published under Notification by the Government of the North-Western Provinces and Oudh (now United Provinces of Agra and Oudh), No. 1893-W. R., dated the 18th December 1889, authorising the construction of a steam tramway from Shahjahanpur railway station on the Oudh and Rohilkhand railway to Khotar.

"Further Order" of the Powayan Steam Tramway Company, 1894, published under Notification by the Government of the North-Western Provinces and Oudh (now United Provinces of Agra and Oudh), No. 118—17-W. R., dated the 23rd April 1894, authorising the construction of an extension of the Powayan Steam Tramway from Khotar to Mailani railway station on the Lucknow-Bareilly railway.

Contract, dated the 1st July 1901 (called the Tramway Company's contract), between the Secretary of State and the Powayan Steam Tramway Company, as to handing over to the Secretary of State, or to the Working Agency appointed by him, the Tramway for maintenance, management and working.

ROHILKUND AND KUMAON RAILWAY SYSTEM—contd.

Powayan Light railway (2' 6" gauge)—*conold.*

Local Government orders and contracts—*conold.*

Contract, dated the 6th November 1902 (supplemental to the contracts of 1882, 1890, 1892 and 1901, noted under Rohilkund and Kumaon railway), between the Secretary of State and the Rohilkund and Kumaon Railway Company, as to the maintenance, management and working of the Powayan Steam Tramway.

Contract, dated the 18th July 1906, between the Secretary of State and the Rohilkund and Kumaon Railway Company, as to the provision of monies for capital expenditure, and acquisition by the Railway Company of interest in the Powayan Steam Tramway Company.

Contract, dated the 16th January 1912 (supplemental, or to be read as an annexure, to the contract of 1901), between the Secretary of State and the Powayan Steam Tramway Company, as to certain alterations and modifications in the provisions of clauses 2 and 18 of the contract of 1901 in regard to its determination.

Contract, dated the 17th May 1914 (supplemental, or to be read as an annexure to the contracts of 1901, 1902 and 1912), between the Secretary of State of the first part, the Powayan Steam Tramway Company of the second part and the Rohilkund and Kumaon Railway Company of the third part modifying the terms of the working agency agreement of 1st July 1901 as to half-yearly dates for making up the accounts.

Main provisions of Local Government orders and contracts—

- (i) *Land.*—Provided at the cost of the Company, other than the portion of the provincial road which the Company is authorised to use.
- (ii) *Government aid.*—The line, subject to interests acquired therein by the Rohilkund and Kumaon Railway Company, is the property of the Powayan Steam Tramway Company, and is managed, maintained and worked by the Rohilkund and Kumaon Railway Company on behalf of the Government.
- (iii) *Terms of working.*—The working agency retains 70 per cent of the gross earnings of the tramway until the line is fully equipped, and thereafter the same percentage as that at which the Rohilkund and Kumaon Railway Company's "open system" is worked, subject to a minimum of 60 per cent.
[Note.—The percentage so retained by the working agency is in full satisfaction of the cost of petty works, rolling-stock, plant and machinery costing not more than Rs. 200, subject to the limit of Rs. 20 per mile per half-year. The cost of petty works, rolling-stock, plant and machinery exceeding these limits is to be borne by the Capital Account of the Tramway Company.]
- (iv) *Distribution of profits.*—After payment of working expenses as above noted and contributions to the Working Agency's Provident Fund, the balance of the gross earnings, if any, are paid over to the Tramway Company.
- (v) *Rates and fares.*—To be those from time to time applicable to the Lucknow-Bareilly railway.
- (vi) *Special obligations as to the conveyance of.*—
 (a) Mails, police, troops, high Government officials and Government stores.— } Not specified.
 (b) Government hulkion and coin, and the persons in charge thereof.— }

- (vii) *Power of the Government to determine contract.*—Government may terminate the contract on the 31st December 1932, or on the 31st December in any subsequent year but not earlier, on 12 months' notice given. Government may also terminate the contract at any time, on 6 months' notice, if the Company fails to observe its obligations.

Government also have the option, on giving 12 months' notice to the Tramway Company, after the Shahjahanpur-Khotar section has been open for public traffic for 15 years and the Khotar-Mailani section for 10 years, and thereafter at terms of 7 years each, to take over the tramway on paying the Tramway Company the value of the property as a dividend-earning investment at the date of giving such notice, with an additional bonus of 20 per cent over and above such value.

- (viii) *Power of the Company to surrender contract.*—Nil.

- (ix) *Term of contract [if not determined under (vii)].*—Up to the 31st December 1932.

statiation of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1937).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	39.50	8,94,801	81,450	33,292	3.60	40	60.28
1907	39.50	8,94,801	81,687	35,352	4.06	45	60.35
1908	39.50	8,94,801	95,285	37,720	4.22	46	60.31
1909	39.50	8,94,801	1,02,682	40,737	4.55	50	60.33
1910	39.50	8,94,801	1,01,188	40,213	4.49	49	60.26
1st qtr. of 1915	39.50	8,94,801	90,797	38,222	0.92	44	60.27
1913-14	39.50	8,94,801	97,968	38,675	4.24	48	60.32
1914-15	39.50	8,94,801	93,689	38,144	3.78	40	60.40
1915-16	39.50	8,94,801	94,352	38,685	4.28	47	60.40
1916-17	38.88	8,94,801	1,00,729	39,985	4.47	49	60.30
1917-18	38.88	8,94,801	1,00,378	40,623	4.34	50	60.28

UDAIPUR-CHITORGARH RAILWAY (3' 3½" gauge).

The line was constructed at the expense of the Mewar Durbar, and was maintained and worked by the Bombay, Baroda and Central India Railway Company up to the 31st December 1897. With effect from 1st January 1898 the maintenance and working of the line were taken over by the Durbar.

Running powers—

Home line over Foreign line.—

Bombay, Baroda and Central India railway, 3' 8½" gauge, Berach Signal station to Chitorgarh

Miles.
1·42

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Berach near Chitorgarh to Debari near Udaipur	1-8-95	60·39	
Separate station at Chitorgarh	15-8-93	0·47	
Debari to Udaipur	25-3-99	6·44	
TOTAL	67·30

Details of construction—

Permanent-way.—The permanent-way consists of 41½-lb. flat-footed steel rails laid on deodar sleepers.

Ballast.—The ballast consists of broken stone.

Fencing.—The line is fenced round stations and between Udaipur and Dehari.

Curves.—On the Berach-Dehari section the sharpest curve is of 1,146 feet radius; and on the extension from Debari to the Ahr river, near Udaipur, at the 61st mile, the sharpest curve has a radius of 820 feet.

Gradients.—The ruling gradient is 1 in 120, except on the section Debari to Udaipur where it is 1 in 100.

Contracts—

Nil.—The line is owned and worked by the Mewar Durbar.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	67·30	20,77,554	2,38,916	1,18,044	5·68	68	50·39
1909	67·30	20,96,895	2,43,050	1,24,855	5·95	69	48·82
1910	67·30	20,97,410	2,52,090	1,33,470	6·36	72	47·05
1911	67·30	21,15,931	2,64,208	1,53,302	7·24	81	45·97
1912	67·30	21,95,945	3,05,495	1,57,311	7·16	87	43·50
1st yr. of 1913	67·30	22,96,066	91,789	54,923	2·48	104	60·48
1913-14	67·30	22,54,136	3,19,135	1,65,944	7·40	91	49·18
1914-15	67·30	23,40,304	2,65,532	1,07,157	4·78	78	59·34
1915-16	67·30	23,59,354	3,24,163	1,53,018	6·77	93	53·73
1916-17	67·30	22,77,059	8,75,018	1,91,929	8·43	107	48·80
1917-18	67·30	32,94,476	2,76,293	1,31,248	5·73	78	58·45

AHMADPUR-KATWA RAILWAY (2' 6" gauge)*Date of registration of the Company.*—3rd November 1915.

Sanction to the construction of this line by the Ahmadpur-Katwa Railway Company was conveyed in Railway Board's Notification No. 314, dated the 16th November 1914.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Ahmadpur to Pachandi	30-5-17	24.62	
Pachandi to Katwa	29-9-17	7.64	
TOTAL	32.26

Details of construction—

Permanent-way.—The permanent-way consists of new 35-lb. flat-footed and 2nd hand 55-lb. rails laid on s&l sleepers.

Ballast.—The line is ballasted with moorum, except in station yards and on open top bridge approaches where stone or brick ballast is used.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Contract—

The line was constructed and is being worked under the terms of a contract between the Secretary of State and the Ahmadpur-Katwa Railway Company which is under consideration.

Statistics of working—

Year.	Miles open at end of the year.	Total capital outlay, including suspense, to end of the year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Guaranteed interest recoverable from Government.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
1917-18	Miles. 32.26	Rs. 19,50,145	Rs. 54,497	Rs. —780	...	30,170	22,390	1.51	Rs. 43	Rs. 101.45

AMBAJI-TARANGA LIGHT RAILWAY (2' 6" gauge).*Date of registration of the Company.*—1st September 1905.

The construction of this line by the agency of the Ambaji-Taranga Light Railway Company was authorised by the Railway Board in their letter No. 1693-R. C., dated the 8th July 1911.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Varetha Junction to Baroda Frontier	...	1'64	
Baroda Frontier to Samna	...	18'86	
TOTAL	20'50

ARAKAN LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—16th October 1916.

The construction of the line, from Butkidaung to Maungdaw, by the Butkidaung-Maungdaw Tramway Company having fallen through, the formation of a new Branch Line Company for taking over and completing the line was authorised in Railway Board's letter No. 19 P.-16, dated the 8th March 1916. The Company formed is known as the Arakan Light Railway Company, after which the undertaking has been named.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Butkidaung to Maungdaw (sanctioned on 6th June 1911)	...	18.50	18.50

ARRAH-SASARAM LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—19th October 1909.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Arrah to Sasaram	6-8-11	60.50		
Sasaram to Tarachandi Hill	12-11-14	4.66		*For goods traffic only.
TOTAL	65.16	

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rails on s&l sleepers.

Ballast.—The line is ballasted with broken stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 573 feet radius, between Arrah and Sasaram and 150 feet between Sasaram and Tarachandi Hill.

Gradients.—The ruling gradient is 1 in 250, between Arrah and Sasaram and 1 in 100 between Sasaram and Tarachandi Hill.

Local Government orders and agreements—

The Arrah-Sasaram Tramway Company order published under the Bengal Government, Railway Department, Notification No. 39 R., dated the 12th October 1909, authorising the construction of a line from Arrah to Sasaram in the district of Shahabad.

Agreement, dated the 15th October 1909, between the District Board of Shahabad and Messrs. Martin and Company of Calcutta (called "the Promoters") by and on behalf of the Arrah-Sasaram Light Railway Company, as to the grant of a concession to the Company of the right to construct and work the line.

Agreement, dated the 30th October 1912 (supplemental to the agreement of 15th October 1909), between the District Board of Shahabad and the Arrah-Sasaram Light Railway Company ;

The Arrah-Sasaram Tarachandi Hill extension order published under the Bihar and Orissa Government, Railway Department, Notification No. 4760 R., dated the 8th September 1913 ;

as to the construction, maintenance and working of the extension from Sasaram to Tarachandi Hill as a part of the Arrah-Sasaram Light railway.

Main provisions of Local Government orders and agreements—

- (i) *Land.*—Provided at the cost of the Company, except one side of the district road the free use of which is authorised.
- (ii) *Aid by the Local authority.*—The District Board of Shahabad recommend and apply to the Local Government to exempt the Company from the tax on account of road cess, or to exact only a nominal tax, for a period of 21 years from the date when the line is opened for traffic, with power of renewal. The Board also guarantee to supplement the net earnings of the Company by such annual subsidy as may be necessary to allow of it paying a dividend of 4 per cent per annum on their share capital, provided that the total liability of the Board on this account in any one year shall not exceed Rs. 85,000 or the sum of 4 per cent on the Company's share capital whichever is less.
- (iii) *Distribution of profits.*—Surplus profits in excess of 4 per cent on the capital for the time being of the Company are divisible equally between the District Board of Shahabad and the Company.
- (iv) *Rates and fares.*—Certain maximum rates of fares for passengers and the adoption of the General Classification of goods with separate maximum and minimum rates for goods of the different classes have been prescribed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of.*—
 - (a) Mails, postal officers and servants on duty.—To be conveyed at the rates and on the conditions in force from time to time on State railways.
 - (b) Troops, police, high Government officials and Government stores.—
 - (c) Government hullion and coin, and the persons in charge thereof.—
- (vi) *Power of the Local authority to determine agreement.*—Upon the expiration of 21 years from the date of the Local Government order authorising the construction of the line, or at the end of every 7 years thereafter, the District Board have, by giving six months' previous notice, the right of purchasing the line by paying to the Company 25 times the yearly average net earnings of the 3 years preceding the purchase, subject to a maximum of 120 and a minimum of 100 per cent of the capital cost.

ARRAH-SASARAM LIGHT RAILWAY (3' 6" gauge)—*concl'd.*

Main provisions of Local Government orders and Agreements—*concl'd.*

(vii) *Power of the Company to surrender agreement.*—Nil.

(viii) *Term of agreement [if not determined under (vi)].*—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Subsidy from (+), or share of surplus profits to (—), the District Board.	Total income [column 7 + column 6]	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1911	60'50	20,75,772	1,33,386	44,286	2'13	+15,581	59,867	2'68	45	66'79
1912	60'50	21,98,127	1,72,469	59,379	2'71	+21,505	81,184	3'09	54	65'54
1st qtr. of 1913.	60'50	22,05,708	45,682	16,472	0'75	+4,681	21,153	0'95	58	63'94
1913-14	60'50	22,31,435	1,94,799	71,403	3'20	+17,932	89,335	4'00	61	63'37
1914-15	65'28	22,74,782	2,12,951	88,320	3'88	+253	88,573	3'89	65	58'50
1915-16	66'16	23,88,079	1,98,059	79,328	3'46	+13,256	92,584	4'04	58	59'01
1916-17	68'10	22,67,336	2,36,342	1,00,239	4'42	—	1,00,239	4'42	67	55'70
1917-18	65'16	22,67,557	2,53,527	1,36,341	6'01	—7,394	1,28,947	5'68	74	46'23

BANGALORE-CHIK BALLAPUR LIGHT RAILWAY (2' 6" gauge).

This railway is an enterprise by an Indian Company floated for the purpose under a guarantee from the Mysore Durbar of 4 per cent per annum on the subscribed capital. Its construction was sanctioned by the Secretary of State for India in his Despatch No. 75 Railway, dated the 10th September 1909. As the Company was unable to raise the entire capital, the Durbar undertook to advance the balance of capital as joint owners of the railway and gave the Company the option of paying back the amount later on.

Running power—

Home line over foreign line—

Yewantpur to Yelahanka, Madras and Southern Mahratta (3' 3½" gauge) railway, with the help of a 3rd rail. Miles. 6.85

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Remarks.
1	2	3	4	5
Bangalore City to Yewantpur	7-1-18	3.50		
Yewantpur to Yelahanka	1-2-17	4.50		
Yelahanka to Devanahalli	15-9-14	14.61		*This is on a mixed (3' 3½" and 2' 6") gauge.
Devanahalli to Chik Ballapur	1-6-15	14.23		
TOTAL OPEN MILEAGE	38.74	

Details of construction—

Permanent-way.—The permanent-way consists of second-hand 4½ lb. flat-footed steel rails, purchased from the Madras and Southern Mahratta Railway Company, laid on steel sleepers. Teak sleepers have been used in station yards.

Ballast.—The line is for the present packed upon gravel ballast.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 1,146 feet radius.

Gradients.—The steepest gradient is 1 in 100.

Agreement—

The line has been constructed and is being worked by the Mysore Durbar on behalf of the Company under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1914-15	14.72	7,90,164	53,803	18,397	Information not available.	35	64.96
1915-16	28.65	10,18,739	71,660	16,226		39	17.21
1916-17	85.24	9,11,740	1,06,542	35,132		56	68.34
1917-18	88.74	11,57,684					

BANKURA-DAMOODAR RIVER RAILWAY (2' 6" gauge).*Date of registration of the Company.*—30th March 1914.

Sanction to the construction of this line by the Bankura-Damoodar River Railway Company was conveyed in Railway Board's Notification No. 103, dated the 1st May 1914.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	
Bankura to Indas	15-12-16	42'84	
Indas to Fakirpur	1-4-17	11'66	
Fakirpur to Bainagar	6-6-17	5'95	
TOTAL	59'95

Details of construction—

Permanent-way.—The permanent-way consists of 85-lb. flat-footed British standard section rails laid on sal sleepers.

Ballast.—Moorum is used on embankment and brick in cuttings.

Fencing.—The line is unfenced.

Curves.—The sharpest curve in station yards has a radius of 573 feet.

Gradients.—The ruling gradient is 1 in 150.

Contract—

The line was constructed, and is being worked, under the terms of a contract, between the Secretary of State and the Bankura-Damoodar River Railway Company, which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Guaranteed interest recoverable from Government.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.					Rs.	
1916-17	42'60	33,93,875	22,423	2,485	0'07	10	89'92
1917-18	59'95	35,57,279	1,28,046	6,928	0'19	58,499	66,417	1'87	41	94'33

BARASET-BASIRHAT LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—30th July 1903.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total	Grand total.
1	2	3	4	5
Main line—				
Baraset to Basirhat	1-2-05	28-00	34-50	
Basirhat to Chingrighata	2-3-09	8-50		
Shantinagar branch—				
Beliaghata Bridge to Pattipooker	16-3-10	16-02	17-74	
Pattipooker to Belgatchig (Shantinagar)	12-10-14	1-12		
GRAND TOTAL	52-24

Details of construction—

Permanent way.—The permanent way consists of 30-lb. flat-footed steel rails on pynkado, sâl and Australian jarrah wood sleepers.

Ballast.—The line is ballasted with broken brick.

Fencing.—The line is unfenced.

Curves.—The sharpest curve has a radius of 400 feet.

Gradients.—The ruling gradient is 1 in 250.

Agreements and Local Government orders—

Agreement, dated the 14th December 1897 (called the principal agreement), between the District Board of the 24-Parganas and Messrs. Martin and Company on behalf of the Baraset-Basirhat Tramway Company, Limited, as to the grant of a concession to the Tramway Company by the District Board;

Agreement, dated the 14th May 1902 (supplemental to the agreement of 1897), between the District Board of the 24-Parganas and Messrs. Martin and Company on behalf of the Baraset-Basirhat Tramway Company, Limited, modifying clause 4 of the agreement of 1897;

The Baraset-Basirhat Tramway Company order, published under the Bengal Government, Railway Department, Notification No. 56 R., dated the 15th May 1903;

Agreement, dated the 3rd August 1903, between the District Board of the 24-Parganas, Messrs. Martin and Company and the Baraset-Basirhat Light Railway Company, Limited, as to the adoption as between the Board and the new Railway Company of the agreement of 1897 as modified by the agreement of 1902, and as to the discharge of the Promoters from all liability thereunder or in respect thereof.

Agreement, dated the 6th November 1907 (supplemental to the agreements of 1897, 1902 and 1903), between the District Board of the 24-Parganas and the Baraset-Basirhat Light Railway Company, Limited;

The Baraset-Basirhat-Taki Extension order, published under the Bengal Government, Railway Department, Notification No. 22 R., dated the 23rd November 1907;

Agreement, dated the 21st December 1908 (supplemental to the agreements of 1897, 1902, 1903 and 1907), between the District Board of the 24-Parganas and the Baraset-Basirhat Light Railway Company, Limited;

The Baraset-Basirhat-Pattipooker Extension order, published under the Bengal Government, Railway Department, Notification No. 9 R., dated the 19th February 1909;

as to the construction, maintenance and working of the line from Baraset to Basirhat.

as to the construction, maintenance and working of the extension from Basirhat to Taki and Hosanabad as a part of the Baraset-Basirhat Light railway.

as to the construction, maintenance and working of an extension from Beliaghata bridge to Pattipooker, as part of the Baraset-Basirhat Light railway.

BARASET-BASIRHAT LIGHT RAILWAY (2' 6" gauge)—*concd.*Agreements and Local Government orders—*concd.*

- Agreement, dated the 7th August 1914 (supplemental to the aforesaid agreements) between the District Board of the 24 Parganas and the Baraset-Basirhat Light Railway Company, Limited; } as to the construction, maintenance and working of an extension of the line from Pattipooker to Belgatebia as part of the Baraset-Basirhat Light Railway.
- The Baraset-Basirhat-Belgatebia extension order, published under the Bengal Government, Railway Department Notification No. 12 R., dated the 25th August 1914.

Main provisions of agreements and Local Government orders—

- (i) *Land*.—Land, other than portions of the Calcutta-Jessore Road and the District Road between Baraset and Taki, the free use of which in perpetuity is authorised by the Local Government and the District Board, respectively, provided at the cost of Company's capital.
- (ii) *Aid by the District Board*.—The District Board recommend and apply to the Local Government either to exempt the Company from the road cess or to exact only a nominal tax for a period of 21 years from the date when the line is opened for traffic, with power of renewal. The District Board also guarantee such an annual subsidy as may be necessary to make the net profits of the Company equal to Rs. 1,500 per mile of line open, provided that the total contribution by the Board does not exceed Rs. 38,000 per annum, being 4 per cent on the amount of the Company's share capital.
- (iii) *Distribution of profits*.—Surplus profits in excess of 4 per cent on the Company's share capital are divisible equally between the District Board and the Company.
- (iv) *Rates and fares*.—Certain maxima fares for passengers, and a tariff of charges for goods have been fixed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of*.—
- (a) Mails and postal officers and servants on duty.—At the rates and on the conditions in force from time to time on State railways.
 - (b) Troops, police, high Government officials and Government stores. } Nil.
 - (c) Government bullion and coin, and the persons in charge thereof. }
- (vi) *Power of the District Board to determine agreement*.—Upon the expiration of 21 years from the date of the Local Government order authorising the construction of the line, or at the end of every 7 years thereafter, the District Board, by giving 6 months' notice, can purchase the undertaking by paying to the Company 20 times the average net annual profits of the 4 years preceding the transaction, together with a bonus of 20 per cent thereon.
- (vii) *Power of the Company to surrender agreement*.—Nil.
- (viii) *Term of agreement* [if not determined under (vi)].—Not specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including surplus, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of total income on capital outlay given in column (3).	Subsidy from, i.e., not earnings or share of surplus profits to, i.e., the District Board.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908	26.06	10,52,939	1,49,043	58,588	5.56	-5,244	52,644	5.00	119	60.69
1909	34.50	14,20,827	1,73,715	69,303	4.86	-6,478	62,825	4.42	97	60.45
1910	51.12	21,80,983	2,85,078	73,310	3.36	-671	72,639	3.33	89	60.89
1911	51.12	22,13,771	2,78,247	1,12,198	5.07	-6,358	1,05,842	4.78	105	59.07
1912	51.12	22,42,897	3,06,914	1,62,421	7.24	-23,968	1,38,453	6.18	127	51.99
Let gr. of 1913.	51.12	22,46,016	90,886	36,007	1.69	-4,469	33,538	1.40	135	58.18
1913-14	51.12	23,08,116	3,28,574	1,86,690	5.91	-18,962	1,20,846	5.22	124	58.42
1914-15	52.24	23,90,927	3,48,950	1,83,617	5.56	-10,319	1,23,299	5.14	128	61.71
1915-16	52.24	23,80,878	3,74,470	1,62,589	6.40	-16,011	1,26,360	5.73	138	59.31
1916-17	52.24	23,81,739	3,57,024	1,35,415	5.69	-12,993	1,22,423	5.14	131	62.07
1917-18	52.24	23,95,399	3,08,313	92,778	5.79	-2,654	90,124	3.77	118	66.90

BARSI LIGHT RAILWAY (2' 6" gauge).*Chairman.*—G. A. Anderson, Esq.*Secretaries.*—W. A. Browne & Co.*Office.*—Winchester House, Old Broad Street, London, E.C.*Date of registration of the Company.*—11th July 1895.**Progress in opening—**

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Kurdavadi to Barsi Town	1-3-97	21.59	21.59	
Extensions in British territory—				
Barsi Town to Kuslamb	15-6-05	6.34		
Kuslamb to Tadwale	1-6-06	20.36		
Kurdavadi to 173 miles from Pandharpur Town	2-12-06	20.56	26.70	
173 miles from Pandharpur Town to Pandharpur Town	10-7-15	1.78		
Tadwale to Hyderabad Frontier	1-5-11	1.09		
Extensions in Nizam's territory—				
Hyderabad Frontier to Latur	1-5-11	35.47	36.67	
GRAND TOTAL	117.50

Details of construction—*Permanent-way.*—The permanent-way consists of 35-lb. flat-footed steel rails on steel sleepers.*Ballast.*—The line is ballasted with stone and moorum.*Fencing.*—The line is unfenced, except at station yards and for a short distance on either side of level crossings and at a few bridges.*Curves.*—The sharpest curve is of 125 feet radius.*Gradients.*—The ruling gradient is 1 in 100. There are, however, two steeper gradients on the original line (from Kurdavadi Junction to Barsi Town) one of 1 in 89 and one of 1 in 90; and two on the Tadwale Extension—one of 1 in 50 and the other of 1 in 70.**Contracts and agreements—**

Contract, dated the 1st August 1895, between the Secretary of State and the Barsi Light Railway Company, as to the construction, maintenance and working of the line from Barsi Road Junction to Barsi Town (called "the Barsi Town railway").

Contract, dated the 26th August 1902, between the Secretary of State and the Barsi Light Railway Company, as to the construction, maintenance and working of "the Pandharpur extension" and "the Tadwale extension," as modified by letter from the India Office to the London Board of the Barsi Light Railway Company, No. P.W. 1020, dated the 22nd June 1904, extending to 1911 the term at the end of which the option of purchase of the Company's undertaking may be exercised by the Government under clause 59 of the contract.

Contract, dated the 28th May 1903 (supplemental to those of 1895 and 1902), between the Secretary of State and the Barsi Light Railway Company, as to the adoption of Rs. 4d. as the "prescribed" rate of exchange.

Contract, dated the 16th December 1905 (supplemental to that of 1902), between the Secretary of State and the Barsi Light Railway Company, as to the construction, maintenance and working of the Pandharpur and Tadwale Extensions, and for the issue of Debenture Stock.

Contract, dated the 31st March 1909 (supplemental to the contracts of 1902, 1903 and 1905), between the Secretary of State and the Barsi Light Railway Company, as to the construction, maintenance and working, and the inclusion in "the Tadwale Extension," of the railway from Tadwale to the frontier of the Hyderabad State (called "the Hyderabad Frontier Extension"), near Latur in that State.

Agreement, dated the 21st April 1909, between the Government of His Highness the Nizam of Hyderabad and the Barsi Light Railway Company, as to the construction, maintenance and working of a railway from the frontier of the Hyderabad State to Latur in that State, known as the Latur extension.

Agreement, dated the 16th May 1909, between His Highness the Nizam's Guaranteed State Railway Company and the Barsi Light Railway Company, as to the former waiving, in favour of the latter, its preferential right to construct and work the railway from the frontier of the Hyderabad State to Latur in that State, known as the Latur extension.

Contract, dated the 7th October 1913 (supplemental to the contracts of 1902, 1903, 1905 and 1909) between the Secretary of State and the Barsi Light Railway Company, as to the extension of the Company's existing line from Barsi town to Pandharpur station on the north bank of the Bhima river to the town of Pandharpur.

Contract, dated the 24th February 1914 (supplemental to the contracts of 1895, 1902, 1903, 1905, 1909 and 1913) between the Secretary of State and the Barsi Light Railway Company, as to the adoption of the Government Financial year for the purposes of accounts.

Contract, dated the 8th August 1916 (supplemental to the contracts of 1902, 1903, 1905, 1909, 1913 and 1914), between the Secretary of State and the Barsi Light Railway Company, as to the proposed construction and working of railways from Pandharpur to Lonand and Miraj.

Contract, dated the 19th September 1917 (supplemental to the contract of 1895), between the Secretary of State and the Barsi Light Railway Company, whereby the Company is leased in part from liability for maintenance and repair of provincial road on surrender of right to manage and appropriate collection of tolls on the said road.

Contract, dated the 16th October 1917 (supplemental to the contracts of 1895, 1902, 1903, 1905, 1909, 1913, 1914, 1916, and 1917), between the Secretary of State and the Barsi Light Railway Company by which (subject to certain reservations) the date for the first possible determination of the Company's contract for those portions of the line, which are in British territory, is extended from 1944 to 1954.

BARSİ LIGHT RAILWAY (2' 6" gauge)—*concd.***Main provisions of contracts and agreements—**

- (i) *Land.*—In the case of the main line the Company are allowed the use of part of the road between Barsi Town and Barsi Road Junction station, any land required outside the road being acquired, at the expense of the Company. For the extensions, land in British territory has been provided by the British Government; that in the Hyderabad State by the Government of His Highness the Nizam, free of cost to the Company.
- (ii) *Government aid.*—Nil.
- (iii) *Distribution of profits.*—The whole to go to the Company.
- (iv) *Rates and fares.*—Certain maxima have been fixed, within which the Company are permitted to vary their rates. On the Extensions the goods classification in force on the Great Indian Peninsula railway is to be adopted. In addition to the above, the Company shall be entitled to charge a pontage on passenger and goods traffic crossing the Bhima river subject to certain conditions.
- (v) *Special obligations as to the conveyance of—*

(a) Mails, troops, police, high Government officials and Government stores.

(b) Government bullion and coin, and the persons in charge thereof.

} To be conveyed
upon the exten-
sions in British

territory at the same rates and fares, and on the same general conditions, as may be in force on State railways. On the main line, except services for the Postal Department which are rendered at the same rates and fares and on the same general conditions as may be in force on State railways, no special provision is made for the conveyance of troops, police, high Government officials, etc. The Company have since agreed to carry Military traffic over the main line at the same rates and fares as are in force on the extensions under the special contracts relating to them (vide Agent's letter No. 1171, dated the 20th October 1917). On the extension in the Nizam's territory, mails and postal officials of the Nizam's Government and the Government of India are carried free of charge. Troops, police, high Government officials, etc., of the two Governments are conveyed at special rates.

- (vi) *Power of the Government to determine contract.*—The Government may determine the contract on the 1st January 1944, or at the expiration of any subsequent period of 10 years, by giving 12 months' notice. But if the projected lines from Pandharpur to Ionand and Miraj respectively shall be duly constructed by the Company in accordance with the terms of the Contract, dated the 26th August 1916, the first date on which the Company's contract may be terminated shall be altered from the 1st January 1944 to the 1st January 1954. If the contract is so determined, the Government to pay the Company in England in sterling a sum such as, when added to any unspent capital, shall amount to the total paid up capital expended with the authority of the Government. His Highness the Nizam's Guaranteed State Railways Company have the option of purchasing the length of the line (excluding rolling stock, workshop machinery and stores) from the frontier of the Hyderabad State to Latnr in that State, subject in all respects to the rights of the Nizam's Government under the agreement between His Highness' Government and the Barsi Light Railway Company and also under the several contracts between His Highness' Government and the Nizam's Guaranteed State Railways Company, after the expiration of 20 years from the date of its opening throughout for traffic, on giving 12 months' notice, at a price which shall be 5 per cent in excess of the actual capital expenditure. In the event of His Highness the Nizam's Guaranteed State Railways Company not exercising this right, His Highness the Nizam's Government have the right, on giving 12 months' notice, to purchase the same line at any time after the expiration of twenty years from the date of its opening, at a price which shall be 5 per cent in excess of the actual capital expenditure.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract [if not determined under (vi)].*—Not specified.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including surplus, to end of each year, (i) outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	78.50	44,29,287	4,31,092	1,72,063	3.92	105	60.08
1909	78.50	57,18,286	6,44,775	3,89,578	6.82	139	39.38
1910	78.50	61,33,082	6,97,520	3,59,427	6.53	174	44.18
1911	115.84	68,94,322	7,44,733	3,98,877	5.79	124	46.44
1912	115.84	70,14,477	10,81,325	5,66,871	8.08	171	42.05
1st qr. of 1913	115.84	70,09,214	3,69,386	1,86,076	2.67	206	39.60
1913-14	115.84	71,46,903	13,18,673	8,45,882	11.85	219	35.85
1914-15	115.84	73,88,731	11,17,797	6,28,670	7.87	186	43.81
1915-16	117.50	68,69,232	10,66,669	5,86,646	6.56	175	44.05
1916-17	117.50	86,47,194	11,24,923	6,43,982	7.54	184	43.73
2017-18	117.50	86,02,814	8,70,524	4,15,205	4.83	144	51.75

BENGAL PROVINCIAL RAILWAY SYSTEM

Lines comprised in the system—

The Bengal Provincial railway system is made up of—

(a) Bengal Provincial railway (2' 6" gauge)	Miles.
(b) Dasghara-Jaunpurganj railway (2' 6" gauge)	33.27
	8.91
Total	41.88

Bengal Provincial railway (2' 6" gauge)—

Date of registration of the Company.—1890.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tarkessur to Rudrani	7-11-94	12.50	
Rudrani to Magra	8-3-95	18.62	
Magra to Tribeni	14-4-04	2.15	
TOTAL			33.27

Details of construction—

Permanent-way.—The permanent-way of the main line consists of 30-lb. flat-footed steel rails laid for 10 miles on steel transverse sleepers and for the remainder on punkado sleepers. The Tribeni extension is laid on sâ sleepers.

Ballast.—Sand and broken brick.

Fencing.—The line is partially fenced.

Curves.—The sharpest curve is of 716.25 feet radius.

Gradients.—The ruling gradient on the main line is 1 in 1,000; there are short gradients of 1 in 500 to 1 in 700 at bridge approaches; from the bridge under the East Indian railway to Magraganj station, the line is on a gradient of 1 in 350. The ruling gradient on the Tribeni extension is 1 in 500.

Agreements and Local Government order—

Agreement, dated the 16th October 1890, between the District Board of Hooghly and the Promoters of the Bengal Provincial Railway Company, scheduled to the order quoted below;

The Bengal Provincial Railway Company order, published under the Bengal Government, Railway Department, Notification No. 1, dated the 4th January 1896;

Agreement, dated the 12th March 1904, between the Secretary of State and the Bengal Provincial Railway Company, as to the construction, maintenance and working of the extension from Magra station to Tribeni bathing ghat on the Hooghly river.

Main provisions of agreements and Local Government order—

- (i) *Land.* } Land required for the purposes of the main line, from Tarkessur to Magra acquired by the Government of Bengal at the cost of the Company; and that
- (ii) *Government aid.* } for the extension from Magra station to Tribeni Ghat on the Hooghly river provided by Government free from rent or other charges.
- (iii) *Distribution of profits.*—The profits go to the Company.
- (iv) *Rates and fares.*—Certain maximum fares for passengers and maximum and minimum rates for goods traffic, combined with the General Classification of goods of the Indian Railway Conference Association, which are usual on Indian 5' 6" gauge railways, have been fixed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of—*
 - (a) Mails, Postal officers and servants on duty.—To be conveyed at the rates and on the conditions in force from time to time on State railways.
 - (b) Troops, police, high Government officials and Government stores.
 - (c) Government bullion and coin, and the persons in charge thereof.

} Nil.

BENGAL PROVINCIAL RAILWAY SYSTEM—*conold.*

Bengal Provincial railway (2' 6" gauge)—*conold.*

Main provisions of agreements and Local Government order—*conold.*

(vi) *Power of the Local Authority to determine agreement.*—In the event of the District Board of Hooghly wishing to purchase the railway at the end of 21 years after the date of the Government order sanctioning the construction of the railway, or at the end of every 7 years thereafter, the promoters bind themselves to make it over at a price two-fifths in excess of the original capital outlay.

(vii) *Power of the Company to surrender agreement.*—Nil.

(viii) *Term of agreement [if not determined under (vi)].*—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	33-27	10,03,192	1,13,074	39,482	2-79	65	73-01
1909	33-27	11,06,707	1,24,182	37,915	3-43	72	69-46
1910	33-27	11,32,464	1,21,374	41,065	3-80	72	65-96
1911	33-27	11,32,071	1,26,287	42,860	3-79	73	66-05
1912	33-27	11,45,721	1,30,561	48,715	4-25	75	62-69
1st qr. of 1913	33-27	11,53,264	34,171	11,585	1-00	79	66-10
1913-14	33-27	11,53,853	1,43,439	46,813	4-05	78	65-15
1914-15	33-27	11,77,692	1,42,346	47,446	4-63	82	66-81
1915-16	33-27	11,85,324	1,40,725	44,734	3-78	81	68-18
1916-17	33-27	11,89,222	1,37,792	38,168	2-79	73	74-04
1917-18	33-27	11,97,310	1,09,801	11,915	1-00	69	69-69

Dasghara-Jamalpurgunj railway (2' 6" gauge).—

Sanction to the construction of this line by the Bengal Provincial Railway Company was conveyed in Railway Board's Notification No. 38, dated the 17th February 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Dasghara to Jamalpurgunj	1-9-17	8-11	8-31

Details of construction—

Permanent way.—The permanent way consists of 30-lb. and 41-lb. flat-footed steel rails on sal sleepers.

Ballast.—The line is unballasted.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 955 feet radius.

Gradients.—The ruling gradient is 1 in 500.

Agreement—

The line has been constructed and is being maintained, managed and worked by the Bengal Provincial Railway Company under the terms of an agreement which is under consideration.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay including expenses, to end of the year, &c., Outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.	Rs.		
1917-18	8-31	2,44,625	8,903	2,061	0-83	20	5-94

BUKHTIARPUR-BIHAR LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—19th July 1901.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Bukhtiarpur on the East Indian railway to Bihar	1-7-03	18-50	
Bihar to Silao	17-7-09	9-50	
Silao to Rajgir	1-11-11	5-00	
TOTAL.	33-00

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rails laid on pynkado and sal sleepers, except for 5 miles, between Silao and Rajgir, which are laid with 25-lb. flat-footed rails on all sleepers.

Ballast.—The ballast consists of broken stone, except in the first few miles where a portion of the packing has been done with broken brick.

Fencing.—The line is unfenced.

Curves.—The sharpest curve has a radius of 260 feet.

Gradients.—The grades are easy, except at bridge approaches and up through the villages of Chero and Rajgir where the grade is 1 in 100.

Agreements and Local Government orders—

Agreement, dated the 21st August 1899, between the District Board of Patna and Messrs. Martin and Company of Calcutta, the Promoters, on behalf of the Bukhtiarpur-Bihar Light Railway Company;

The Bukhtiarpur-Bihar Tramway Company order published under the Bengal Government, Railway Department, Notification No. 100 R., dated the 25th June 1901;

Agreement, dated the 16th August 1901, between Messrs. Martin and Company of Calcutta and the Bukhtiarpur-Bihar Light Railway Company;

As to the construction, maintenance and working of the Bukhtiarpur-Bihar Light railway.

Agreement, dated the 17th February 1904, between the District Board of Patna and the Bukhtiarpur Bihar Light Railway Company, as to the use of land for a siding at Bihar.

Agreement, dated the 2nd June 1908 (supplemental to the agreements of 1899 and 1901), between the District Board of Patna and the Bukhtiarpur-Bihar Light Railway Company;

The Bukhtiarpur-Bihar Extension order published under the Bengal Government, Railway Department, Notification No. 11 R., dated the 15th June 1908;

As to the construction, maintenance and working of the extension of the Bukhtiarpur-Bihar Light railway from Bihar to Silao.

The Bukhtiarpur-Bihar-Rajgir extension order published under the Bengal Government, Railway Department, Notification No. 20 R., dated the 14th November 1911;

Agreement, dated the 28th November 1911 (supplemental to the agreements of 1899, 1901 and 1908), between the District Board of Patna and the Bukhtiarpur-Bihar Light Railway Company;

As to the construction, maintenance and working of the extension of the Bukhtiarpur-Bihar Light railway from Silao to Rajgir.

Main provisions of agreements and Local Government orders—

- (i) **Land.**—The District Board of Patna grant to the Bukhtiarpur-Bihar Light Railway Company in perpetuity, subject to their right of purchasing the line [as in (vi) below], the free use of so much of the side portion of the District Board road between Bukhtiarpur and Rajgir as is necessary, but not exceeding a width of eight feet, for the purpose of the railway; and promote the acquisition of any additional land required outside the boundary of the said road at the cost of the Company.
- (ii) **Aid by the Local Authority.**—The District Board of Patna will recommend and apply to the Local Government either to exempt the Bukhtiarpur-Bihar Light Railway Company from the tax on account of road cess or to exact only a nominal tax for a period of twenty-one years from the date when the line is opened for traffic, with power of renewal. The Board also guarantee to supplement the net earnings of the Company by such annual subsidy as may be necessary to allow of the Company paying a dividend of 4 per cent per annum on their share capital, provided that the total liability of the Board on this account in any one year shall not exceed Rs. 32,000 or the sum of 4 per cent on the Companies' share capital.
- (iii) **Distribution of profits.**—Any surplus profits in excess of 4 per cent, after setting aside such sums as the Directors may decide, on the capital for the time being of the Railway Company, are to be equally divided between the District Board of Patna and the Company.

BUKHTIARPUR-BIHAR LIGHT RAILWAY (2' 6" gauge)—*concl'd.*

Main provisions of agreements and Local Government orders—*concl'd.*

- (iv) *Rates and fares.*—Certain maximum rates of fares for passengers and tariff of charges for goods have been fixed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of.*—
- (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—
- } Nil.
- (vi) *Power of the Local Authority to determine agreement.*—Upon the expiration of 21 years, from the date of the Local Government order authorising the construction of the line, or at the end of every seven years thereafter, the District Board of Patna have, by giving six months' previous notice, the right of purchasing the line by paying to the Company the value calculated at twenty years' purchase of the average net annual profits of the Company during the four years preceding the transaction together with a bonus of 20 per cent thereon.
- (vii) *Power of the Company to surrender agreement.*—Nil.
- (viii) *Term of agreement.*—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspension, to end of each year, i.e., outlay on (i) line open and (ii) line partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (2).	Subsidy from, (+), or share of surplus profits to, (—), the District Board.	Total income (column 5 + or — column 7).	Percentage of total income on total capital outlay given in column (2).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1904	18'0	5,00,878	1,10,152	45,112	5'01	—1,915	48,207	4'80	114	59'04
1905	24'0	11,96,973	1,52,322	58,331	4'87	—5,198	53,133	4'44	128	61'70
1910	28'0	12,01,103	1,23,986	54,504	4'54	—3,221	51,143	4'35	85	55'99
1911	33'0	12,38,721	1,34,135	62,781	5'04	—4,827	57,554	4'64	78	53'88
1912	33'0	12,63,209	2,40,976	1,42,235	11'26	—20,464	1,21,771	9'64	145	43'10
1st qr. of 1913	33'0	12,72,559	36,364	7,090	0'56	+ 4,924	12,923	0'94	85	80'48
1913-14	33'0	18,11,472	1,58,559	46,537	3'54	+13,879	60,416	4'81	92	70'65
1914-15	33'0	13,50,590	1,65,833	60,280	4'43	—1,259	59,021	4'34	97	63'67
1915-16	33'0	13,50,656	2,31,281	1,09,188	8'08	—9,506	99,882	7'35	136	53'76
1916-17	33'0	13,50,598	1,58,949	62,192	4'57	—6,860	55,332	4'07	91	60'38
1917-18	33'0	13,83,955	1,08,825	84,368	6'09	—7,737	77,015	5'56	115	57'12

BURDWAN-KATWA RAILWAY (2' 6" gauge).*Date of registration of the Company—1913.*

Construction of this line by the Burdwan-Katwa Railway Company was authorised in Railway Board's telegram No. 3711 R.C., dated the 30th December 1913.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Burdwan to Katwa	1-12-15	32.52	32.52

Details of construction.—

Permanent-way.—The permanent-way consists of 35 lbs. flat-footed rails laid on sal sleepers.

Ballast.—The line is ballasted with moorum, except in station yards and on open top bridge approaches where stone or brick ballast is being used.

Fencing.—The line is not fenced.

Curves.—The sharpest curve in station yards has a radius of 573 feet.

Gradients.—The ruling gradient is 1 in 200.

Contract—

Dated the 5th April 1917, between the Secretary of State and the Burdwan-Katwa Railway Company Limited, as to the construction, maintenance and working of the line.

Main provisions of contract—

- (i) *Land.*—Provided by Government free of cost to the Company.
- (ii) *Government aid.*—

{	When the net receipts shall not be sufficient to pay interest at the rate of 3½ per cent per annum on the paid-up share capital, the Secretary of State shall pay the Company a sum which together with the net receipts will make up an amount equal to 3½ per cent. When the net receipts for any year do not exceed 5 per cent per annum on the paid up share capital the whole of such net receipts shall belong to the Company. When the net receipts in any year exceed 5 per cent on the paid-up share capital such excess shall be divided equally between the Secretary of State and the Company.
---	--
- (iii) *Distribution of profits.*—
- (iv) *Rates and fares.*—Rates and fares shall be such as may from time to time be sanctioned by the Secretary of State and the classification of goods shall be in conformity with that from time to time in force on State Railways of a similar gauge.
- (v) *Special obligations as to the conveyance of mails, troops, police, etc.*—To be conveyed in the same manner and subject to the same regulations and conditions as are in force on State Railways of similar gauge.
- (vi) *Power of Government to determine contract.*—The Secretary of State may at any time, by giving six months' notice, assume the working of the railway by State or any other agency, if the Company are guilty of any breach of contract, or gross mismanagement, or if the working expenses have exceeded the gross earnings for six consecutive half years.

BURDWAN-KATWA RAILWAY (2' 6" gauge)—*consolid.*

Main provisions of contract—

The Secretary of State may, by giving 12 months' previous "Notice of purchase" determine the contract either on the 31st March 1946 or on the 31st March in the last year of any subsequent period of ten years, paying to the Company a sum of money equal to 25 times the amount of the average of the yearly net earnings during the 3 years immediately preceding, but that amount so payable shall not exceed by more than 20 per cent the total capital expenditure or be less than such capital expenditure.

The Secretary of State may also by giving 12 months' previous "Notice of special purchase" determine the contract at any time in the following cases :—

- (a) When it is considered desirable that the gauge of the Railway should be altered.
- (b) When it is desired to convert the Railway into a line of through communication.
- (c) When it is desired to extend the Railway and the Company does not, within six months from date of formal requisition, raise such additional capital.

If the Contract is determined by "Notice of special purchase" the Secretary of State shall pay the Company 25 times the average of yearly net earnings during the 3 years immediately preceding or 115 per cent of the total capital expenditure whichever may be greater.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract.*—Shall remain in force until determined under (vi) above.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	(Guaranteed interest recoverable from Government	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.					Rs.	
1915-16	35.52	17,26,605	38,464	18,625	1.08	...	82,799	3.52	93	51.57
1916-17	32.52	17,81,915	1,33,399	8,570	0.48	54,829	82,799	3.52	78	93.57
1917-18	32.52	17,98,391	1,32,116	93,104	1.79	62,590	94,404	5.25	78	75.79

CHAMPANER-SHIVRAJPUR-PANI LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—30th March 1911.

This line was constructed by the Shivrājpur Syndicate, Limited, of Bombay, under the Indian Tramways Act, 1888 (XI of 1888). It was transferred to the Guzerat Railways Company, Limited, with effect from the 1st April 1915 and the Indian Railways Act, 1890 (IX of 1890), applied to it from the 23rd March 1916, when the tramway order, under which the line was constructed, was revoked.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Champaner Road Junction to Shivrājpur	24-1-11	17-11		
Shivrājpur to Ghanta	2-4-15	59-4		
Ghanta to Nathpura	25-5-16	3-11		
Nathpura to Pani	15-11-16	4-17		
Branch—			30-68	
Shivrājpur to Shivrājpur Mines	24-1-11	1-77		
			1-77	
GRAND TOTAL	32-40

Details of construction—

Permanent-way.—The permanent-way consists of 20½-lb. steel rails on wooden sleepers.

Ballast.—The line is ballasted with heavy stone ballast.

Fencing.—The line is unfenced except at station yards.

Curves.—The sharpest curve is of 716 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreements—

Dated the 1st April 1915, between the Guzerat Railways Company, Limited, and the Shivrājpur Syndicate Limited, of Bombay, as to the transfer of the Champaner-Shivrājpur Tramway, and its extension to Pani, to the Guzerat Railways Company, Limited, and its inclusion, as from the 1st April 1915, in the Guzerat Railways' system.

The agreement, between the Secretary of State and the Guzerat Railways Company, as to the terms of working, which will be much on the same lines as those for the Godhra-Lunavada Railway, is under preparation.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from, (+) or share of surplus profits to, (—), the Government of India.	Total income.	Percentage of total income on total capital outlay given in column 3.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1911 .	20-24	9,02,929	64,061	15,545	1-72	...	15,545	1-72	61	73-24
1912 .	20-24	9,26,707	87,721	31,705	3-42	...	31,705	3-42	93	80-86
1st yr. of 1913 .	20-24	9,27,947	82,750	18,153	1-95	...	18,153	1-95	134	46-50
1913-14 .	20-24	9,38,606	80,760	25,228	2-68	...	25,228	2-68	92	70-92
1914-15 .	20-24	14,08,354	64,064	174	0-01	...	174	0-01	61	69-78
1915-16 .	24-35	15,27,386	74,279	17,243	1-12	+30,433	47,675	3-12	58	76-78
1916-17 .	32-40	16,37,579	95,325	27,919	1-71	+19,867	47,786	2-92	56	70-71
1917-18 .	33-40	16,25,592	1,43,762	39,365	2-42	+40,416	79,812	4-91	74	69-70

CUTCH STATE RAILWAY (3' 6" gauge).

This line was sanctioned for construction at the cost of His Highness the Maharaja Maha Rao Sahib of Cutch, under the Government of India, Public Works Department, Notification No. 329, dated the 4th September 1903, and the Railway Board Notification No. 86, dated the 1st June 1905 and is maintained and worked by the Cutch Durbar.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Tuna to Anjar	16-5-05	11-87		
Anjar to Bhuj	1-11-08	35-11		
TOTAL OPEN MILEAGE	36-78	
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION— Anjar to Baohan (sanctioned on 20th November 1913)	33-75	33-75	
GRAND TOTAL	60-53

Details of construction—

Permanent-way.—The permanent way consists of 30-lb. flat-footed steel rails on half-round teak sleepers.

Ballast.—The line is ballasted with stone.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 359 feet radius.

Gradients.—The ruling gradient is 1 in 200 between Tuna and Anjar and 1 in 100 between Anjar and Bhuj.

Contract—

Nil.—The line is owned and worked by the Cutch Durbar.

statistics of working (Those for the periods prior to 1908 will be found in Appendix 35 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	36-78	8,74,960	40,006	12,237	2-07	20	54-41
1909	36-78	9,42,843	84,864	47,831	5-07	44	43-01
1910	36-78	9,42,842	93,639	55,953	5-93	49	40-24
1911	36-78	9,48,711	1,01,067	58,376	6-17	53	42-05
1912	36-78	10,08,788	1,01,790	56,663	5-61	53	44-67
1st qr. of 1913	36-78	10,51,188	23,088	12,620	1-20	52	45-07
1913-14	36-78	10,52,405	97,786	32,455	3-17	51	66-78
1914-15	36-78	10,78,861	96,976	39,354	3-62	51	70-72
1915-16	36-78	10,92,725	1,05,271	52,745	4-82	55	49-89
1916-17	36-78	11,81,409	92,988	35,506	3-14	49	61-79
1917-18	36-78	11,48,915	55,800	2,471	0-83	31	88-89

DEHRI-ROHTAS LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company—17th March 1909.

Progress in opening—

Section of railway	Date of opening.	Miles.	Total.
	2	8	4
Dehri-on-Sone to Rohtas	6-2-11	28-68	28-83

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. steel rails on sal sleepers.

Ballast.—The whole line is ballasted.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 477 feet radius.

Gradients.—The ruling gradient is 1 in 200, uncompensated.

Agreement and Local Government order—

Agreement, dated the 13th October 1907, between the District Board of Shahabad and Messrs. Octavius Steel and Company of Calcutta (called "the Promoters") for and on behalf of the Dehri-Rohtas Tramway Company, scheduled to the order quoted below ;

As to the construction, maintenance and working of the line, from Dehri-on-Sone to Rohtas.

The Dehri-Rohtas Tramway Company order published under the Bengal Government, Railway Department. Notification No. 24 R., dated the 10th November 1908 ;

Main provisions of agreement and Local Government order—

- (i) *Land.*—The line runs partly on Government land in charge of the Public Works Department and partly along the district road to Akharpur. The District Board of Shahabad have granted to the Dehri-Rohtas Tramway Company in perpetuity, subject to their right of purchasing the line [as in (vi) below], the free use of so much of the side of the District Board road between Dohri and Rohtas as is necessary, but not exceeding a width of eight feet leaving a clear roadway of fourteen feet intact for ordinary wheeled traffic, for the purpose of the line, and have promoted the acquisition of any additional land required outside the boundary of the said road at the cost of the Company.
- (ii) *Aid by the Local Authority.*—The District Board of Shahabad will recommend and apply to the Local Government to exempt the Dehri-Rohtas Tramway Company from the tax on account of road cess, or to exact only a nominal tax, for a period of twenty-one years from the date when the line is opened for traffic, with power of renewal.
- (iii) *Distribution of profits.*—The profits go to the Company.
- (iv) *Rates and fares.*—Certain maximum rates of fares for passengers and tariff of charges for goods and the East Indian railway classification of goods, have been fixed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of:—*
 - (a) Mails, troops, police, high Government officials and Government stores.— } Nil.
 - (b) Government bullion and coin, and the persons in charge thereof.— }
- (vi) *Power of the Local Authority to determine agreement.*—Upon the expiration of 21 years, from the date of the Local Government order authorising the construction of the line, or at the end of every seven years thereafter, the District Board of Shahabad have, by giving six months' previous notice, the right of purchasing the line by paying to the Company the value calculated at twenty years' purchase of the average net annual profits of the Company during the four years preceding the transaction together with a bonus of 20 per cent thereon.
- (vii) *Power of the Company to surrender agreement.*—Nil.
- (viii) *Term of agreement [if not determined under (vi)].*—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay including reserve, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1911	23-83	5,82,474	24,066	—12,291	...	31	151-07
1912	23-88	5,81,080	79,436	34,810	6-31	64	56-17
1st cr. of 1913	23-83	5,81,830	30,602	17,380	3-82	99	45-20
1913-14	23-88	6,18,474	1,49,861	93,912	15-25	180	37-38
1914-15	23-88	6,26,538	1,99,728	1,30,960	20-68	182	31-35
1915-16	23-83	6,27,858	2,19,432	1,46,033	23-75	176	32-11
1916-17	23-83	6,58,158	2,31,769	1,58,246	24-29	187	31-70
1917-18	23-83	6,70,323	2,18,895	1,39,689	20-74	176	35-28

DHOLPUR-BARI RAILWAY SYSTEM.

Lines comprised in the system.—The Dholpur-Bari railway system is made up of—

	Miles.
(a) Dholpur-Bari railway (3' 6" gauge)	36.88
(b) Mohari-Barauli railway (2' 6" gauge)	15.25
Total	51.68

Dholpur-Bari railway (2' 6" gauge).—

This railway was sanctioned for construction at the cost of His Highness the Rana of Dholpur, under Railway Board's Notification No. 267, dated the 14th December 1905, and is maintained and worked by the Dholpur Durbar.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Dholpur on the Midland section of the Great Indian Peninsula railway to Bari	24-2-06	19.68	
Bari to Bawri	15-0-15	8.81	
Bawri to Tankar	1-7-14	7.88	
TOTAL			36.38

Details of construction—

Permanent-way.—Five miles are laid with 35-lb. old steel rails on Indian State railway pattern steel trough sleepers; the remainder with 30-lb. new steel rails on Indian State railway pattern steel sleepers.

Ballast.—The line is ballasted throughout with stone.

Fencing.—The line is not fenced.

Curves.—The radius of the sharpest curve is 1,432 feet.

Gradients.—The ruling gradient is 1 in 200.

Contract—

Nil.—The line is owned and worked by the Dholpur Durbar.

Statistics of working —(Includes the Mohari-Barauli railway from 1916-17).

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	19.02	7,33,502	21,352	—11,201	...	25	152.74
1909	19.62	6,91,940	36,226	5,773	0.83	35	84.06
1910	18.62	6,96,601	48,377	19,835	2.85	47	58.99
1911	19.62	7,41,111	41,568	14,838	1.93	41	65.50
1912	19.62	8,24,192	40,564	7,945	0.99	39	39.27
1st q. of 1913	19.62	8,54,148	13,663	5,468	0.64	33	60.94
1913-14	28.43	19,73,930	54,372	21,722	2.02	36	60.04
1914-15	38.38	13,49,838	71,705	28,006	2.26	38	60.34
1915-16	36.38	12,42,235	87,694	30,249	2.44	43	63.48
1916-17	51.62	*12,41,846	1,06,000	35,707	4.33	40	49.28
1917-18	51.66	*12,92,692	1,11,334	43,911	3.39	42	50.36

* Excludes the expenditure incurred by the Imperial Delhi Committee on the Mohari-Barauli section prior to its opening.

Mohari-Barauli railway (2' 6" gauge).—

This line was constructed by the Imperial Delhi Committee for the carriage of stone for New Delhi from Mohari to Barauli. In accordance with Foreign and Political Department Memorandum No. 172-L.B., dated the 14th February 1917, the line was taken over by the Dholpur Durbar from the Committee on the 10th February 1917 for the carriage of passenger and goods, under the Indian Railways Act, 1890 (IX of 1890).

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Mohari to Barauli	10-2-17	15.26	15.26

DHOLPUR-BARI RAILWAY SYSTEM—*concl'd.*Mohari-Baranli railway (2' 6" gauge)—*concl'd.*

Details of construction—

Permanent-way.—The line is laid with 42-lb. second-hand flat-footed steel rails on *all* sleepers.*Ballast.*—The line is ballasted with stone.*Fencing.*—The line is unfenced.*Curves.*—The sharpest curve has a radius of 1,146 feet.*Gradients.*—The ruling gradient is 1 in 200.

Agreement—

Dated the 14th April 1915, between the *Dholpur Durbar* and the *Imperial Delhi Committee*, as to the construction and working of the line.

Main provisions of agreement—

(i) *Land.*—All waste land has been given free by the Durbar. In the case of cultivated land the Committee pay compensation for the use of the land and for any permanent deterioration due to the construction of the line.

(ii) *Government aid.*—The line is the property of the Imperial Delhi Committee, and is managed, maintained and worked by the Dholpur Durbar.

(iii) *Terms of working.*—The Durbar undertake to carry the stone quarried for New Delhi to Dholpur at a special rate and in order to enable them to maintain a fixed rate of delivery the Committee agree to supply the Durbar with 2 engines and 40 wagons.

The Durbar have the right to work passenger and goods traffic free of charge on the line provided the transport of stone is not interfered with.

(iv) *Distribution of profits.*—The whole of the profits to go to the Durbar.

(v) *Rates and fares.*—The same as are in force over the Dholpur-Bari railway.

(vi) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores—
 (b) Government hulk-on and coin, and the persons in charge thereof—

} *Nil.*

(vii) *Power of the Imperial Delhi Committee to determine agreement.*—

(viii) *Power of the Dholpur Durbar to surrender agreement.*—

} The agreement is to terminate when all the stone

required for the Government buildings in New Delhi has been obtained. On the termination of the agreement the committee are to make their own arrangements for the disposal of the rails and rolling-stock, unless the Durbar are prepared to take them over.

(ix) *Term of agreement [if not determined under (vii) and (viii)].*—*Nil.*

Statistics of working—

Included under Dholpur-Bari railway.

PUTWAH-ISLAMPUR LIGHT RAILWAY (2' 6" gauge).*Date of registration of the Company.—September 1915.*

The construction of this line by the Putwah-Islampur Light Railway Company was authorised in Railway Board's telegram No. —^{2071-C.}₃₁₅—, dated the 24th September 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Putwah to Islampur (sanctioned on 24th September 1915)	24'00	27'00

GODHRA-LUNAVADA RAILWAY (2' 6" gauge).*Date of registration of the Company.—30th March 1911.*

The construction of this line by the Guzerat Railways Company was sanctioned by the Railway Board in their letter No. 731 B.C., dated the 18th March 1912.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Godhra to Lunavada Road	4-12-12	24'00	
Lunavada Road to Lunavada	1-9-14	1'45	
TOTAL	25'45

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed rails on steel trough sleepers, I. S. R. pattern.

Ballast.—The line is laid on coarse and hard sand ballast, covered with quartz ballast.

Fencing.—Only certain station yards have been fenced.

Curves.—The sharpest curve has a radius of 600 feet.

Gradients.—The ruling gradient is 1 in 100.

Contract—

Dated the 30th April 1914, between the Secretary of State and the Guzerat Railways Company, as to the construction, maintenance, management and working of the line by the Guzerat Railways Company.

Main provisions of contract—

- (i) *Land.*—Land in British territory provided by the Government free of cost to the Company including land permanently or temporarily required for quarrying, ballast, brickfields and kindred purposes.
- (ii) *Government aid.*—The Government allow to the Railway Company in respect of each year by way of rebate, a sum not exceeding the net earnings from all traffic, except the earnings derived from the carriage of stores, interchanged between the Bombay, Baroda and Central India railway and this railway, as shall, together with the net earnings of the Company in respect of this railway, make up an amount equal to interest for the year at the rate of 5 per cent per annum on the paid up share capital of the Company.
- (iii) *Distribution of profits.*—When the net earnings of the Company in any year exceed the minimum amount sufficient to give a return of 5 per cent per annum on the paid up share capital of the Company such excess is to be divided equally between the Government and the Company.
- (iv) *Rates and fares.*—Such as may from time to time be agreed upon between the Government and the Company and the classification of goods to be in conformity with that from time to time in force on State railways of the same gauge.
- (v) *Special obligations as to the conveyance of—*

<ol style="list-style-type: none"> (a) Mails, troops, police, high Government officials and Government stores.— (b) Government bullion and coin, and the persons in charge thereof.— 	}	To be conveyed at the same rates and under the same arrangements as apply to State railways on the same gauge.
--	---	--
- (vi) *Power of the Government to determine agreement.*—The Government may, by giving twelve months' "notice of purchase," determine the contract on the 31st March 1914 or on the 31st March in the last year of any subsequent period of ten years.

GODHRA-LUNAVADA RAILWAY (2' 6" gauge)—*concl'd.*Main provisions of contract—*concl'd.*

If the contract is determined by "notice of purchase" the Government shall pay to the Company 25 times the amount of the average net earnings (excluding payments on account of rebate) derived by the Company during the three years immediately preceding the time at which the contract shall be determined, subject to a limit of 20 per cent. in excess of, but not less than, the total capital expenditure of the Company.

The Government may also, by giving twelve months' "notice of special purchase," determine the contract at any time in the following cases:—

- (a) when it is considered desirable that the gauge of the railway should be altered;
- (b) when it is considered desirable to convert the railway into a line of through communication and
- (c) when it is considered desirable to extend the railway (without altering the gauge or making the line part of a through route), and the Company is unable or unwilling to supply the necessary capital for such extension.

If the contract be determined by "notice of special purchase," the Government to pay to the Company 25 times the average net earnings (excluding payment on account of rebate) of the Company during the last preceding three years or 115 per cent. of the total capital expenditure of the Company, whichever may be the greater.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract [if not determined under (vi).]*—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses to end of each year. (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from, (+), or share of surplus profits payable to, (—), the Government of India.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
1913-14	24-00	Rs. 11,30,708	Rs. 13,289	Rs. 1,600	0-16	...	Rs. 1,560	0-18	Rs. 32	66-00
1914-15	25-45	13,03,936	45,407	4,528	0-34	+ 38,089	42,597	3-27	34	90-03
1915-16	25-45	12,90,051	52,312	-3,559	...	+ 66,906	63,347	4-91	39	106-80
1916-17	25-45	12,91,880	64,344	10,380	0-77	+ 53,019	63,293	4-90	49	84-02
1917-18	25-45	12,97,473	54,500	-9,537	...	+ 67,241	63,704	...	41	106-49

JESSORE-JHENIDAH RAILWAY (2' 6" gauge).

Date of registration of the Company.—28th March 1911.

The sanction accorded by the Government of Bengal to the construction of this line under the Indian Railways Act, IX of 1909, was approved by the Government of India in their letter No. 275 R.P., dated the 2nd December 1910.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
<i>Main line—</i> Jessore to Jhenidah	1-10-13	29.00	
<i>Branch—</i> Kaliganj to Kot Chandipur	1-10-13	7.75	
TOTAL	36.75

Details of construction—

- Permanent-way.*—The permanent-way consists of 30-lb. flat-footed steel rails laid chiefly on *sāl* sleepers.
Ballast.—The line is ballasted almost throughout with brick.
Fencing.—The line is unfenced.
Curves.—The sharpest curve is of 382 feet radius.
Gradients.—The ruling gradient is 1 in 150.

Contract and agreement—

Contract, dated the 26th May 1913, between the Secretary of State and the Jessore-Jhenidah Railway Company, as to the construction, maintenance and working of the line.

Agreement, dated the 26th May 1913, between the District Board of Jessore and the Jessore-Jhenidah Railway Company, as to the grant of certain concessions to the latter by the former under certain conditions.

Main provisions of contract and agreement—

- (i) *Land.*—Land on one side of the District Board road not exceeding 8 feet in width granted free, any additional land being acquired by Government at the cost of the Company.
- (ii) *Aid by the District Board.*—The District Board of Jessore guarantee to supplement the net earnings of the Company by such annual subsidy as may be necessary to make up a dividend of 4 per cent per annum on the Company's paid up share capital, provided that the total sum so payable by the Board shall not in any one year exceed the sum of Rs. 82,000. The Board will recommend and apply to the Local Government for the exemption of the Company from road cess, or for the levy of only a nominal tax for a period of 21 years from the date of opening of the line for traffic.
- (iii) *Distribution of profits.*—Surplus profits of the Company in excess of 4 per cent on their paid up share capital are divisible between the Company and the District Board in equal shares.
- (iv) *Rates and fares.*—Rates and fares shall be such as may from time to time be arranged by the Secretary of State and the classification of goods shall be in conformity with that in force on State railways of the same gauge.
- (v) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, police, high Government officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—

} To be conveyed in the same manner and subject to the same regulations and conditions as are in force on State railways of the same gauge.

JESSORE-JHENIDAH RAILWAY (2' 6" gauge)—*concl'd.*Main provisions of contract and agreement—*concl'd.*

- (vi) *Power of the Government to determine contract.*—The Government may, by giving 12 months' previous 'notice of purchase', determine the contract either on the 31st March 1943, or on the 31st December in the last year of any subsequent period of 10 years, paying to the Company 25 times the amount of the average yearly net earnings during the 3 years immediately preceding, provided that the amount payable to the Company shall not in any case exceed by more than 20 per cent, or be less than, the total capital expenditure of the Company.

The Government may also, by giving 'notice of special purchase', determine the contract at any time in the following cases :—

- (a) when it is considered desirable to alter the gauge of the railway ;
 (b) when it is considered desirable to convert the railway into a line of through communication ; and
 (c) when it is considered desirable to extend the railway (without altering the gauge or making the line part of a through route) and the Company is unable or unwilling to provide funds for such extension.

If the contract be determined by 'notice of special purchase' the Government will pay to the Company 25 times the average yearly net earnings during the 3 years preceding the purchase, or 115 per cent of the total capital expenditure, whichever may be the greater.

- (vii) *Power of the Company to surrender contract.*—Nil.

- (viii) *Term of Contract [if not determined under (vi)]*.—Not specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including response, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Subsidy from, (+), or share of not profits to, (—), the District Board.	Total income (column 5 + or — column 7).	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenditure to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1913-14	36.80	12,33,610	49,667	12,145	0.98		12,145	0.98	52	75.55
1914-15	36.80	12,49,383	77,508	—16,498	...	*	40	121.25
1915-16	36.80	12,60,742	94,740	—38,767	...	*	49	140.92
1916-17	36.90	13,49,378	1,10,693	—39,470	...	*	58	129.34
1917-18	36.75	13,96,544	88,775	—55,760	...	*	46	162.87

*The question of subsidy is under dispute.

KALIGHAT-FALTA RAILWAY (2' 6" gauge).*Date of registration of the Company.*—April 1915.

The construction of this line by the Kalighat-Falta Railway Company was authorised in Railway Board's telegram No. ^{84-P.}₁₈₄₉ dated the 26th April 1915.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Gholshapnr (near Kalighat) to Falta	23-5-17	25-33	25-33

Details of construction—

Permanent-way.—The permanent-way consists of 35-lb. flat-footed rails on sal sleepers.

Ballast.—Brick ballast has been largely used but on the independent banks cinder ballast has been provisionally laid down.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—The ruling gradient is 1 in 200.

Contract—

The line was constructed and is being worked under the terms of a contract between the Secretary of State and the Kalighat-Falta Railway Company which is under consideration.

Statistics of working—

Year.	Mileage open at end of the year.	Total capital outlay, including suspense, to end of the year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1917-18	25-33	17,36,978	88,697	20,146	1-16	80	77-29

KOLAR DISTRICT RAILWAY (2' 6" gauge).

The first section, from Bowringpet to Kolar, formerly known as the Bowringpet-Kolar railway, was constructed by the Mysore Durbar under sanction conveyed in Government of India, Foreign Department letter No. 2161-L.B., dated the 15th October 1912. It was financed entirely by the District Board of Kolar from the proceeds of a debenture loan. Later on as the District Board were unable to raise the entire capital for the whole line, from Bowringpet to Chik Ballapur, the cost was borne in equal proportions both by the Durbar and the District Board.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Bowringpet to Kolar	15-12-13	16-63	
Kolar to Chintamani	6-2-16	22-56	
Chintamani to Chik Ballapur	8-11-16	22-27	
TOTAL	63-51

Details of construction—

Permanent-way.—The permanent-way consists of 4½-lb. second-hand rails for 41 miles, and 4½-lb. new rails, from the Tata Iron and Steel Company, for the remainder. The rails are laid on steel sleepers for 37 miles, and on wooden sleepers for 27 miles. The wooden sleepers are mostly teak, a small percentage being jalare and jambe.

Ballast.—The line between Bowringpet and Kolar is ballasted with sand and between Kolar and Chintamani boxed with good gravelly soil. Between Chintamani and Chik Ballapur the ballast consists of moorum, except at bridge approaches where broken stone is used.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 716 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

The line is maintained, managed and worked by the Mysore Durbar between them and the District Board of Kolar which is under consideration.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1913-14	10-92	2,95,577	7,598	—253	...	42	103-33
1914-15	10-92	6,42,569	36,093	4,815	6-75	64	86-66
1915-16	40-71	14,06,964	47,918	12,305	0-87	33	74-32
1916-17	63-81	17,09,216	1,05,093	14,942	0-88	32	85-79
1917-18	63-51	18,74,616	1,56,766	31,722	1-69	47	79-76

MADAYA LIGHT RAILWAY (2' 6" gauge).*Date of registration of the Company.—28th August 1906.***Progress in opening—**

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Zegyo quarter of Mandalay town to Obo	10-3-12	3.40	
Obo to Toungbyon	25-7-12	4.30	
Toungbyon to Madaya	23-5-17	7.70	
4 TOTAL OPEN MILEAGE	16.00

Details of construction—

Permanent way.—The permanent way consists of 19-lb. and 24-lb. fist-footed steel rails laid on several varieties of local wood with some old stamped steel sleepers.

Ballast.—In most places throughout the line the ballast consists of brick rubbish.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 286 feet radius.

Gradients.—The ruling gradient of the greater part of the railway is 1 in 1,000, except on the Zegyo-Obo section where it is 1 in 333 with a 1 in 100 banking section.

Local Government order—

Madaya Tramway order published under the Burma Government, Municipal and Local Department, Notification No. 22, dated the 13th February 1906, authorising the construction, maintenance and use of a system of tramways from Madaya in the district of Mandalay to the Obo quarter of Mandalay town.

Main provisions of Local Government order—

- (i) **Land.**—Land acquired at an annual track rent of Rs. 250 per mile for the first three years, and Rs. 400 per mile thereafter, provided that no turnout or siding is liable to rent.
- (ii) **Government aid.**—Nil.
- (iii) **Distribution of profits.**—The whole of the profits belong to the Promoters.
- (iv) **Rates and fares.**—The minimum rate of fares for passengers has been fixed at half anna per mile. The charges for goods and for passengers' luggage to be fixed between the Promoters and the Local Government.
- (v) **Special obligations as to the conveyance of—**
 - (a) Mails, troops, police, high Government Officials and Government stores.—
 - (b) Government hullion and coin, and the persons in charge thereof.—
- (vi) **Power of the Government to determine contract.**—After the expiration of 42 years from the date of the order and within six months after the expiration of every subsequent period of ten years, the Deputy Commissioner, Mandalay district, with the previous sanction of the Local Government, may require the Promoters to sell to him the undertaking at a fair market value of all lands, etc., used for the purposes of the line.
- (vii) **Power of the Promoters to surrender contract.**—Nil.
- (viii) **Term of contract [if not determined under (vi)].**—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
1912.	Miles. 9.30	Rs.	Rs.	Rs.		Rs.	
1st qr. of 1913	9.30						
1913-14	9.30						
1914-15	9.30						
1915-16	9.30						
1916-17	9.30						
1917-18	16.00						

Information not available.

NADIAD-KAPADVANJ RAILWAY (2' 6" gauge).

Date of registration of the Company.—30th March 1911.

The construction of this line by the Guzerat Railways Company was sanctioned by the Railway Board in their letter No. 546-R.C., dated the 28th February 1911.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
A point near Nadiad station to Kapadvanj	5-3-13	28'01	28'01

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed rails laid on steel trough sleepers, Indian State Railway pattern.

Ballast.—The line is ballasted throughout with heavy laterite.

Fencing.—The line is unfenced, except in station yards.

Curves.—The sharpest curve is of 716 feet radius.

Gradients.—The ruling gradient is 1 in 100.

Agreement—

Dated the 30th April 1914, between the Secretary of State and the Guzerat Railways Company, as to the construction, maintenance, management and working of the line by the Guzerat Railways Company.

Main provisions of agreement—

As noted under Godhra-Lunavada railway (2' 6" gauge).

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Rebate from, (+), or share of surplus profits to, (—), the Government of India.	Total income.	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1st Oct. of 1913	27'26	2,25,059	6,571	1,810	0'20	...	1,810	0'20	41	72'45
1913-14	27'26	12,50,471	1,02,727	41,318	3'30	...	41,318	3'30	70	52'37
1914-15	27'26	13,42,443	1,19,495	39,421	2'93	+ 4,467	43,888	3'27	82	67'01
1915-16	27'26	14,68,535	1,23,096	56,068	3'33	+ 16,026	72,112	4'31	92	58'06
1916-17	28'01	15,11,305	1,44,313	69,510	4'63	+ 4,329	74,045	4'30	98	51'39
1917-18	28'01	14,99,403	1,57,709	73,940	4'98	—512	73,189	4'31	108	53'11

SHAHDARA (DELHI)-SAHARANPUR LIGHT RAILWAY (2' 6" gauge).

Date of registration of the Company.—28th November 1905.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Shahdara to Shamli	7-5-07	92.50	
Shamli to Saharanpur	15-10-07		
TOTAL	92.50

Details of construction—

Permanent-way.—The permanent-way consists of 35-lb. flat-footed steel rails laid on 8½ sleepers.

Ballast.—The line is ballasted with stone and broken brick.

Fencing.—The line is partially fenced.

Curves.—The sharpest curve is of 1,910 feet radius.

Gradients.—The ruling gradient is 1 in 1,000, with some short lengths of 1 in 333.

Local Government order and agreement—

The Shahdara-Saharanpur Tramway Company order, published under the Government of the United Provinces of Agra and Oudh, Public Works Department, Railway Branch, Notification No. 339-187-R., dated the 18th April 1904;

Agreement, dated the 11th October 1905, between the Government of the United Provinces of Agra and Oudh and Messrs. Martin & Co. of Calcutta, (called "the Promoters") for and on behalf of the Shahdara (Delhi)-Saharanpur Light Railway Company, published under the Government of the United Provinces of Agra and Oudh, Public Works Department, Railway Branch, Notification No. 1863-R.-187, dated the 22nd November 1905;

as to the construction, maintenance and working of the line from Shahdara to Saharanpur.

Main provisions of Local Government order and agreement—

- (i) *Land.*— } The Local Government provide free of charge for the purposes of the
- (ii) *Government aid.*— } railway sufficient land for a single 5' 6" gauge line, together with land for all conveniences and works approved under clause 8 of the agreement. In addition to this the Company are authorised to use for the purpose of the railway, but not for the purpose of any building or erection connected therewith, portions not exceeding six feet in width of the local roads passing between Shahdara and Saharanpur.
- (iii) *Distribution of profits.*—Surplus profits in any year in excess of 4 per cent upon the paid up capital of the Company shall be divided equally between the Government and the Company; payments on account but subject to adjustment being made at close of first half-year.
- (iv) *Rates and fares.*—Certain maximum rates of fare for passengers and maximum and minimum rates for goods in conjunction with the General classification of Goods have been fixed. Full control over charges of all kinds is reserved to the Local Government.
- (v) *Special obligations as to the conveyance of.*—
 - (a) Mails, troops, police, high Government Officials and Government stores.—
 - (b) Government bullion and coin, and the persons in charge thereof.—

} Nil.

SHAHDARA (DELHI)-SAHARANPUR LIGHT RAILWAY (2' 6" gauge)—*consid.*Main provisions of Local Government order and agreement—*consid.*

(vi) *Power of the Government to determine agreement.*—Upon the expiration of 21 years after the date of opening, or 23 years from the date of the Local Government order sanctioning the construction of the line, whichever is earlier, or at the end of every seven years thereafter, the Local Government have, by giving 12 months' previous notice, the right of terminating the agreement by paying to the Company the value calculated at 25 years' purchase of the average annual profits of the Company for the preceding three years, subject to a minimum of the capital expended and a maximum of 25 per cent in excess of that sum. In the event of its being determined to construct a railway on a different gauge in place of the tramway, and if the Government and the Company fail to agree that the alteration shall be made by the Company, then and in such case, the Government have the right to acquire the tramway at any time on giving 12 months' notice in writing and paying to the Company a sum 25 per cent in excess of its capital expenditure.

(vii) *Power of the Company to surrender agreement.*—Nil.

(viii) *Term of agreement [if not determined under (vi)].*—None specified.

Statistics of working (Those for 1907 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1908	22-63	41,35,292	3,35,833	1,41,823	3-43	70	57-73
1909	22-63	41,58,990	4,05,556	1,96,014	4-71	84	51-70
1910	22-50	41,37,317	5,04,882	2,75,330	6-67	106	45-80
1911	22-50	42,18,557	5,32,283	3,10,746	7-37	110	41-61
1912	22-50	42,51,039	6,10,763	3,54,779	8-34	126	41-87
1st qr. of 1913 .	22-50	42,39,811	1,93,253	1,26,997	2-97	160	34-25
1913-14 . . .	22-50	43,42,582	6,17,500	3,48,514	8-02	128	49-57
1914-15 . . .	22-50	43,39,762	8,48,190	3,57,708	8-14	134	44-76
1915-16 . . .	22-50	44,18,947	5,49,369	2,50,273	6-34	114	49-63
1916-17 . . .	22-50	44,11,392	3,68,834	3,92,396	8-90	139	41-38
1917-18 . . .	22-50	44,63,101	7,15,484	3,70,962	8-31	143	43-17

TEZPORE-BALIPARA LIGHT RAILWAY (2' 6" gauge).*Date of registration of the Company.*—2nd October 1893.

This line was authorised for construction under the Indian Tramways Act, 1886, by the Hon'ble the Chief Commissioner of Assam on the 1st June 1895. On the 3rd May 1898, the Indian Railways Act, IX of 1890, except section 135, was applied to the line.

A tramway, 2 miles long, was constructed at the expense of the Borjuli Tea Company connecting the Borjuli Tea Factory with Rangapara station on the Tezapore-Balipara Light railway. It was worked by the Tezapore-Balipara Light railway hut from February 1908 has been closed to public traffic.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Tezapore Chat to Bindakuri	9-8-84	8'10	
Bindakuri to Balipara	1-9-85	12'00	
TOTAL	20'10

Details of construction—

Permanent-way.—The permanent-way consists of 30-lb. flat-footed steel rails on Nahor or Gonsarai sleepers.

Ballast.—The line is unballasted.

Fencing.—The line is fenced only at stations.

Curves.—In the first mile there are two curves with radii of 500 feet.

Gradients.—The ruling gradient between Tezapore and Rangapara, 16 miles, is 1 in 125 and between Rangapara and Balipara, 4 miles, 1 in 100.

Local Government order—

Tezapore-Balipara Steam Tramway Company order, published under the Notification by the Hon'ble the Chief Commissioner of Assam, No. 33, dated the 1st June 1895, as to the construction, maintenance and working of the line.

Main provisions of Local Government order—

(i) *Land.*—Provided at the cost of the Company, other than that which is not held under decennial pottas or where the holders have not acquired land-holder's rights, provided free of cost. Free use of one side of a provincial or local road is authorised for the purpose of laying the line only.

(ii) *Government aid.*—Supply, free of royalty, of timber for sleepers from Government forests for the first construction of the line only, and a payment by the Tezapore Local Board, of a subsidy of Rs. 5,000 per annum up to the end of March 1914.

* Letter from the Hon'ble the Chief Commissioner of Assam, No. 3720, dated the 10th November 1893, Government of India, Public Works Department, letter No. 139 B.C., dated the 2nd February 1894.

Railway Board's letter No. 342 R.T., dated the 22nd February 1899.

(iii) *Distribution of profits.*—The whole of the profits belong to the Company.

(iv) *Rates and fares.*—Certain rates for carriage of passengers and goods have been fixed, but the full control over charges of all kinds is reserved by the Chief Commissioner.

(v) *Special obligations as to the conveyance of—*

(a) Mails, Postal Officers and servants on duty.—Conveyed at the rates and on the conditions in force from time to time on State railways.

(b) Troops, police, high Government Officials and Government stores

(c) Government bullock and coin, and the persons in charge thereof. } Nil.

(vi) *Power of the Government to determine contract.*—After the line has been opened for 15 years and thereafter at terms of 7 years each, the Government, by giving 12 months' previous notice, have the right to terminate the contract and take over the line by paying to the Company the value of the property as a dividend-earning investment together

with a bonus of 20 per cent over and above such value.

(vii) *Power of the Company to surrender contract.*—Nil.

(viii) *Term of contract [if not determined under (vi)].*—None specified.

Statistics of working (Those for the periods prior to 1903 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Subsidy from District Board.	Total income.	Percentage of total income on total capital outlay given in column (9).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908	20'10	4,87,240	88,990	30,272	4'30	5,000	30,272	5'32	88	76'48
1909	20'10	4,87,240	85,964	23,618	4'34	5,000	28,618	5'37	84	77'38
1910	20'10	4,87,240	94,015	25,245	5'22	5,000	30,245	6'25	90	73'40
1911	20'10	4,87,240	1,14,875	31,822	6'54	5,000	36,822	7'57	110	71'38
1912	20'10	4,87,240	1,30,685	31,709	7'12	5,000	36,709	8'14	116	71'28
1st yr. of 1913.	20'10	4,87,240	27,579	4,035	0'83	...	4,035	0'88	120	85'38
1913-14.	20'10	4,87,240	1,84,088	40,480	8'31	5,000	45,480	9'33	103	60'38
1914-15.	20'10	4,87,240	1,35,569	36,620	7'51	...	36,620	7'51	122	72'38
1915-16.	20'10	4,87,240	1,41,801	44,461	9'12	...	44,461	9'12	129	68'38
1916-17.	20'10	4,87,240	1,47,301	46,561	8'55	...	46,561	9'35	131	69'38
1917-18	20'10	4,87,240	1,88,069	30,048	6'18	...	30,048	6'18	128	77'48

DARJEELING-HIMALAYAN RAILWAY SYSTEM.

Lines comprised in the system—The Darjeeling Himalayan railway system is made up of—

	Miles.
(a) Darjeeling Himalayan railway (2' 0" gauge)	51.00
(b) Darjeeling Himalayan railway extensions (2' 0" gauge)	95.44
Total	146.44

Darjeeling Himalayan Railway (2' 0" gauge)—

Date of registration of the Company.—1879.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Siliguri to Kurseong	23-8-80	31.75	
Kurseong to Sonada	1-2-81	9.80	
Sonada to Ghum	4-4-81	8.37	
Ghum to Darjeeling	4-7-81	3.63	
Darjeeling to Darjeeling Bazar	16-6-83	0.23	
TOTAL			51.00

Details of construction—

Permanent-way.—The line is laid throughout with 41½-lb. flat-footed steel rails on wooden sleepers.

These are being renewed with a special section steel rail, 41½ lbs. to the yard, as required.

Ballast.—For 9 miles from Siliguri the line has been ballasted with gravel or broken stones, except near Siliguri, where sand has been used. On the hill section, where necessary, broken stone ballast has been put in.

Fencing.—The line is unfenced.

Curves.—The sharpest curve has a radius of 60 feet.

Gradients.—The ruling gradient of the greater part of the line is about 1 in 25; from Sukna to Ghum (summit) and thence to Darjeeling there is a length of about three-fourths of a mile on grades of 1 in 22½ to 1 in 23, uncompensated, with short lengths of 1 in 20.

Contract and agreement—

Contract, dated the 8th April 1879, between the Secretary of State and the late Mr. Franklin Prestage, as to the construction, maintenance, management and working of the railway.

Agreement, dated the 24th January 1913, between the Secretary of State and the Darjeeling-Himalayan Railway Company, providing for the exclusion from the Company's capital of the preference shares raised for buying up the shares of the Darjeeling-Himalayan Railway Extensions Company for the purposes of clause 16 of the contract of 8th April 1879.

Main provisions of contract and agreement—

- (i) *Land.*—Government land, and the right to use the existing cart road, to be granted to the Company free of cost. Other land necessary, if any, to be acquired by the Government and transferred to the Company at cost price.
- (ii) *Government aid.*—The Government undertake to pay to the Company any sum required to make up its gross receipts to two lakhs of rupees annually.
- (iii) *Distribution of profits.*—After the first five years half the net profits of any year in excess of 5 per cent on the paid up capital to be applied in repayment to the Government of the amount expended on the maintenance of the cart road during the same year, or in making good a deficiency in gross receipts.
- (iv) *Rates and fares.*—Certain maxima have been fixed within which the Company is permitted to vary rates and fares.
- (v) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government Officials and Government stores.—Mails and Post office servants to be carried by the Company in consideration of a payment by the Government of Rs. 10,280 yearly. [No special provision exists as to troops, police, high Government Officials and Government stores.]

(b) Government hulsion and coin, and the persons in charge thereof.—None specified.

- (vi) *Power of the Government to determine contract.*—
 - (vii) *Power of the Company to surrender contract.*—
- If at any period the railway should not be worked for six consecutive months, the Company is to surrender the road and land acquired from the Government, receiving any sum due to it for permanent improvements to the road or works connected with it.

After the railway has been opened for 25 years (reckoning from the 4th May 1884), and thereafter at intervals of 10 years, the Government have the power, by giving 12-months' previous notice to terminate the contract and take over the line on payment to the Company of its value as a dividend-earning investment, with an additional bonus of 20 per cent over and above such value.

NOTE.—Government relinquished the right to terminate the contract at the end of the 25th year, and decided to allow the terms and conditions of the contract of the 8th April 1879 to continue for a further period of 10 years, viz. to May 1919, vide Railway Board's letter No. 1412 E. T., dated the 1st August 1906, to the Secretary to the Government of India, Railway Department.

- (viii) *Term of contract.*—None specified.

DARJEELING-HIMALAYAN RAILWAY SYSTEM—contd.

Darjeeling Himalayan railway (2' 0" gauge)—contd.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Government share of surplus profits.	Total income (column 6—column 7).	Percentage of total income on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908	51'00	37,47,327	9,44,452	4,21,454	11'24	65,182	8,55,232	9'48	356	55'38
1909	51'00	37,72,607	9,80,125	4,30,895	11'48	68,598	8,51,500	9'51	378	55'32
1910	51'00	37,94,440	10,03,569	4,41,981	11'65	90,838	8,51,278	9'28	378	55'06
1911	51'00	38,51,682	10,39,902	4,44,238	11'53	91,435	8,52,801	9'16	388	55'36
1912	51'00	39,23,147	11,38,900	5,11,268	18'03	98,475	4,12,793	10'52	429	55'11
1st qtr. of 1913.	51'00	39,55,610	2,43,409	87,582	2'21	14,840	72,438	1'83	367	64'15
1913-14	51'00	40,76,057	11,99,780	5,01,515	12'30	1,08,008	6,93,309	9'65	452	58'18
1914-15	51'00	42,01,731	11,35,632	4,69,578	10'91	97,676	8,71,901	8'64	428	58'03
1915-16	51'00	43,62,976	11,80,696	4,99,218	11'44	1,04,412	3,92,636	9'00	449	58'04
1916-17	51'00	44,72,897	18,01,592	4,48,833	10'08	95,545	8,53,267	7'90	431	58'52
1917-18	51'00	46,06,491	12,87,179	4,56,767	9'92	97,089	3,59,578	7'81	435	64'51

Darjeeling Himalayan railway extensions (2' 0" gauge)—

Date of registration of the Company.—20th January 1913.

The construction of this line by the Darjeeling-Himalayan Railway Company for the Darjeeling Himalayan Railway Extensions Company was authorised by the Railway Board in their telegram No. 251-R.C., dated the 6th February 1913.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Kissengunge extension—				
Panchanai to Matigara	16-3-14	2 10		
Matigara to Naksalbari	1-2-15	12'1b		
Naksalbari to Talabpur	1-5-15	2 4'25		
Talabpur to Islampur-Aluabari	1-11-14	8'00		
Islampur-Aluabari to Kissengunge	15-6-14	19'25		
			60'35	
Teesta Valley extension—				
Siliguri to Sivoko	16-3-14	12'75		
Sivoko to Rhyang	1-5-15	11'75		
Rhyang to Kalimpong Road	21-9-15	4'50		
			29'09	
TOTAL				89'44

Details of construction—

Permanent-way.—The permanent-way consists of 40-lb. British standard section steel rails with small length of older types of 40-lb. rails, laid on sll sleepers.

Ballast.—The line is ballasted with sand; but broken stone is being laid.

Fencing.—The line is unfenced.

Curves.—The sharpest curve on the Kissengunge extension is of 100 feet radius and that on the Teesta Valley extension, of 80 feet radius.

Gradients.—The steepest gradient is 1 in 100 on the Kissengunge extension and that on the Teesta Valley Extension, 1 in 50.

Contract—

Dated the 25th April 1914, between the Secretary of State and the Darjeeling Himalayan Railway Extensions Company, as to the construction, maintenance and working of the Darjeeling Himalayan Railway Extensions by the Company.

DARJEELING-HIMALAYAN RAILWAY SYSTEM—*concl'd.*

Darjeeling Himalayan railway extensions (2' 0" gauge)—*concl'd.*

Main provisions of contract—

- (i) **Land.**—Land in British territory provided free of cost to the Company. The Company is also permitted to make such use of any roads for the purposes of the extensions as the Governments of Bengal and Bihar and Orissa may authorize.
- (ii) **Government aid.**—The Government allow to the Company, in respect of each year, by way of rebate, such a sum not exceeding in any year the net earnings of the Eastern Bengal railway, exclusive of earnings derived from the carriage of revenue stores, from traffic originating or terminating on the extensions, as shall, together with the net earnings of the Company or with half the gross earnings after deducting from such half the sum of Rs. 15,000 payable on account of expenses of management, whichever is more, make up an amount equal to interest for the year at a rate of 5 per cent per annum on the actual expenditure charged in the capital account.
- (iii) **Terms of working.**—The extensions are worked by the Darjeeling Himalayan Railway company at 50 per cent of their gross earnings.
- (iv) **Distribution of profits.**—When the net earnings of the Company shall exceed the minimum amount sufficient to pay a dividend of 5 per cent per annum such excess shall be divided equally between the Secretary of State and the Company.
- (v) **Rates and fares.**—The rates and fares for the carriage of goods and passengers shall be such as may from time to time be arranged between the Secretary of State and the Company and the classification of goods thereon shall be in conformity with that from time to time in force on State railways of a similar gauge; provided that the maxima rates and fares for the Kissingang extension will be double, and the minima rates and fares the same as those permissible on the Eastern Bengal railway; and that the maxima rates and fares for the Teesta Valley extension will be those stated in schedule A attached to the contract, and the minima rates and fares the same as those fixed for the Western Extension of the Bengal Doars railway.
- (vi) **Special obligations as to the conveyance of:**
 (a) Mails, troops, police, high Government officials and Government stores. } The Company shall carry out all such services as are usually performed by state railways of a similar gauge in the same manner and subject to the same regulations and conditions as to rates and otherwise as are for the time being in force on such railways.
 (b) Government bullion and coin and the persons in charge thereof. }
- (vii) **Power of the Government to determine contract.**—The Government may, by giving "notice of purchase," determine the contract, either on the 31st March 1946 or on the 31st March in the last year of any subsequent period of 10 years, by paying to the Company 25 times the amount of the average of the yearly net earnings (excluding payments on account of rebate) of the Company during the 3 years immediately preceding, but so that the total amount so payable to the Company shall not in any case exceed by more than 20 per cent, or be less than, the total capital expenditure of the Company.
 The Government may, by giving "notice of special purchase," determine the contract at any time in the following cases:—
 (a) when it is considered desirable to alter the gauge of the railway;
 (b) when it is considered desirable to convert the railway into a line of through communication; and
 (c) when it is considered desirable to extend the railway (without altering the gauge or making the line part of a through route) and the Company is unable or unwilling to provide funds for such extension.
 If the contract be determined by "notice of special purchase" the Government will pay to the Company 25 times the average yearly net earnings during the 3 years preceding the purchase, or 115 per cent of the total capital expenditure, whichever may be the greater.
- (viii) **Power of the Company to surrender contract.**—Nil.
- (ix) **Term of contract [if not determined under (vi)].**—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (5).	Rebate (from, (+), or share of surplus payable to, (—), the Secy. of State.	Total income.	Percentage of total income on total capital outlay given in column (8).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1915-16	14-28	29,94,511								
1916-17	53-62	26,57,888			Information not available.
1917-18	95-44	46,08,998	7,81,788	80,804	1-77	+ 40,780	1,21,674	2-61	65	58-90
1918-19	98-44	51,18,298	8,22,929	1,85,464	2-26	+ 1,04,000	2,70,514	5-29	67	50-00
1919-20	98-44	58,77,644	8,71,863	1,88,991	2-45	+ 97,391	2,85,383	5-06	67	50-00

B.—The revenue figures against 1915-16 are for the half-year ending 31st March 1916, as those for the previous half-year were modified to Capital.

GWALIOR LIGHT RAILWAY (2' 0" gauge).

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
<i>Gwalior-Sipri section—</i>				
Gwalior to Sipri	2-12-99	78.81	78.81	
<i>Gwalior-Bhind section—</i>				
Gwalior to Bind	2-12-99	52.83	52.83	
<i>Gwalior-Sheopur-Kalan section—</i>				
Gwalior to Jora Alapur	1-1-04	31.34		
Jora Alapur to Sabalgarh	1-12-04	28.05		
Sabalgarh to Birpur	1-11-06	19.35		
Birpur to Sheopur Kalan	15-6-09	49.88		
			125.82	
GRAND TOTAL	240.96

Details of construction—

Permanent-way.—The permanent-way consists of 80-lb. flat-footed steel rails, laid on sal and steel trough sleepers.

Ballast.—The line is fully ballasted throughout with broken stone, sand and moorum.

Fencing.—The line is not fenced.

Curves.—The sharpest curve in station yards has a radius of 147 feet. The sharpest curve out of stations has a radius of 287 feet.

Gradients.—The ruling gradient is 1 in 40 on the Gwalior-Sipri section, 1 in 80 on the Gwalior-Sheopur Kalan section and 1 in 150 on the Gwalior-Bhind section.

Agreement—

Main provisions of agreement.— } Nil. The Gwalior Light railway is the property of the Gwalior Durbar by whom it was constructed and is maintained, stocked and worked. The working of the trains and traffic of the line was under the control of the Great Indian Peninsula Railway Company up to the 30th June 1913.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1906	269.06	66,13,692	3,61,725	99,269	1.50	35	62.07
1907	219.90	68,10,206	2,54,587	85,063	1.25	20	66.82
1910	249.96	66,57,494	3,69,295	1,74,444	2.54	28	52.76
1911	249.96	67,47,029	4,05,871	1,71,420	2.54	31	57.76
1912	249.96	67,67,204	5,13,976	2,27,870	3.37	40	52.67
1st qr. of 1913	249.96	67,71,809	1,12,494	1,00,504	1.49	44	29.30
1913-14	249.96	69,14,991	5,14,119	2,20,130	3.18	39	57.19
1914-15	249.96	72,26,667	5,91,222	2,19,515	3.00	41	60.26
1915-16	249.96	74,68,981	5,85,642	2,55,475	3.42	43	56.88
1916-17	249.96	75,65,829	5,63,685	2,80,091	3.72	43	50.66
1917-18	249.96	76,91,901	6,67,766	3,56,162	4.72	50	45.55

HOWRAH-AMTA LIGHT RAILWAY (2' 0" gauge).*Date of registration of the Company.—2nd May 1895.***Running powers—***Foreign line over home line—*

Howrah-Shaakhala Light railway, Telkul Ghat to Kadamtala (for passenger and goods trains), 3·00 miles.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Main line—			
Telkul Ghât (Howrah) to Damjur	1-7-97	2-26	27-12
Damjur to Bargachia	2-10-97	3-27	
Bargachia to Maju	4-8-98	3-30	
Maju to Amta	1-6-98	6-22	
Champadanga branch—			
Bargachia to Jagatbalabpur	2-10-97	1-50	16-06
Jagatbalabpur to Antpur	1-6-04	6-20	
Antpur to Champadanga	24-8-08	6-08	
TOTAL	43-87

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails, 25 lbs. to the yard, on cross sleepers of pyinkalo on the sections from Maju to Amta. The line from Bargachia to Champadanga and Bargachia to Maju is laid with steel rails 30 lbs. to the yard. The remainder of the line is relaid with steel rails 35 lbs. to the yard.

Ballast.—The line is ballasted throughout.

Fencing.—The line is unfenced.

Curves.—The sharpest curve, sanctioned specially for the town of Howrah, has a radius of 144 feet.

Gradients.—The line is practically level throughout.

Agreements and Local Government orders—

Agreement, dated the 12th June 1889, between the District Board of Howrah and Messrs. Walsh, Lovett and Company on behalf of the Bengal District Road Tramways Company, as to the grant of a concession to the Company of the right to construct and work a tramway over a portion of the road within the jurisdiction of the Board.

Agreement, dated the 27th September 1889, between the Municipal Commissioners of Howrah and Messrs. Walsh, Lovett and Company on behalf of the Bengal District Road Tramways Company, as to the grant of a concession to the Tramways Company of the right to construct and work a tramway over a portion of the road within the jurisdiction of the Commissioners.

Bengal District Road Tramways Company order published under the Bengal Government, Public Works Department, Notification No. 111, dated the 26th March 1895, authorising the construction of a tramway from Howrah to Amta.

Agreement, dated the 3rd May 1897, between the District Board of Howrah and the Bengal District Road Tramways Company (Howrah-Amta), in amendment of the agreement of 12th June 1889.

Agreement, dated the 16th August 1901 (supplemental to the agreements of 1889 and 1897), between the District Board of Howrah and the Howrah-Amta Light Railway Company, as to the construction and working of an extension from Jagatbalabpur to Champadanga.

Howrah-Amta Extension order published under the Bengal Government, Railway Department, Notification No. 75-R., dated the 7th April 1902, authorising the construction of the extension from Jagatbalabpur to Champadanga.

HOWRAH-AMTA LIGHT RAILWAY (2' 0" gauge)—*concl'd.*

Main provisions of agreements and Local Government orders.—

- (i) *Land*.—Provided at the cost of Company, other than one side of portions of the road between Howrah and Amta the free use of which is authorised for the purpose of laying the line only.
- (ii) *Aid by the Local Authorities*.—The District Board of Howrah either exempt the Company from the tax on account of road cess, or exact only a nominal tax for a period of 21 years, with power of renewal. The Municipal Commissioners of Howrah allow the Company free use of so much of the municipal roads as is necessary for the purpose of laying the line, for a period of 20 years from the 27th March 1895; and thereafter levy a track rent of Rs. 2,000 per mile per annum.

The District Board also pay to the Company, by way of interest on the capital expended, such sum of money as may be required to make the net profits of the Company equivalent to a dividend at the rate of 4 per cent per annum, provided that the Board is not involved on this account in a greater liability than Rs. 1,100 per annum per mile constructed and opened with a maximum of Rs. 28,000 per annum.

- (iii) *Distribution of profits*.—Surplus profits in excess of 4 per cent, after setting aside such sums as the Directors may decide, upon the capital for the time being of the Company are divisible in equal proportions between the District Board of Howrah and the Company.
- (iv) *Rates and fares*.—Certain maximum rates of fares for passengers and tariff of charges for goods have been fixed. Full control over charges of all kinds is reserved to Local Government.
- (v) *Special obligations as to the conveyance of*—
 - (a) Mails, troops, police, high Government officials and Government stores.— } Nil
 - (b) Government bullion and coin, and the persons in charge thereof. — }

- (vi) *Power of the Local Authority to determine agreement*.—Upon the expiration of 21 years from the date of the Local Government order authorising the construction of the line, or at the end of every 7 years thereafter, the District Board of Howrah, in conjunction with the District Board of Hooghly and the Municipality of Howrah, have by giving 6 months' notice, the right of purchasing the line by paying to the Company its value as a dividend-earning investment, together with a bonus of 20 per cent thereon.

- (vii) *Power of the Company to surrender agreement*.—Nil.

- (viii) *Term of agreement [if not determined under (vi)]*.—None specified.

Statistics of working. (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including sub-senses, to end of each year, i.e., outlay on (i) lines open, and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings to total capital outlay given in column (3).	Subsidy from, (+), or share of not profits to, (—), the District Board.	Total income, (column 5, + or —, column 7).	Percentage of total income to total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908 .	43.87	21,57,139	8,98,181	1,06,412	0.10	—35,478	1,57,754	7.31	193	59.97
1909 .	43.87	21,80,734	4,87,034	2,10,668	9.66	—40,935	1,59,733	7.78	191	51.79
1910 .	43.87	22,24,279	4,86,490	2,15,230	9.67	—45,732	1,59,498	7.02	212	55.45
1911 .	43.87	23,03,904	4,99,121	2,58,728	10.97	—53,751	1,96,977	8.83	219	49.36
1912 .	43.87	22,94,538	5,59,902	3,05,860	13.33	—68,136	2,39,710	10.44	255	45.88
1st yr. of 1913.	43.87	23,34,368	1,53,598	76,465	3.39	—15,060	60,405	3.60	287	49.89
1913-14 .	43.87	25,51,088	5,94,848	1,68,927	10.50	—47,009	2,21,018	8.68	281	54.75
1914-15 .	43.87	26,70,736	8,18,106	2,55,763	8.94	—51,569	1,57,199	7.01	369	61.95
1915-16 .	43.87	26,37,440	6,17,537	3,08,185	9.68	—50,141	2,00,041	7.44	271	57.87
1916-17 .	43.87	26,43,718	8,04,613	2,68,131	10.15	—69,055	2,05,378	7.76	266	55.74
1917-18 .	43.87	26,32,692	8,02,385	2,76,099	10.40	—62,863	2,15,236	8.03	264	54.17

HOWRAH-SHEAKHALA LIGHT RAILWAY (2' 0" gauge)

Date of registration of the Company.—19th June 1895.

Running powers—

Home line over foreign line—

Tellul Ghat to Kadamtala, Howrah-Amta Light railway, for passenger and goods trains, 3·00 miles.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.
1	2	3	4
<i>Main line—</i>			
Kadamtala to Chanditola	2-8-97	2·88	
Chanditola to Kistrampur	10-9-97	2·75	
Kistrampur to Sheakhala	7-11-97	4·75	
			17·38
<i>Jamat branch—</i>			
Chanditola to Jamat	5-5-98	2·37	2·37
TOTAL			19·75

Details of construction—

Permanent-way.—The permanent-way consists of flat-footed steel rails, 25 lbs. to the yard, laid on cross sleepers of pynkado, except on 5·50 miles, between Kadamtala and Baluhati, which have been relaid with 30-lb. steel rails and sal sleepers.

Ballast.—The line is ballasted throughout.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 144 feet radins at Howrah town.

Gradients.—The line is practically level throughout.

Agreements and Local Government order—

Agreement, dated the 12th June 1889, between the District Board of Howrah and Messrs. Walsh, Lovett and Company of Calcutta (the Promoters), for and on behalf of the Bengal District Road Tramways Company;

Agreement, dated the 16th July 1889, between the District Board of Hooghly and Messrs. Walsh, Lovett and Company of Calcutta (the Promoters), for and on behalf of the Bengal District Road Tramways Company;

Agreement, dated the 27th September 1889, between the Municipal Commissioners of Howrah and Messrs. Walsh, Lovett and Company of Calcutta (the Promoters), for and on behalf of the Bengal District Road Tramways Company;

as to the grant of a concession of the right to construct, maintain and work the line from Howrah to Sheakhala.

The Bengal District Road Tramways Company order published under the Bengal Government, Public Works Department, Notification No. 112, dated the 26th March 1895, authorising the construction of the line from Howrah to Sheakhala.

Agreement, dated the 10th January 1898, between the District Board of Hooghly and the Bengal District Road Tramways Company (Howrah-Sheakhala), providing for an increase in the amount of subsidy guaranteed to be paid by the District Board.

Main provisions of agreements and Local Government order—

(i) *Land.*—Provided at the cost of the Company, other than one side of portions of the road between Howrah and Sheakhala, the free use of which is authorised for the purpose of laying the line.

(ii) *Aid by the local authorities.*—The District Board of Howrah, for 21 years, with power of renewal, exempt the company from the tax on account of road cess, or exact only a nominal tax; and the District Board of Hooghly guarantee to make up the net profit of the Company equivalent to a dividend of 4 per cent per annum on the capital actually paid up and expended, subject to a maximum of Rs. 950 per annum per mile of line constructed and open. The Municipal Commissioners of Howrah allow to the Company free use of so much of the Municipal roads as is necessary for the purpose of laying the line, for a period of 20 years from the 27th March 1895; and thereafter levy a track rent of Rs. 2,000 per mile per annum.

(iii) *Distribution of profits.*—Surplus profits in excess of 4 per cent, after setting aside such sums as the Directors may decide, upon the capital for the time being of the Company are divisible between the District Board of Hooghly and the Company in proportion of 1rd to the former and 3rds to the latter.

HOWRAH-SHEAKHALA LIGHT RAILWAY (2' 0" gauge)—*consolid.*

Main provisions of agreements and Local Government order—*consolid.*

(iv) *Rates and fares.*—Certain maximum rates of fares for passengers and tariff of charges for goods have been fixed. Full control over charges of all kinds is reserved to the Local Government.

(v) *Special obligations as to the conveyance of.*—

(a) Mails, troops, police, high Government officials and Government stores.— } Not specified.

(b) Government bullion and coin, and the persons in charge thereof.— }

(vi) *Power of the Local authority to determine agreement.*—The District Board of Howrah or that of Hooghly, each in conjunction with the other and with the Municipal Commissioners of Howrah, have the right of determining the agreement and purchasing the line after 21 years from the date of the Local Government order authorising its construction or at the end of every 7 years thereafter. If purchased by the District Board of Howrah the price will be equal to the value of the whole line, *plus* a bonus of 20 per cent thereon; if purchased by the District Board of Hooghly the price will be the value of the whole line, *plus* a bonus of 15 per cent thereon.

(vii) *Power of the Company to surrender agreement.*—Nil.

(viii) *Term of agreement [if not determined under (vi)].*—None specified.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907).—

Year.	Mileage open at end of each year.	Total capital outlay, including suspense, to end of each year, <i>i.e.</i> , outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (8).	Subsidy from, (+), or share of net profits to, (—), the District Board.	Total income.	Percentage of total income on total capital outlay given in column (8).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10	11
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.		Rs.	
1908 . . .	1975	6,33,299	1,01,053	84,906	5.42	—2,987	31,816	4.94	90	68.05
1909 . . .	1975	6,50,458	1,07,478	38,533	5.92	—3,695	34,927	5.37	104	64.16
1910 . . .	1975	6,56,178	1,19,792	69,259	9.65	—5,032	58,318	8.88	116	47.11
1911 . . .	1975	6,56,138	1,26,080	62,171	9.48	—4,666	57,505	8.76	123	50.68
1912 . . .	1975	6,61,686	1,41,087	74,861	11.31	—6,785	68,076	10.28	137	66.98
1st qr. of 1913	1975	6,68,508	38,100	21,863	3.27	—2,213	19,650	2.94	148	42.62
1913-14 . .	1975	7,16,108	1,57,887	69,653	9.69	—6,282	63,371	8.82	154	56.87
1914-15 . .	1975	8,26,846	1,56,033	70,546	8.51	—7,231	63,315	7.66	152	54.76
1915-16 . .	1975	7,70,777	1,62,490	62,125	8.06	—8,712	53,413	6.93	138	61.76
1916-17 . .	1975	7,63,637	1,61,042	65,187	8.38	—8,896	56,291	7.36	157	59.53
1917-18 . .	1975	7,66,974	1,61,947	65,380	8.55	—9,813	55,565	7.27	157	59.68

JAGADHRI LIGHT RAILWAY (3' 0" gauge).*Date of registration of the Company.—27th August 1909.***Progress in opening—**

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Jagadhri station to Jagadhri town	11-8-11	8.81	8.81

Details of construction—

Permanent-way.—The permanent-way consists of 24-lb. flat-footed steel rails laid on sal and deodar sleepers.

Ballast.—The line is ballasted for about a furlong in one place only; the remainder is being ballasted gradually with brokep bricks.

Fencing.—The line is unfenced.

Curves.—The sharpest curve is of 573 feet radius.

Gradients.—The ruling gradient is 1 in 800.

Local Government order—

The Jagadhri Light Railway Company order of 1908, published under the Punjab Government Notification No. 754, dated the 15th December 1909, as to the construction, maintenance and working of a steam tramway from Jagadhri station to Jagadhri city.

Main provisions of Local Government order—

- (i) *Land.*—Except the portions of the District Board and provincial roads in the district of Amhala which the line is authorised to cross, all land for the purpose of the undertaking is provided at the cost of capital.
- (ii) *Government aid.*—Nil.
- (iii) *Distribution of profits.*—The whole of the profits belong to the Company.
- (iv) *Rates and fares.*—To be fixed from time to time by the Company with the approval of the Local Government.
- (v) *Special obligations as to the conveyance of—*
 - (a) Mails, troops, police, high Government officials and Government stores.— } Not
 - (b) Government bullion and coin.— } specified.
- (vi) *Power of the Government to determine contract.*—At the expiry of 21 years after first opening throughout for traffic, or at subsequent intervals of 10 years, the local authority, by giving 12 months' notice, has the right to terminate the contract and purchase the undertaking, with the previous sanction of the Local Government, by paying to the Company 25 times the yearly average net earnings of the line during the 8 years preceding the purchase with a maximum of 120 and minimum of 100 per cent of the cost price.
- (vii) *Power of the Company to surrender contract.*—Nil.
- (viii) *Term of contract [if not determined under (vi)].*—None specified.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expense, to end of each year, i.e. outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1911	8.81	1,08,806	7,908	508	0.47	89	99.64
1912	8.81	1,11,286	25,038	1,720	1.54	145	98.13
1st yr. of 1913	9.31	1,11,467	6,962	1,497	1.34	169	79.46
1913-14	9.31	1,14,182	25,581	3,423	2.99	147	69.45
1914-15	9.31	1,18,638	28,880	2,798	2.48	120	97.58
1915-16	9.31	1,15,286	29,712	2,156	1.90	123	96.98
1916-17	9.31	1,13,234	19,898	1,088	0.95	118	94.64
1917-18	9.31	1,13,234	18,798	1,078	1.40	109	91.74

JORHAT (PROVINCIAL) RAILWAY (2' 0" gauge).

This line was originally known as the "Kokila Mookh tramway" or the "Kokila Mookh State railway." Its construction out of the Provincial revenues of Assam, for the convenience of the numerous tea-gardens in the neighbourhood of Jorhat, was approved by the Government of India in their letter No. 621-R. C., dated the 11th August 1882.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total.	Grand total.
1	2	3	4	5
Main line—				
Gosaigaon to Jorhat	19-9-88	7.00		
Jorhat to Dhal river	15-12-84	9.50		
Dhal river to Titabar	16-7-87	1.75		
			12.25	
Cold weather line—				
Gosaigaon to Borghop	22-10-01	4.75		
Borghop to a point further down the river	8-12-11	2.50		
			7.25	
Mariani branch—				
Chenimara Junction to Mariani	1-12-86	7.00		
			7.00	
TOTAL	36.50

Details of construction—

Permanent-way.—2.51 miles between Jorhat and Gosaigaon are laid with steel rails, 30 lbs. to the yard. About a mile, between Jorhat and Chenimara, 4.25 miles, between Chenimara and Mariani, 0.75 mile, between Chenimara and Titabar, and 4.00 miles, between Jorhat and Gosaigaon, and one mile between Gosaigaon and Rivor terminus are laid with steel rails, 25 lbs. to the yard. The rest of the line, including the section from Gosaigaon to Borghop and the alternative cold weather section across Gosaigaon channel, is laid with steel rails, 18 lbs. to the yard.

Ballast.—The line is unballasted.

Fencing.—The line is not fenced.

Curves.—The sharpest curve is of 480 feet radius.

Gradients.—The ruling gradient is about 1 in 800, except on the Jorhat-Chenimara section where it is 1 in 400.

Contract—

Nil.—The line is owned and worked by the State.

Statistics of working (Those for the periods prior to 1908 will be found in Appendix 38 to the Railway Administration Report for 1907.)—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, (i) outlay on lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Interest.	Gain or loss to the State pertaining to each year.	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8	9	10
	Miles.	Rs.	Rs.	Rs.		Rs.	Rs.	Rs.	
1908	31.75	9,29,330	1,01,098	11,958	1.21	81,661	—20,423	62	88.86
1909	31.65	9,53,583	99,538	11,968	1.18	81,748	—20,423	67	88.86
1910	30.00	9,68,204	85,976	7,529	0.78	81,959	—24,490	59	92.16
1911	32.00	9,72,285	1,00,457	31,354	3.99	32,885	—1,581	70	71.35
1912	32.50	9,84,343	1,29,406	33,065	3.36	33,541	—473	79	71.96
1st yr. of 1913	32.50	10,43,645	30,538	0,324	0.89	10,369	—1,045	78	69.46
1913-14	32.50	10,61,859	1,30,085	39,846	3.74	35,717	+4,189	83	89.36
1914-15	32.50	10,71,745	1,31,820	—6,333	...	37,382	—43,794	78	105.23
1915-16	32.50	10,90,695	1,56,852	54,790	5.04	37,545	+17,345	96	84.97
1916-17	32.50	11,33,755	1,64,905	63,178	5.62	36,499	+24,679	98	81.87
1917-18	32.50	11,12,362	1,42,055	29,488	2.11	36,928	—15,390	85	88.50

KULASEKARAPATNAM-TISSIANVILLAI LIGHT RAILWAY (2nd Stage).

This line in the Tinnevely district was originally constructed for the sole use of the East India Distilleries and Sugar Factories (Limited) of Madras. Its maintenance and use for public traffic were authorised in Madras Government Order No. 1134-L, dated the 19th June 1914.

Progress in opening—

Section of railway.	Date of opening.	Miles.	Total.
1	2	3	4
Kulasekarapatnam to Tissianvillai	18-7-15	16.00	18.00

Details of construction—

Permanent way.—The permanent-way consists of flat-footed steel rails 18 lbs. to the yard between the Factory and Kulasekarapatnam Port and 14 lbs. to the yard, between Kulasekarapatnam Port and Tissianvillai, laid on wooden and corrugated steel sleepers with clip and bolt.

Ballast.—The line is ballasted with sand.

Fencing.—The line is fenced with thorn hedges where it passes through private lands.

Curves.—The sharpest curve has a radius of 80 feet.

Gradients.—The ruling gradient is 1 in 80.

Local Government order—

Madras Government, Local and Municipal Department, order No. 1134-L, dated the 19th June 1914 authorising the East India Distilleries and Sugar Factories (Limited) of Madras to maintain and use for public traffic the tramway line laid by them between Kulasekarapatnam and Tissianvillai in the district of Tinnevely.

Main provisions of Local Government order—

- (i) **Land.**—Private lands taken on lease from the owners and Government land on an annual rental of Rs. 10 per mile.
- (ii) **Government aid.**—Nil.
- (iii) **Rates and fares.**—Not stipulated in the Government order. But the promoters have, for the present, fixed 3 pies per mile for passengers (one class only), 1 pie per maund per mile for goods in wagon loads, i.e., 4 tons, 1½ pie per maund for goods in less than wagon loads, 1 pie per mile for every 5 seers, or fraction thereof, of parcels, and ½ pie per mile for every 5 seers, or fraction thereof in excess of 2 cubic feet, of luggage allowed free per passenger.
- (iv) **Special obligations as to the conveyance of:—**
 - (a) Mails, troops, police, high Government Officials and Government stores— } Nil.
 - (b) Government bullion and coin and the persons in charge thereof— }
- (v) **Power of the Government to determine contract.**—After 50 years from the date of the order, the local authority may purchase the line by paying to the promoters twenty-five times the average annual net earnings of the line for the last 5 completed years previous to the date of purchase subject to a minimum of 100 and a maximum of 125 per cent of the capital outlay.

The Government also may purchase the line for twenty-five times the average net earnings of the previous 3 years, subject to a minimum of 100 and a maximum of 120 per cent of the actual capital outlay, if, at any time, the line be connected with a railway and the proprietors fail to bring the line up to the standard required by the Indian Railways Act.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay including expense, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1915-16 . . .	18.00	2,96,200	17,680	5,241	1.08	19	70.64
1916-17 . . .	18.00	2,98,045	70,803	47,180	1.62	85	40.98
1917-18 . . .	18.00	3,46,335	33,943	—5,052	...	34	118.78

TARIKERE-NARASIMHARAJAPURA LIGHT RAILWAY (4' 0" gauge).

The construction of this line by the Mysore Durbar, under the provisions of the Mysore Tramways Regulation No. II of 1906, was sanctioned by the Government of India in the Foreign Department letter No. 8225-1.B., dated the 25th September 1913.

Progress in opening—

Sections of railway.	Date of opening.	Miles.	Total	Grand total.
1	2	3	4	5
Tarikere, on the Birur-Shimoga railway, to Lakvalli	15-1-15	11.88	24.00	
Lakvalli to Narasimharajapura	15-5-17	14.72		
UNDER CONSTRUCTION OR SANCTIONED FOR CONSTRUCTION				
Tadasa to Hobbe (sanctioned on 21th August 1917)	...	10.00	10.00	
GRAND TOTAL	
				58.00

Details of construction—

Permanent-way.—The permanent-way consists of 24-lb. flat-footed rails laid on wooden sleepers.

Ballast.—The line is packed with gravel ballast.

Fencing.—The line is unfenced throughout.

Curves.—The radius of the sharpest curve is 119 feet.

Gradients.—The ruling gradient is 1 in 50.

Agreement—

Nil. The line is owned and worked by the Mysore Government.

Statistics of working—

Year.	Mileage open at end of each year.	Total capital outlay, including expenses, to end of each year, i.e., outlay on (i) lines open and (ii) lines partly or wholly under construction.	Gross earnings.	Net earnings.	Percentage of net earnings on total capital outlay given in column (3).	Earnings per mile per week.	Proportion of expenses to earnings.
1	2	3	4	5	6	7	8
	Miles.	Rs.	Rs.	Rs.		Rs.	
1914-15	12.00	2,50,673	Information not available.	
1915-16	11.75	2,97,416	7,625	—2,109	...	12	117.65
1916-17	11.83	3,47,487	*925	—3,687	...	3	408.30
1917-18	26.00	5,14,261	17,798	—9,372	...	14	153.78

*The decrease is due to the closing of the line to traffic for a portion of the year.

